PCT

9510944.3

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



	INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)							
	(51) International Patent Classification 6:		(11) International Publication Number: WO 96/38555					
!	C12N 15/12, C07K 14/435, C12N 5/10, A01K 67/027, 67/033, A61K 38/17, A01H 5/00, C07K 16/18, C12N 5/26, C12Q 1/02	A2	(43) International Publication Date: 5 December 1996 (05.12.96)					
	(21) International Application Number: PCT/EPS)6/023	(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS,					
٠.	2) International Filing Date: 31 May 1996 (31.05.96)		MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD,					
٠.	(30) Priority Data:		SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent					

GB

(71)(72) Applicants and Inventors: BOGAERT, Thierry [BE/BE]; Voorstraat 36 bus 11, B-8500 Kortrijk (BE). STRINGHAM, Eve [CA/CA]; 9326-133 A Street, Surrey, British Columbia V3V 5R5 (CA). VANDEKERCKHOVE, Joel [BE/BE]; Rode Beukendreef 27, B-Loppem (BE).

31 May 1995 (31.05.95)

(74) Agent: BALDOCK, Sharon, Claire; Boult Wade Tennant, 27 Furnival Street, London EC4A 1PQ (GB).

(AM, AZ, BY, KG, KZ, MD, RU, TI, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

Without international search report and to be republished upon receipt of that report.

(54) Title: PROCESSES FOR THE IDENTIFICATION OF COMPOUNDS WHICH CONTROL CELL BEHAVIOUR, THE COM-POUNDS IDENTIFIED AND PHARMACEUTICAL COMPOSITIONS CONTAINING THEM AND THEIR USE IN THE CONTROL OF CELL BEHAVIOUR

(57) Abstract

UNC-53 protein of C. elegans or its functional equivalent is identified as a signal transducer/integrator involved in controlling the rate and directionality of cell migration and/or cell shape. Nucleic acid sequences encoding UNC-53 protein or its functional equivalent, such as genomic or cDNA are used to transfect <u>C. elegans</u> or mammalian cell lines useful for identifying inhibitors or enhancers of the UNC-53 protein. Any of the inhibitors or enhancers identified or the UNC-53 protein itself or sequences encoding UNC-53 protein can be used in the preparation of medicament for treatment of neurological conditions such as Alzheimer's or Huntingdon's disease, peripheral neuropathies for inhibition of metastasis.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
ΑT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portuge!
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic		of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	8G	Singapore
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	и	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LR	Liberia	SZ	Swaziland
CS	Czechoslovakia	LT	Lithuania	· TD	Chad ·
CZ	Czech Republic	LU	Luxembourg	TG	Togo
DE	Germany	LV	Latvia	TJ	Tajikistan
DK	Denmark	MC	Monaco	TT	Trinidad and Tobago
EE	Estonia	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	UG	Uganda
FI	Finland	ML	Mali	US	United States of America
FR	France	MN	Mongolia	· UZ	Uzbekistan
GA	Gabon	MR	Mauritania	VN	Vict Nam

PROCESSES FOR THE IDENTIFICATION OF COMPOUNDS WHICH CONTROL CELL BEHAVIOUR, THE COMPOUNDS IDENTIFIED AND PHARMACEUTICAL COMPOSITIONS CONTAINING THEM AND THEIR USE IN THE CONTROL OF CELL BEHAVIOUR

5

10

15

20

25

30

35

The present invention relates to processes for the identification of compounds which inhibit or enhance the rate and direction of cell migration or the control of cell shape, the compounds identified and pharmaceutical formulations containing such compounds together with their use in the regulation of cell behaviour. The invention also relates to an UNC-53 protein encoded by nucleic acid in the cells of the nematode worm <u>C. elegans</u> and cDNA sequences encoding an UNC-53 protein or functional equivalents thereof.

The control of cell motility, cell shape and the outgrowth of axones or other cell outgrowths is an essential feature in the morphogenesis and function of both unicellular and multicellular organisms. The control of this process is disturbed in a variety of disease states in which for example the Receptor Tyrosine Kinase (RTK) signal transduction pathways or the like or their downstream intra-cellular pathways (which are shared with other extra-cellular receptors, including cell adhesion molecules like N-CAMS and integrins) are overstimulated.

Some cell surface proteins and extracellular molecules controlling the directionality and potential of cell migration have been identified. However the processes in which these proteins or molecules are involved to effect cell migration, shape or rate of cell differentiation are not understood.

It is generally considered that a long-range migration of a cell process (which may also be known as a growth cone spike) is a stepwise event, whereby prior to and after each extension there is the

- 2 -

formation of a structure at the leading edge of the cell which senses signals in the environment instructing the cell to either stabilize a cell process extending in a preferred direction, or to cause a cell process lamellipodium to extend a process in a given direction. Localized stabilization of the actin cytoskeleton, is a general cell biological process underlying this choice of directional extension.

5

10

15

20

25

30

35

A gene from the free-living nematode

<u>Caenorhabditis elegans</u>, designated "unc-53" has been
previously identified and cloned (Abstract,

International <u>C. elegans</u> meeting; June 1-5 1991,

Madison, Wisconsin, 58, Bogaert and Goh). However, to
date no known biological function has been attributed
to the unc-53 gene or its corresponding UNC-53
protein.

The present inventors have surprisingly identified, through biochemical, genetic, phenotypic and transgenic evidence which is presented herewith, UNC-53 as a signal transducer or signal integrator controlling the rate and directionality of cell migration, and/or cell shape. Key experiments leading to this conclusion were the molecular identification of its domain structure, its biochemical interaction with GRB-2, actin cytoskeleton sequence information and the presence of a potential signal integrating domain in the UNC-53 protein.

An additional key observation is that increased UNC-53 protein activity is proportional to increased cell process extension in the correct direction of cell migration. Reduction of UNC-53 function has previously been shown to lead to a reduction of cell process extension, identifying it as a general component required for cell migration. However, it had not been identified as a component whose level of

- 3 -

activity has a determining role in the specification of the quantum and directionality of migration.

The work of the present inventors suggests that UNC-53 plays a central role in quantitatively transducing extracellular signals to the machinery controlling directional cell migration.

5

10

15

20

25

30

35

The importance of UNC-53 in a variety of cell types in <u>C. elegans</u> has been demonstrated. encodes a signal transduction molecule that transduces a signal from a Receptor Tyrosine Kinase such as for example via the adaptor protein SEM-5/GRB-2, to the machinery controlling directional growth cone extension or stabilization. The UNC-53 protein does this in a highly dosage-dependent fashion whereby reduction of protein activity such as reduction in expression of protein or in the reduction in its activity leads to proportional reduction of cell process extension (cell migration). This is believed to be either by regulated cross-linking of the actin cytoskeleton or by transferring the received signal downstream within the transduction pathway. Higher than wild type UNC-53 expression leads to higher than wild type growth cone extension in the anteriorposterior axis. Both the observed SEM-5/GRB-2 binding to UNC-53 and the predicted ATP/GTP-ase activity of UNC-53 demonstrate a signal transduction role for UNC-53 involved in cell process or growth cone quidance.

UNC-53 is a protein working at the intracellular level. It is so far believed to be the only intracellular protein identified which is involved in the control of directionality and rate of cell migration in response to a specific signal and which integrates different directional signals in defining direction of migration.

Based on the present inventors accumulated

_ 4 _

knowledge of the unc-53 gene function in <u>C. elegans</u> it is understood that inhibitors or enhancers of the unc-53 gene or the UNC-53 protein will affect the cell motility including (metastasis) via an RTK pathway or the like, or may lead to changes in the shape of the cells (which has been demonstrated in <u>C. elegans</u> body muscle). Applications for such inhibitors and/or enhancers are envisaged in a wide variety of pathologies in which the RTK pathways play a central role, including oncogenesis, psoriasis, cell migration (metastasis), neuronal regeneration/degeneration and immunological disorders among others.

5

10

15

20

25

30

The identification of the biochemical function of the unc-53 gene (and UNC-53 pathway) in the RTK signal transduction pathway is novel and unexpected. No biological function has previously been linked to the unc-53 gene or UNC-53 protein, nor has any homology with any other nucleic acid sequence or gene been recognised.

An analysis of the predicted protein sequence of UNC-53 from the gene sequence thereof has revealed the following:

- (a) an N-terminal domain with homology to cortical actin binding proteins of the α -actinin and β -spectrin families (designated ABPII in Figure 11). Alignment of UNC-53 with the α -actinin and β -spectrin family of proteins is shown in Fig. 15.).
- (b) two putative actin binding sites of the LKK class (ABS1 and ABS2).
- (c) two polyproline rich sequences similar to the SH3 binding domains of the SOS family of signal transduction molecules (SH3 binding site) (Fig. 16).
- (d) a putative ATP/GTP nucleotide binding site having some of the additional features of the GTP

- 5 -

5

10

15

20

25

30

35

binding domain of RAS-like proteins (Dynamin, NBD).

(e) besides the N-terminal region of the protein, which is similar to actin binding proteins, the predicted protein sequence of UNC-53 identified two putative actin binding sites. The first borders on the 3' end of the region of α -actinin/ β -spectrin homology and the second lies in the 3' end of the cDNA sequence.

This suggests that UNC-53 could potentially bind two actin molecules and via actin cross linking, could stabilize a particular cell process to promote directional extension.

In addition, genetic evidence shows that alleles of unc-53 enhance the sex myoblast migration defect of sem-5 mutants. Sem-5 represents the C. elegans homologue of GRB2, the function of these proteins being assigned/attributed to their SH2 and SH3 domains (Clark et al., (1992) Nature 356, 340-344; Stern et al., (1993), Molec. Biol. Cell, 4, 1175-1188). current model regarding sem-5 function in the migration of sex myoblasts is that sem-5 transduces a signal received at the cell surface by egl-15, a receptor kinase of the fibroblast growth factor family. Together, the genetic and molecular data suggest a role for UNC-53 in both signal transduction and actin binding. We have been able to demonstrate how UNC-53 might act to direct both growth cone rate and directionality. By binding directly to the actin cytoskeleton, UNC-53 may stabilize and cross-link actin molecules (assuming a two actin binding site model) to promote directional growth cone extension. Alternatively, by binding actin, UNC-53 may convey a signal to the cytoskeleton and then via an ATP/GTPase activity transduce the signal to downstream targets. To test these models, biochemical experiments were

5

10

15

20

25

30

35

conducted to determine if any of the sequence similarities observed repres nted functional domains (see examples 2 to 5). Transgenic analysis as described in examples 6 to 8 support this proposed model.

As described above, the unc-53 gene from C. elegans has been previously identified. However, cDNA sequences substantially corresponding to unc-53 genomic exon sequences of C. elegans or fragments or derivatives thereof have never been previously disclosed. The present inventors have advantageously identified two unc-53 cDNA clones which have been designated as the 7A and 8A clones. The two clones differ in the number of Adenosine(A) residues (7 or 8) in a poly A stretch of the 3' coding region. Therefore, the two clones have different reading frames in the carboxyterminal coding region.

Therefore according to one aspect of the present invention there is provided a cDNA encoding an UNC-53 protein of <u>C. elegans</u> or a functional equivalent derivative or bioprecursor of said protein which cDNA comprises at least from nucleotide position 431 to nucleotide position 4647 or alternatively to the 3' poly-A region of the sequence shown in Figure 1. More preferably the cDNA comprises at least from nucleotide position 64 to nucleotide position 4647 or to the 3' poly-A region of the sequence as shown in Figure 1. This cDNA is comprised in the 8A clone having 8A residues in a poly A stretch of the 3' coding region as shown in Figure 1.

In an alternative embodiment of this aspect of the invention the cDNA comprises at least from nucleotide position 431 to nucleotide position 4812 or alternatively to the 3' poly-A region of the sequence shown in Figure 2 and more preferably at least from position 64 to nucleotide position 4812 or the 3'

- 7 -

poly-A region of the sequence shown in Figure 2. This cDNA according to the invention comprises the 7A clone, having only 7 Adenine residues in the poly A stretch of the 3' coding region as shown in the nucleotide sequence of Figure 2 page 8. Each of the cDNA clones according to the invention, may be included in an expression vector which vector may itself be used to transform or transfect a host cell which may be bacterial, animal or plant in origin. Thus, advantageously, once the cDNA corresponding to the unc-53 genome is synthesised using for example reverse transcriptase or the like, a range of cells, tissues or organisms may be transfected following incorporation of the selected cDNA clone into an appropriate expression vector.

5

10

15

20

25

30

35

The present invention therefore, also further comprises a transgenic cell, tissue or organism comprising a transgene capable of expressing UNC-53 protein of <u>C. elegans</u> or a functional equivalent, fragment, derivative or bioprecursor thereof. The term "transgene capable of expressing UNC-53 protein" as used herein means a suitable nucleic acid sequence which leads to the expression of an UNC-53 protein having the same function and/or activity. The transgene may include for example genomic nucleic acid isolated from <u>C. elegans</u> or synthetic nucleic acid or alternatively any of the cDNA clones as described above.

The term "transgenic organism, tissue or cell" as used herein means any suitable organism and/or part of an organism, tissue or cell that contains exogenous nucleic acid either stably integrated in the genome or in an extra chromosomal state.

Preferably, the transgenic cell comprises either a <u>C. elegans</u> cell, an N4 neuroblastoma cell or an MCF-7 breast carcinoma cell. The transgenic organism may

5

10

15

20

25

30

35

be <u>C. elegans</u> itself, or alternatively may be an insect, a non-human animal or a plant. Preferably the unc-53 transgene comprises the unc-53 gene or a functional fragment thereof. The term "functional fragment" as used herein should be taken to mean a fragment of an UNC-53 gene which encodes an UNC-53 protein or a functional equivalent or bioprecursor of the protein. For example the gene may comprise deletions or mutations but may still encode a functional UNC-53 protein.

Reference to "tissue or tissue culture" for the purpose of the present invention should be taken to mean such a mutant cell which has been grown in such a culture. Further provided by the present invention is a mutant <u>C. elegans</u> organism which comprises an induced mutation, such as a point mutation in the wild-type unc-53 gene and which mutation affects the regulation of cell motility or shape or the direction of cell migration. Such mutations may be introduced using changes in the cDNA corresponding to qualitative, quantitative direct and indirect changes in the genomic make up.

The term "mutant organism" used herein means any suitable organism that contains genetic information which has been induced to mutate and is thus altered from the wild-type. Therefore naturally occurring mutations in the wild-type organism are not within the scope of this term.

The present invention further comprises an UNC-53 protein or a functional equivalent or fragment thereof, which protein may be encoded by a cDNA according to the invention, and which protein has the amino acid sequence shown in Figure 4 from amino acid position 135 to amino acid position 1528; this corresponds to the 8A clone. More preferably the UNC-53 protein, when encoded by a cDNA according to the

- 9 -

invention, comprises the amino acid s quence shown in Figure 4. In another aspect of the invention the protein comprises an UNC-53 protein or a functional equivalent, fragment or bioprecursor of the protein which comprises the sequence of from amino acid position 135 to amino acid position 1583 of the amino acid sequence shown in Figure 6. Preferably, the UNC-53 protein when encoded by a cDNA in accordance with the invention has the amino acid sequence shown in Figure 6.

5

10

15

20

25

30

35

The UNC-53 protein of <u>C. elegans</u> or a functional equivalent, fragment or bioprecursor of the UNC-53 protein, may advantageously be used as a medicament to promote neuronal regeneration, revascularisation or wound healing or the treatment of chronic neurodegenerative disorders or acute traumatic injuries. Similarly, the UNC-53 protein produced by the transgenic cells, tissue or organisms according to the invention may also be used in the preparation of a medicament for treatment of the conditions as described above.

Furthermore, in an alternative embodiment of the invention the nucleic acid sequence itself encoding an UNC-53 protein of <u>C. elegans</u> or a functional equivalent, fragment or bioprecursor of the protein may also be used as a medicament or, alternatively in the preparation of a medicament, to promote neuronal regeneration, vascularisation or wound healing or for treatment of chronic neuro-degenerative diseases or acute traumatic injuries. Typically neurological conditions which may be treated by either an UNC-53 protein or a functional equivalent thereof, or a nucleic acid according to the invention, comprise peripheral nerve regeneration after trauma; recovery of function of the spinal cord after spinal cord trauma or peripheral neuropathies. Similarly neuro-

- 10 -

d generation diseases which may be treated include Alzheimers disease or Huntingdons disease. Acute traumatic injuries such as stroke, head trauma or haemorrhages may also advantageously be treated.

5

10

15

20

25

30

35

The nucleic acid sequence according to the invention may comprise a cDNA sequence according to the invention as described above or alternatively may be genomic DNA derived from <u>C. elegans</u>.

The UNC-53 protein of <u>C. elegans</u>, or a functional equivalent, fragment or bioprecursor of said protein may be incorporated into a pharmaceutically acceptable composition together with a suitable carrier, diluent or an excipient therefor. The pharmaceutical composition may advantageously comprise, additionally or alternatively to the UNC-53 protein according to the invention, the nucleic acid sequence according to the invention as defined above.

The present invention also provides for a method of determining whether a compound is an inhibitor or an enhancer of the regulation of cell shape or motility or the direction of cell migration in a transgenic cell, tissue or organism according to the invention as described herein. The method preferably comprises contacting the compound with a transgenic cell, tissue or organism according to the invention as described above, and screening for a phenotypic change in the cell, tissue or organism. Preferably the compound comprises an inhibitor or enhancer of a protein of the signal transduction pathway of the cell, tissue or organism of which UNC-53 is a component or is an inhibitor or enhancer of a parallel or redundant signal transduction pathway. Such enhancers or inhibitors are defined by particular phenotypic changes in the transgenic cell, tissue or organism, for example changes in cell shape or mobility or the direction of cell migration.

5

10

15

20

25

30

35

- 11 -

Preferably th compound is an inhibitor or an enhancer of the activity of UNC-53 protein of <u>C. elegans</u> or a functional equivalent, derivative or bioprecursor thereof, which protein is expressed in the transgenic cell, tissue or organism as defined herein.

Preferably the phenotypic change to be screened comprises a change in cell shape or a change in cell motility. Where a transgenic cell is used in accordance with one embodiment of the method of the invention, an N4 neuroblastoma cell may be used and in such an embodiment the phenotypic change to be screened may be the length of neurite growth or changes in filipodia outgrowth or alternatively changes in ruffling behaviour or cell adhesion. alternative embodiment of the method of the invention, the transgenic cell may comprise an MCF-7 breast carcinoma cell. Typically in such an embodiment the phenotypic change to be screened comprises the extent of phagokinesis. The method according to the invention, may also utilise a mutant cell or mutant organism according to the invention as described above, where the mutant cell is capable of growing in tissue culture and either of which cell or organism has a mutation in the wild-type unc-53 gene.

In accordance with the present invention, a "phenotypic change", may be any phenotype resulting from changes at any suitable point in the life cycle of the cell, tissue or organism defined above, which change can be attributed to the expression of the transgene such as for example, growth, viability, morphology, behaviour, movement, cell migration or cell process or growth cone extension of cells and includes changes in body shape, locomotion, chemotaxis, mating behaviour or the like. The phenotypic change may preferably be monitored directly by visual inspection or alternatively by for example

- 12 -

measuring indicators of viability including endogenous or transgenically introduced histochemical markers or other reporter genes, such as for example β -galactosidase.

5

10

15

20

25

30

35

A compound which is identifiable by the method according to the invention as described above, as an enhancer of the regulation of cell shape or motility or the direction of cell migration in <u>C. elegans</u> may be used as a medicament, or alternatively in the preparation of a medicament, for promoting neuronal regeneration, revascularisation or wound healing, or for treatment of chronic neuro-degenerative diseases or acute traumatic injuries. Examples of promoting neuronal regeneration include for example peripheral nerve regeneration after trauma and spinal cord trauma.

Where a compound is identified in accordance with the method described above as being an inhibitor of the regulation of cell shape, the compound may be used as a medicament, or in the preparation of a medicament, for substantially alleviating spread of disease inducing cells, such as in spread of cancers, or the like in metastasis. Advantageously, any of the compounds which may have been identified as an inhibitor or an enhancer in accordance with the method as described above, may also be included in a pharmaceutically acceptable formulation comprising the respective compound and an acceptable carrier, diluent or excipient therefor.

The particular mechanism of action of a compound identified as either an inhibitor or an enhancer of the cell motility or direction of cell migration is not limiting preferably the compound acts as an inhibitor or enhancer of a signal transduction pathway downstream. The compound may also act on parallel pathway or on the UNC-53 protein of <u>C. elegans</u>. For

- 13 -

example, the method of action of the compound may include direct interaction with UNC-53 protein, interaction with processes for regulating phosphorylation of UNC-53 or for processes regulating activity of an unc-53 gene or for processes for post-transcriptional or post-translational modification or the like.

5

10

15

20

25

30

35

Preferably the compound is identified by the method according to the invention as an inhibitor or an enhancer, by utilising differences of phenotype of the cell, tissue or organism, which are visible to the eye. Alternatively indicators of viability including endogenous or transgenically introduced histochemical markers or a reporter gene may be used.

According to a further aspect of the invention there is also provided a transgenic cell or tissue culture which has been constructed to comprise a promoter sequence of an unc-53 gene of C. elegans or a functional fragment thereof, fused to a nucleic acid sequence encoding a reporter molecule. Preferably, the reporter sequence encoding the reporter molecule encodes for a detectable protein, for example one which may be monitored by eye inspection such as antibiotic resistance, ß-galactosidase or a molecule detectable by spectrophotometric, spectrofluorometric, luminescent or radioactive assays. Preferably the reporter molecule is green fluorescent protein (GFP), which advantageously allows inhibition or enhancement of the UNC-53 protein according to the invention to be monitored visually.

The present invention also provides a method of determining whether a compound is an inhibitor or an enhancer of transcription of a an unc-53 gene in <u>C. elegans</u>, or a functional fragment thereof, which method comprises the steps of:

(a) contacting said compound with a transgenic

- 14 -

cell according to the further aspect of the invention as described above,

5

10

15

20

25

30

35

(b) monitoring the reporter molecule and comparing results obtained from this monitoring step with a control comprising a transgenic cell having the promoter sequence of an unc-53 gene, or a functional fragment thereof and the reporter molecule, in the absence of the compound.

In one embodiment of the method according to the invention the reporter molecule may comprise messenger RNA. Alternatively the reporter molecule may be green fluorescent protein (GFP).

A compound identified as an inhibitor or enhancer of transcription of the unc-53 gene or a fragment thereof may also be used as a medicament, or in the preparation of a medicament, for promoting neuronal regeneration, revascularisation or wound healing, or for treatment of chronic neuro-degenerative diseases or acute traumatic injuries. Furthermore, such compounds may be included in a pharmaceutical formulation including a carrier, diluent or excipient therefor.

The present invention also provides a kit for determining whether a compound is an enhancer or an inhibitor of the regulation of cell motility or shape or the direction of cell migration, which kit comprises at least a plurality of transgenic or mutant cells according to the invention as described above and a plurality of wild-type cells of the same cell type or cell line or tissue culture.

Also provided by the present invention is a kit for determining whether a compound is an inhibitor or an enhancer of transcription of an unc-53 gene of <u>C. elegans</u> or a functional fragment thereof, which comprises at least a plurality of transgenic cells as described above and means for monitoring the reporter

- 15 -

molecule.

5

10

15

20

25

30

35

For the purposes of the present invention, the term "unc-53 gene or a functional fragment thereof" includes the nucleic acid sequence shown in Figure 1 or a fragment thereof, including the differentially spliced isoforms and transcriptional start of the unc-53 gene sequence and which sequence encodes an UNC-53 protein or a functional equivalent, derivative, fragment or bioprecursor of the protein.

The present invention also provides an oligonucleotide probe which comprises the carboxyterminal 1.5 kb of the coding nucleic acid sequence shown in Figure 1 or a fragment thereof comprising not less than 15 base pairs. In addition, the present invention provides a further oligonucleotide probe comprising a nucleic acid sequence encoding the amino acid sequence as numbered 1 to 10 and 14 to 133, 487 to 495, 537 to 545, 1032 to 1037, 1097 to 1116 or 1300 to 1307, as shown in Figure 3 or a fragment thereof comprising between 18 and 24 base pairs. The oligonucleotide probes described above may also be advantageously be labelled for detection.

The present invention also provides methods of identifying <u>C. elegans</u> genes or fragments thereof, which encode proteins which are active in the signal transduction pathway of which UNC-53 is a component and which are homologues of UNC-53. A preferred method comprises hybridizing to a <u>C. elegans</u> cDNA library an oligonucleotide probe according to the invention as described above, under appropriate conditions or stringency in order to identify genes having statistically significant homology with the cDNA clones of any one of the cDNA sequences according to the invention described above.

Furthermore, there is also provided by the present invention a method of identifying a protein

PCT/EP96/02311

16 -

WO 96/38555

5

10

15

20

25

30

35

which is active in the signal transduction pathway of a cell. According to this aspect of the invention, the method comprises;

- (a) contacting an extract of said cell with an antibody to the UNC-53 protein or a functional equivalent, fragment or bioprecursor thereof,
- (b) identifying the antibody/UNC-53 complex, and
- (c) analysing the complex to identify any protein bound to the UNC-53 protein other than the antibody.

The UNC-53 protein, therefore may bind regions of other proteins involved in the signal transduction pathway. It is also possible to sequentially identify a whole range of proteins involved in the signal transduction pathway. This aspect of the invention, further comprises a method of identifying a further protein or proteins which are active in the signal transduction pathway of a cell which method comprises:

- (a) forming an antibody to the identified protein bound to the UNC-53 protein in the method as described above,
- (b) contacting a cell extract of <u>C. elegans</u> with the antibody,
- (c) identifying the antibody/protein complex,
- (d) analysing the complex to identify any further protein bound to the first protein other than the antibody, and
- (e) optionally repeating steps (a) to (d) to identify further proteins in the pathway.

According to this aspect of the present invention, the antibody, which is preferably a monoclonal antibody, such as for example monoclonal antibody designated as 16-48-2, starts the process by binding to the UNC-53 protein or a functional equivalent thereof in the signal transduction pathway. Any other proteins found complexed to the bound

- 17 -

antibody or UNC-53 protein can then be used to identify further interacting proteins involved in the pathway.

It may also be possible to identify proteins involved in the signal transduction of a cell by using UNC-53 protein of <u>C. elegans</u>. According to this aspect of the invention the method comprises:

- (a) contacting an extract of the cell with the UNC-53

 protein of <u>C. elegans</u> or a functional equivalent,

 fragment or bioprecursor of said UNC-53 protein
 - (b) identifying the UNC-53 protein/protein complex and

15

30

35

5

- (c) analysing the complex to identify any protein bound to the UNC-53 protein other than another UNC-53 protein
- This method can also advantageously be used to identify further proteins in a signal transduction pathway of a cell by contacting an extract of the cell used as described above, with any protein identified from step (c) above not being an UNC-53 protein and repeating steps (b) and (c).

Other methods which may be used for identifying proteins in a signal transduction pathway of a cell may comprise for example a western blot overlay method which method is well known to those skilled in the art. Cell extracts are run on SDS-gels to separate out protein and subsequently blotted onto a nylon membrane. These membranes may then be incubated, for example in a medium containing UNC-53 with a biotin label thereon and any protein conjugates visualised

with a streptavidin-alkaline phosphatase conjugated antibody.

5

10

15

20

25

30

35

The present invention also advantageously provides a process for the preparation of binding antibodies which recognise proteins or fragments thereof involved in the rate and direction of cell migration or the control of cell shape, for the above methods. Preferably the antibody is monoclonal antibody and more preferably monoclonal antibody 16-48-2.

The monoclonal antibody for binding to UNC-53 (or its functional equivalent) may be prepared by known techniques as described by Kohler R. and Milstein C., (1975) Nature 256, 495 to 497.

Another method which may be used to identify proteins involved in the signal transduction pathway involves investigating protein-protein interactions using the two-hybrid vector method. This method, which is well known to those skilled in the art, utilises the properties of the GAL4 protein in yeast. GAL4 is a transcriptional activator of galactose metabolism in yeast and has a separate domain for binding to activators upstream of the galactose metabolising genes as well as a protein binding domain. Nucleotide vectors may be constructed, one of which comprises the nucleotide residues encoding the DNA binding domain of GAL4. These binding domain residues may be fused to a known protein encoding sequence, such as for example unc-53. The other vector comprises the residues encoding the protein binding domain of GAL4. These residues are fused to residues encoding a test protein, preferably from the signal transduction pathway of C. elegans. Any interaction between the UNC-53 protein and the protein to be tested leads to transcriptional activation of a

- 19 -

reporter molecule in a GAL-4 transcription deficient yeast cell into which the vectors have been transformed. Preferably, a reporter molecule such as β -galactosidase is activated upon restoration of transcription of the yeast galactose metabolism genes. This method enables any interactions between proteins involved in the signal transduction pathway to be investigated.

5

10

15

20

25

30

35

Any proteins identified in the signal transduction pathway of the cell, which may be for example a mammalian cell, may also be included in a pharmaceutical composition together with a carrier, diluent or excipient therefor.

The present invention also provides a process for producing an UNC-53 protein of <u>C. elegans</u> or a functional equivalent, fragment, or derivative of the protein, which process comprises culturing the cells transformed or transfected with a cDNA expression vector having any of the cDNA sequences according to the invention as described above, and recovering the expressed UNC-53 protein. The cell may advantageously be a bacterial, animal, insect or plant cell.

A particularly preferred process for producing UNC-53 protein comprises using insect cells. Accordingly, the invention provides a process for producing an UNC-53 protein of <u>C. elegans</u> or a functional equivalent, fragment, derivative or bioprecursor of the UNC-53 protein, which process comprises culturing an insect cell transfected with a recombinant Baculovirus vector, said vector comprising a nucleotide vector encoding the UNC-53 protein or a functional equivalent, fragment or bioprecursor thereof downstream of the Baculovirus polyhedrin promoter and recovering the expressed UNC-53 protein. Advantageously, this method produces large amounts of protein for recovery. The insect cell may be from for

PCT/EP96/02311

example Spodoptera frugiperda or Drosophila Melanogester.

5

10

15

20

25

30

35

In accordance with the present invention, a defined nucleic acid sequence includes not only the identical nucleic acid but also any minor base variations from the natural nucleic acid sequence including in particular, substitutions in bases which result in a synonymous codon (a different codon specifying the same amino acid), due to the degenerate code in conservative amino acid substitution. term "nucleic acid sequence" also includes the complimentary sequence to any single stranded sequence given which includes the definition above regarding base variations.

Furthermore, a defined protein, polypeptide or amino acid sequence according to the invention, includes not only the identical amino acid sequence but also minor amino acid variations from the natural amino acid sequence including conservative amino acid replacements (a replacement by an amino acid that is related in its side chains). Also included are amino acid sequences which vary from the natural amino acid but result in a polypeptide which is immunologically identical or similar to the polypeptide encoded by the naturally occurring sequence. Such polypeptides may be encoded by a corresponding nucleic acid sequence.

The invention may be more clearly understood from the following description with reference to the accompanying drawings and photographs, in which

Fig. 1 shows one strand of the C. elegans unc-53 mRNA translated into DNA (U to T) (5073 bases) which corresponds to the 8A clone variant encoding the corresponding 8A protein shown in Figure 3. Designations "TB" are positions onto which SL1 transplices have been identified at the 5' end of the sequence. Different mRNAs which differ in their 5'

PCT/EP96/02311

WO 96/38555 - 21 -

end therefore exist. Potential start methionines are double underlined (\underline{M}) . Restriction endonuclease sites are indicated. A region of 8 sequential A bases at positions 4594 to 4601 is underlined. This region differs from the corresponding region of the known sequence in the database (F45E10.1) by having 8 rather than 7 A'denine (A) bases resulting in a frame shift (see Fig 15) and corresponds to the 7A form of the The nucleic acid sequence from the database is also included in the nucleic acid sequences of the present application for reference only.

5

10

15

20

25

30

35

Fig. 2 shows a comparison of the sequences of the 7A and 8A clones of Figure 1.

Fig. 3 shows the predicted C. elegans amino acid UNC-53 sequence corresponding to the nucleic acid sequence of the 8A clone shown numbered from 1 to Again, potential start methionines are double underlined (\underline{M}) . Designations "tb" are regions for PCR clones to identify PCR products. Other regions of interest are identified. The region indicated as S4 is part of a lambda clone - 16.8 kb of the UNC-53 nucleic acid. This sequence, when translated is part only of the UNC-53 protein. Yet, injection of this part gives transformation rescue in organisms, i.e. providing additional evidence for the existence of shorter forms of the protein.

Fig. 4 shows the predicted C. elegans amino acid sequences of Figure 3 in the three letter code for indicating amino acids.

Fig. 5 shows the predicted C. elegans amino acid sequence UNC-53 sequence corresponding to the nucleic acid sequence of the 7A clone of Figure 2 shown numbered from 1 to 1583.

Fig. 6 shows the amino acid sequence of Figure 5 in the corresponding three letter code format for indicating amino acids.

5

10

15

20

25

30

35

Fig. 7 shows sequences of low compl xity of the amino acid sequence of the corresponding nucleic acid sequence of the 8A clone of Fig. 3 identified with the filter and <u>SEG</u> algorithms of the BLAST sequence homology package. Regions of low complexity are indicated by "X" for the first copy of the sequence and by underlined amino acids for the second copy.

Fig. 8 shows, schematically, the known branches of the highly conserved Receptor Tyrosine Kinase/GRB2 signal transduction pathway including UNC-53.

Fig. 9 shows, schematically, the differences in cells with increased and decreased UNC-53 expression from the wild type.

Fig. 10 is a graph of the effect of anteriorposterior signal strength on growth cone extension rate of C. elegans organisms, with increased and decreased UNC-53 expression from the wild type. graph translates the observation that UNC-53 acts in a dosage-dependent way to direct the rate of extension in the anterior/posterior axis into a model. signal received e.g. (egl-15) is an RTK mediated signal which is postulated to be received by UNC-53 and which results in extension in the anterior/posterior axis. The graph shows an allelic series of organisms with a graded reduction in extension from increased UNC-53 expression down through wild type to a reduced UNC-53 expression. prediction is thus: for the same level of RTK mediated signal the increased/decreased growth in the anterior/posterior axis depends on the level of expression of UNC-53 in any organism. The graph also reflects the prediction that for organisms with a particular level of UNC-53 overexpression there is no requirement for a signal before growth cone extension occurs. This extension is likely to be in a random direction or influenced by alternative factors.

5

10

15

20

25

30

35

Fig. 11 shows constructs of unc-53 nucleic acid including identified functional domains .

Fig. 12 shows 5' amino terminus of the cDNA encoding from the first methionine amino acid through the actin binding protein homology domain (amino acids 1-133 from Fig. 1) and oligonucleotides designated oligo BG01, BG02 and BG03 (amplification strategies of amino terminus of the unc-53 cDNA). Combinations of oligo BG02 with either oligo BG02 or BG03 were used to amplify the 5' terminus of the cDNA from the first methionine through the actin binding protein homology domain (amino acids 1-133). All of the oligonucleotides are underlined and sequences identical to the cDNA are shown in upper-case. In addition to unc-53 sequence, oligo BG02 contains a stop codon and the recognition sequence for BamHI endonuclease. Oligo BG01 has engineered EcoRI and NdeI recognition sites for inclusion in bacterial expression vectors. Both constructs remove the 5' untranslated region of unc-53 and oligo BG03 contains a NotI cleavage site. Oligo BG03 has an improved ribosome binding site similar to mammalian ribosome binding sites. Use of BG03 in PCR thus results in constructs optimised for mammalian expression.

Figure 13 shows, schematically, constructs of the plasmids pTB109, pTB110, pTB111 and pTB112.

Fig. 14(a) shows a summary of transcript starts at the 5' end of the unc-53 gene. Different identified transcript starts and corresponding inframe ATG-codons are marked. Tab2 is the oligo from within cDNA M5 which was used in RT PCR experiment to identify/isolate the 5' ends of different UNC-53 mRNAs.

Figure 14(b) shows the location of the different transcript starts on the genomic DNA and the position of the S4 Lambda clone with respect to genomic DNA.

- 24 -

Figure 14(c) shows the sequence near the 5' and 3' ends of the lambda S4 clone, identifying its composition corresponding to the 5' and at position 2260 of comid COGHIO and the 3' end of F45R10 at position 3287.

Fig. 15 shows the alignment of UNC-53 protein with the carboxytermini of the α -actinin and β spectrin family (QY is UNC-53).

Fig 16 shows the predicted actin binding sites of UNC-53. The comparison shows internal LKK repeats.

Fig. 17 shows the alignment of the candidate SH3 binding sites in UNC-53 with known SH3 sites of other named proteins. Proteins at positions 4 and 7 are critical for binding into SH3 pockets.

Fig. 18 shows the alignment of the predicted amino acid sequences from F45E10.1 (available in public database) with UNC-53. The different identified amino acid is shown at position 1186. frameshift which results in the different amino acid sequence from position 1513 is a result of the different number of adenine bases in the nucleic acid sequence (see Fig. 1).

Fig. 19 is a series of photographs of C. elegans embryos (strain TB4Ex25 (Table 1) [UNC-53-UNC-54 construct]). The photographs show increased outgrowth in the anterior-posterior axis of body wall cells in the C. elegans embryos which overexpress UNC-53 (immunofluorescence with UNC-53 mab 16-48-2) Individual photographs are as follows:

early embryo comma stage A: 30

5

10

15

20

25

35

- 1.5 fold stage embryo B:
- 3 fold stage embryo, first plane of focus C:
- 3 fold stage embryo, second plane of focus D:
- 3 fold stage, mosaic animal, 3-cells in a E: quadrant giving expression. This demonstrates that immunofluorescence

- 25 -

5

10

15

20

25

30

35

provides a measure of the expression in the transgenic lines of UNC-53.

Fig. 20A is a photograph of C. elegans embryo containing DNA construct pTB110 (strain TBAIn76(table Shown is expression of UNC-53 following heat shock.

Fig. 20B and C are photographs of C. elegans embryos containing DNA construct pTB111 (strain TB1Ex6 (table 1)). Shown is transgenic expression of UNC-53 in mechano-sensory neurons.

Fig. 21 shows photographs of the following:

- A wild-type UNC-53 L1 larva of genotype 4-25 A: (strain TB4Ex25) as in photographs 19B, C and D.
- L1 larva of 4-25 with morphological defects **B**: associated with muscle abnormalities.
- Lethal phenotype of 4-25. C:
- L1 larva of 4-25 showing misshapen animal and D: muscle cells with increased extensions. Also shows constipation problems associated with abnormal muscle pattern.
- L1 larva of the heat-shock line TBAIn76 (table 1) E: exhibiting morphological abnormalities following heat shock and recovery.
- L1 larva of line TBAIn76 (table 1) showing F: morphological defects in the pharynx.

All Figs. 19, 20 and 21 are Normarski optics of live embryos.

Fig. 22 is a map of plasmid pTB110 (tables 1 and 2) a heat shock promoter fusion, indicating restriction endonuclease sites.

Fig. 23 is a map of plasmid pTB112 (tables 1 and 2) a muscle specific UNC-54 fusion, indicating restriction endonuclease sites.

Fig. 24 is a map of plasmid pTB54 (the 8A clone variant) (tables 1 and 2). In the construction of this plasmid the complete unc-53 cDNA (tb3M5) of the 5

15

20

25

8A variant, including 5' and 3' UTRs was cloned as a NotI-ApaI fragment into th mammalian expression vector pcDNA3 (Invitrogen).

Figure 25 is a map of plasmid pTB72 (the construct encoding the 7A clone variant of UNC-53 cDNA of Figure 2.

Figure 26 is nucleotide sequence of the plasmid map of Figure 25.

Figure 27 is a map of plasmid pTB73.

Figure 28 is a nucleotide sequence of plasmid pTB73 of Figure 27.

Figure 29 is a map of plasmid pCB50.

Figure 30 is a nucleotide sequence of plasmid pCB50 of Figure 29.

Figure 31 is a map of plasmid pCB51.

Figure 32 is a nucleotide sequence of the plasmid pCB51 of Figure 31.

Figure 33 is a map of plasmid ppCB55.

Figure 34 is a nucleotide sequence of plasmid pCB55 of Figure 33.

Figure 35A illustrates a flowchart of the actin co-sedimentation assay. Soluble UNC53 protein was incubated with monomeric G-actin in a buffer containing ATP. Polymerization of G-actin to F-actin was induced by increasing the salt concentration to 100 mM, F-actin protein complexes were collected by centrifugation and analyzed by SDS-PAGE and fluorography.

Figure 35(B) illustrates the concentration series
of the actin co-sedimentation assay. The full length
UNC-53 encoding cDNA (pTB72) was transcribed and
translated in vitro and co-sedimented with F-actin at
a starting G-actin concentrations ranging from 0 to
250 mg/ml. See methods for details. S=supernatant
after airfuging. P=pellet after airfuging.

Figure 35(C) illustrates both the full length

(pTB72) and amino terminal deleted UNC53 (pTB73) protein co-sediment with F-actin. Starting G-actin concentration was 500 mg/ml. S=supernatant, P=pellet, R= starting in vitro reaction.

5

10

15

20

25

30

35

Figure 36(A) is a flowchart of a SEM-5 binding experiment. The truncated UNC53 cDNA (pTB50) was transcribed and translated *in vitro* and incubated with SEM5-GST sepharose or GST sepharose. After four washes, the remaining proteins bound to the matrix were analyzed by SDS-PAGE and fluorography.

Figure 36(B) illustrates an immunoprecipitation experiment of radioactively labelled UNC53 proteins from the TnT pTB50 reaction shows that monoclonal antibody 16-48-2 recognizes both the native (=SDS lanes) and denatured (+SDS) protein products in vitro. c=control reaction without anti-UNC53 monoclonal antibody 16-48-2. ab=reaction with monoclonal antibody 16-48-2. See methods for details.

Figure 36(C) illustrates the results of SEM-5-GST binding experiments outlined in (a). In vitro translated UNC53 protein were analyzed by SDS-PAGE and fluorography. See methods for details. sup=supernatant

Figure 36(D) illustrates a western blot overlay experiment of UNC-53 (construct pTB61) expressed in bacterial cells. Cell lysates were denatured in Laemmli buffer and the proteins separated by 5-25% gradient SDS-PAGE. The arrowhead indicates the presence of full length UNC-53 in the induced bacterial lysate. Additional gels were blotted to nylon membrane, incubated with biotinylated GST or biotinylated GST-GRB2 protein and bound protein complexes subsequently detected with a streptavidinalkaline phosphatase conjugated antibody. See methods for details. U=uninduced bacterial cell lysate, I=induced bacterial cell lysate.

PCT/EP96/02311

5

10

15

20

25

30

35

Figure 37 is a series of photographs of <u>C.</u>
elegans which illustrates overexpression of UNC-53 in
body muscle cells results in over-extension along the
longitudinal axis. Transgenic <u>C. elegans</u> embryos
carrying the construct pTB113 were analyzed for UNC-53
activity by immunohistochemistry with the 16-48-2
antibody. Starting from the photograph (a) of the top
left panel of Figure 37.

(A) and (B) illustrate ectopic growth cone spikes (indicated by the arrowheads) are observed early in myogenesis in the comma stage embryo. (C) and (D) illustrate over-extension of muscle cells in the head region of a three fold embryo during outgrowth. (E) illustrates over-extension is clearly observed along the anterior-posterior axis (indicated by the arrowheads) of a late 3 fold embryo.

Figure 38 is a map of plasmid ptb113.

Figure 39 is a nucleotide sequence of the plasmid ptb113 of Figure 38.

Figure 40 illustrates neurite tree length and fraction positive cells enhancement in a transfected cell C9 compared to wild-type cells C0. Black bars indicate fraction positive cells whereas hatched bars indicate neurite tree length cells, as described in example 8.

Figure 41 illustrates the results obtained following application of compound (I-(IH-pyrrol-2-ylmethy1)-2-piperidinone) to N4 transfected cells. The dark coloured bars indicate fraction positive CO clones whereas the hatched bars of the chart indicate fraction positive C9 clones.

The following sequence listings are referred to in the specification.

Sequence 1D No 1: is a nucleic acid sequence

- 29 -

corresponding to the 7A nucleic acid sequence variant of Figure 2.

Sequence 1D No 2: is a nucleic acid sequence corresponding to the 8A nucleic acid sequence variant of figure 1.

Sequence 1D No 3: is an amino acid sequence corresponding to the amino acid sequence of the 8A variant of figure 3.

10

35

Sequence 1D No 4: is an amino acid sequence corresponding to the amino acid sequence of the 7A variant of figure 2.

Sequence 1D No 5: is an amino acid corresponding to the amino acid sequence shown in figure 7.

Sequence 1D No 6: is a nucleic acid sequence of the oligo BGO3 sequence of figure 12.

Sequence 1D No 7: nucleic acid sequence of the oligo BG01 sequence of figure 12.

25 Sequence 1D No 8: is a nucleic acid sequence of the oligo BG02 sequence of figure 12.

Sequence 1D No 9: is an amino acid sequence corresponding to the amino acid UNC-53(a) sequence shown in figure 17.

Sequence ID No 10: is an amino acid sequence corresponding to amino acid sequence of sequence (b) of UNC-53 shown in figure 17.

Sequence ID No 11: is an amino acid sequence

corresponding to the sequence (c) of an SOS shown in figure 17.

Sequence ID No 12: is an amino acid sequence

corresponding to the sequence (d) of an SOS shown in figure 17.

Sequence ID No 13: is an amino acid sequence corresponding to the sequence (d) of an SOS shown in figure 17.

Sequence ID No 14: is an amino acid sequence corresponding to the sequence (f) of SOS 1359 shown in figure 17.

15

10

Sequence ID No 15: is an amino acid sequence corresponding to the sequence (g) of SOS 1377 shown in figure 17.

20 Sequence ID No 16: is an amino acid sequence corresponding to the sequence (h) of Dynamin shown in figure 17.

Sequence ID No 17: is an amino acid sequence
corresponding to the sequence (i) of dynamin shown in figure 17.

Sequence ID No 18: is an amino acid sequence corresponding to the sequence (j) of PI3K p85 shown in figure 17.

Sequence ID No 19: is an amino acid sequence corresponding to the sequence (k) of P13k p85 shown in figure 17.

35

Sequence ID NO 20: is an amino acid sequence

10

30

35

corresponding to the sequence (1) of AFAP-110 shown in figure 17.

Sequence No 21: is an amino acid sequence corresponding to the sequence (m) of AFAP-110 shown in figure 17.

Sequence No 22: is an amino acid sequence corresponding to the sequence (n) of 3BP-1 shown in figure 17.

Sequence ID No 23: is an amino acid sequence corresponding to the sequence (o) of 3BP-1 shown in figure 17.

Sequence ID No 24: is an amino acid sequence which corresponds to the amino acid sequence from positions 106 to 133 of UNC-53 shown in figure 16.

20 Sequence ID No 25: is an amino acid sequence which corresponds to the amino acid sequence from positions 1093 to 1120 of UNC-53 shown in figure 16.

Sequence ID No 26: is a nucleotide sequence 25 corresponding to the nucleotide sequence of ptB72 shown in figure 26.

Sequence ID No 27: is a nucleotide sequence corresponding to the nucleotide sequence of ptB73 shown in figure 28.

Sequence ID No 28: is a nucleotide sequence corresponding to the nucleotide sequence of pCB50 shown in figure 30.

Sequence ID No 29: is a nucleotide sequence

5

10

30

35

WO 96/38555 PCT/EP96/02311

corresponding to the nucleotide sequence of pCB51 shown in figur 32.

Sequence ID No 30: is a nucleotide sequence corresponding to the sequence of pCB55 shown in figure 34.

Sequence ID No 31: is a nucleotide sequence corresponding to the nucleotide sequence of ptb113 shown in figure 39.

Sequence ID No 32: is an amino acid sequence corresponding to the amino acid sequence as numbered from amino acid 1 to 110 of the sequence figure 3.

Sequence ID No 33: is an amino acid sequence corresponding to the sequence as numbered from amino acid sequence 114 to 133 of the sequence of figure 3.

Sequence ID No 34: is an amino acid sequence corresponding to the sequence as numbered from amino acid sequence 487 to 495 of the sequence of figure 3.

Sequence ID No 35: is an amino acid sequence corresponding to the sequence as numbered from amino acid sequence 537 to 545 of the sequence of figure 3.

Sequence ID No 36: is an amino acid sequence corresponding to the sequence as numbered from amino acid sequence 1032 to 1037 of the sequence of figure 3.

Sequence ID No 37: is an amino acid sequence corresponding to the sequence as numbered from amino acid sequence 1097 to 1116 of the sequence of figure 3.

Sequence ID No 38: is an amino acid sequenc ecorresponding to the sequence as number d from amino acid sequence 1300 to 1307 of the sequence shown in figure 3.

5

Sequence ID No 39: is an amino acid sequence corresponding to the amino acid sequence (a) of \propto -actinin (aact) shown in figure 15.

- Sequence ID No 40: is an amino acid sequence corresponding to the amino acid sequence (b) of unc-53 shown in figure 15.
- Sequence ID No 41: is an amino acid sequence corresponding to the amino acid sequence (c) of β -spectrin (spectrin) shown in figure 15.

Sequence ID No 42: is an amino acid sequence corresponding to the amino acid sequence (d) of actinin (aact) shown in figure 15.

Sequence ID No 43: is an amino acid sequence corresponding to the amino acid sequence (e) of UNC-53 shown in figure 15.

25

Sequence ID No 44: is a amino acid sequence corresponding to the amino acid sequence (f) of β -spectrin (spectrin) shown in figure 15.

- Sequence ID No 45: is an amino acid sequence corresponding to the amino acid sequence (g) of ~-actinin shown in figure 15.
- Sequence ID No 46: is an amino acid sequence corresponding to the amino acid sequence (h) of UNC-53 shown in figure 15.

Sequence ID No 47: is an amino acid sequence corresponding to the amino acid sequence (I) of β -spectrin shown in figure 15.

5 Sequence ID No 48: is a nucleotide sequence corresponding to the nucleotide sequence of S4 lambda clone shown in figure 14(c).

The inventors have established a set of processes 10 particularly in C. elegans to select for inhibitors or enhancers of UNC-53. This screen is based on transgenic or mutant organisms or cells in which we have introduced a nucleic acid sequence encoding UNC-53 under the control of a specific promoter. In these 15 organisms UNC-53 is over-stimulated as judged by increased extension of growth cones of muscle cells which over-express UNC-53 in C. elegans. This leads to a range of phenotypes in both embryonic and postembryonic development (from death to defective 20 morphology and motility). These phenotypes can be scored with simple means at high throughput. Similar results can be obtained with heat shock specific lines. The basis of our test for inhibitors of the UNC-53 signal transduction pathway is reversal of this 25 phenotype to an improved state of health.

We have constructed transgenic strains of <u>C</u>.

<u>elegans</u> which over-express UNC-53 in body muscle.

This results in increased extension of muscle cells and embryonic lethality (17 to 80% of transgenic organisms depending on the line used). These strains are used to directly screen for drugs which interfere with unc-53 genes, UNC-53 protein activity or any regulatory factor thereof to thereby suppress the background lethality.

30

35

Another process which may be used for selecting

WO 96/38555 PCT/EP96/02311
- 35 -

inhibitors or enhancers of UNC-53 uses a constitutively active unc-53. This is achieved by mutating the nucleotide binding domain such that GTP or ATP is always bound or by covalently attaching SEM-5. In this strategy, transgenics (tissue cultured cell lines, or organisms such as nematodes) are generated which maintain unc-53 in a higher endogenous level of activity. Over-extension and subsequent lethality results in a greater proportion than that observed in the UNC-54/UNC-53 wild type lines. By screening for survivors after drug treatment, this assay specifically identifies inhibitors of downstream components in the signal transduction pathway.

5

10

15

20

25

30

Another process utilises an UNC-53 promoter. In this approach, an UNC-53 promoter is fused to a nucleic acid sequence encoding a reporter molecule, for example green fluorescent protein (GFP). Cells will glow when trans-acting factors bind to the promoter to activate transcription. By screening for cells which do not fluoresce, molecules which inhibit transcription of UNC-53 are identified.

The processes for selecting inhibitors and/or enhancers according to the invention are preferably carried out on whole animals. This can be done using a <u>C. elegans</u> system. The advantages of these tests include:

- (1) The screening in a whole animal assay.

 C. elegans is a complex multicellular organism with a full nervous system, digestive system, etc. Its anatomy and development has been described in extreme detail. It is one of the best-characterised higher organisms at the genetic, molecular, developmental and cell biological level. Any observed changes to phenotype can be checked against this database.
- 35 (2) To study effects on rate and directionality of cell migration and the change of cell shape it is

PCT/EP96/02311

WO 96/38555

5

10

15

20

25

30

35

- 36 -

important to leave the cells under study in a setting where they are surrounded by the in vivo interacting tissues, cells and substrates for cell migration etc. This can be done using whole C. elegans subjects. situation has been created where the given pathway is over-stimulated leading to an easily scorable phenotype which can be reverted in any assay or process.

- The endpoint of the screen is the substantially (3) increased health of the organism. This permits the exclusion of non-specific and toxic compounds.
- A complete and specific inhibition of UNC-53 in the transgenics will lead at the worst to the phenotype of an UNC-53 reduction or loss of function mutant which we have described, can recognise and have shown not to be essential for viability.
- The test can be adapted to make full use of the advantages of the C. elegans model system such as the possibility to conduct the test chronically over several generations and the possibility to conduct the test in different genetic backgrounds, e.g. RTK constitutive or defective.
- C. elegans exhibits a complex set of wild type, drug- and mutation-induced phenotypes such as changes in body shape, subtle changes in locomotion, mating behaviour, chemotaxis, pharyngeal pumping, egg laying behaviour, which can be used as part of a phenotype analysis or screen.

The results of C. elegans research described herein has provided important breakthroughs in biomedical research fields such as programmed cell death, neuronal guidance, the Receptor Tyrosine Kinase/RAS signal transduction pathway, integrin/cell adhesion receptor signalling, etc.,

The biochemical association of UNC-53 in the RTK signal transduction pathway enables identification of WO 96/38555

5

10

15

20

35

- 37 -

genes or of biochemical pathways which are targets for pharmacologically or pharmaceutically active compounds and the development of high throughput and mode of action specific drug screens using wild type, mutant and transgenic animal strains including, in particular, C. elegans.

Thus pharmacological manipulation of the UNC-53 pathway is now possible on the following rationale:

We have scientific arguments to expect C. elegans UNC-53 to interact in vivo with the other components of RTK signal transduction pathways based on:

- The observation that C. elegans SEM-5 and GRB-2 are mutually exchangeable in vivo, combined with our observed in vitro binding of both GRB-2 and SEM-5 to UNC-53. Thus, C. elegans UNC-53 will be able to interact with the activated GRB-2/RTK receptor in mammalian cells.
- UNC-53 interacts with the rabbit actincytoskeleton

Expression of <u>C. elegans</u> UNC-53 in mammalian cell lines represents a shortcut to develop pharmacological assays and screens to target this pathway. We have shown that over-expression of the C. elegans UNC-53 in C. elegans myoblasts leads to over-extension of these cells in the anterior/posterior axis of the embryo and 25 ultimate disorganisation of the muscle cell and myofilament pattern. (Over)-expression of <u>C. elegans</u> UNC-53 in a human cell line leads to a detectable change in phenotype, in particular increased motility of cells, increased outgrowth of neurons and 30 morphological changes in the elongation and cytoskeletal morphology of differentiating myotubes.

The C. elegans unc-53 Open Reading Frame (ORF) (with and without optimised Kozak consensus sequence) of both 7A and 8A clone variants has been cloned between the CMV major intermediate early

10

15

20

25

30

35

promoter/enhancer and bovine growth hormone polyA signal sequence of xpression vector pcDNA3 (Invitrogen). This vector is designed for high level stable and transient expression in most mammalian cells.

The following additional considerations require mention:

- Genetic analysis of reduction in UNC-53 function and ectopic expression experiments suggest that UNC-53 acts in a highly dosage-dependent manner. As is the case for RAS, increased expression may lead to lowering the threshold of RTK-signal required for a given response or may remove the requirement for an activating signal to obtain a phenotype response (Fig 10). In addition UNC-53 is an unusually low abundance It is therefore protein in wild type C. elegans. likely to be necessary or useful to control the temporal and quantitative expression of UNC-53 in the proposed assay conditions in all organisms or cells to The already available or a further be assayed. optimised expression cassette is then cloned in expression vectors with IPTG- inducible or tetracycline-repressible promoters. It is realised that both the Lac and Tet expression systems are Additional other repressible/inducible expression systems (e.g. Mx promoter) or weak mammalian promoters might be preferred.
- (2) Over-expression of the endocytosis controlling protein dynamin leads to phenotypes which are not associated with dynamin function in the cell but which are thought to be due to sequestration of the GRB-2 pool in the cell (GRB-2 is an adaptor for a variety of signal transduction pathways). Such sequestration is unlikely to lead to "positive effects" on the activity of the cell such as is observed in the presently described assay system (increased cell process

PCT/EP96/02311

xtension or motility), see Fig 19. Based on the homology between UNC-53 and GTP-binding, we can also predict specific mutations in the nucleotide-binding pocket or the predicted effector region which should lead to loss of function. Sequence analysis of unc-53 5 alleles is instructive in determining which amino acids of UNC-53 are essential for function, e.g. as exemplified by the indication that an allele (n152) which has a differential effect on anterior versus posterior guidance has a deletion in a region of 10 differential splicing. The differential splices of the C. elegans unc-53 gene encode different variants of the protein which independently affect posterior or anterior migration and/or cell specificity. One predicted exon in C. elegans unc-53 is indicated in 15 It is conceivable that of two variants of the same protein one is inhibited or enhanced by a particular compound whereas the other is not (or to a lesser degree). Such a compound could then be used to control direction of migration or cell specificity by 20 selective inhibition or enhancement. (3) To develop pharmacological screens for inhibitors of a biochemical pathway a "gain of function" phenotype has been invented which can be expected to revert to wild type in the presence of specific 25 inhibitors. Overexpression of UNC-53 in C. elegans myoblasts already leads to lethal subviable muscle phenotypes which can be easily scored with high throughput or a scorable heat shock inducible phenotype (Fig 21). They may form the basis for a 30 pharmacological screen for inhibitors. A similar screen is obtained for over-expressing UNC-53 in mammalian cells. An alternative strategy is based on the homology to GTP binding proteins, RAS and dynamin and NTPases. We can introduce amino-acid changes in 35

the nucleotide binding pocket which are

predicted/expected to lead to a constitutively activated or inactivated UNC-53. Similar chang s ar based on homologies with SOS, dynamin or ATP/GTP binding proteins from homology tables.

(4) Correct expression of UNC-53 in each cell line may be assessed by immunofluorescence and western blot analysis with the monoclonal antibody (mab) designated as 16-48-2.

The inventors have thus expressed and stably integrate the expression constructs in the neuronal, myoblast and 3T3 cell lines.

These cell lines are primarily used to:
- Assess the effect of UNC-53 expression on the
morphology, motility, metastatic potential and growth
cone extension of the cell lines.

- Produce protein and mRNA

5

10

15

20

25

30

35

- Screen for pharmacological compounds inhibiting observed UNC-53 mediated phenotypes
- Analyse signal transduction pathways associated with UNC-53 activation (for example, phosphorylation,)
 Immunofluorescence studies with mab 16-48-2 to assess changes in subcellular localisation following growth factor treatment.

Thus, the present invention provides for the identification of compounds which inhibit or enhance the UNC-53 signal transduction pathway. Such compounds can be used in the control of cell directional migration, motility and differentiation. These compounds are useful in the treatment of oncogenesis, psoriasis, neuronal degeneration and cell migration (metastasis).

The present invention also provides the ability to identify nucleic acid sequences and proteins which are involved in the UNC-53 pathway in <u>C. elegans</u>. Such nucleic acid sequences and proteins may be UNC-53 equivalents, members of an UNC-53 pathway or may be

15

25

30

nucleic acid sequences or proteins which interact in the UNC-53 pathway, for example as demonstrated by th GRB-2/SEM-5 proteins. This knowledge of the UNC-53 pathway in <u>C. elegans</u> can be established as can factors which influence the functioning of the pathway, for example, factors/ proteins which feed into the pathway or are of a parallel pathway which at least, <u>in vitro</u>, compensates for steps in an UNC-53 pathway.

The identification of other components in the UNC-53 signal transduction pathway:

- (1) help to determine the interaction of UNC-53 with known signal transduction pathways (RAC-, RHO-, cdc42-RAS-pathway exchange factors, downstream or regulating kinases)
- (2) identify the new interacting proteins which may constitute additional potential pharmacological targets.
- (3) may assign functions to the more than 1000 amino 20 acids of UNC-53 which have no homology to known proteins.

Accordingly, proteins which cross-react with anti-C. elegans UNC-53 protein antibodies can be isolated. The basic experiment protocol for purifying antigen-antibody complexes is described in Example 11. This system can also be used to identify factors which interact with proteins which bind to anti-UNC-53 C. elegans antibodies.

The following tissue sources may be used for immuno-precipitation:

- (1) Mammalian cells which exhibit a phenotype after transfection with unc-53 indicating that it interacts with vertebrate components of its signal transduction pathway.
- 35 (2) UNC-53 protein may be too low abundance to make affinity purification from wild type <u>C. elegans</u>

10

15

20

25

30

35

feasible. The inventors have affinity-purified UNC-53 from already constructed transgenic <u>C. elegans</u> lines which express UNC-53 under control of the hsp-16 promoter and/or the myosin promoter. These experiments in <u>C. elegans</u> are justified because with the vast amount of sequence information (genomic and cDNA) available, one has a good chance of identifying the corresponding genes in the databases with a minimum of peptide sequence.

Several types of proteins may be expected to copurify with UNC-53, including GRB-2 and other proteins with SH3 domains of the Grb2 class or phosphorylation sites, RTK-receptors, subunits of an UNC-53 homoheterodimer complex, downstream regulating kinases or proteins from the microfilament cytoskeleton.

This co-immuno-precipitation approach can also be used to dissect the order of events in this signal transduction pathway. For example: UNC-53 immuno-purified after stimulation of mammalian cell-lines with growth factors and pharmacological agents can also be assayed with respect to its state of phosphorylation, or complex formation with interacting proteins.

Proteins interacting with specific UNC-53 domains are identified using a yeast two-hybrid system, whereby two sets of hybrid proteins are used to assay for functional restoration of the GAL4 transcriptional activator: the first consisting of a GAL4 activation domain/UNC-53 structural domain of unknown function, the second derived from a cDNA library cloned into an expression vector to generate a library of hybrid proteins containing a GAL4 DNA binding domain. The yeast two-hybrid system is well know in the art.

A set of unc-53-fusion constructs can be constructed, including a fusion to

(1) the full length protein,

PCT/EP96/02311

WO 96/38555 - 43 -

(2) the carboxyterminal domain (from second actin binding domain to th ATP/GTP binding domain),

The aminoterminus (predicted cortical localisation domain up to the SH3 binding sites),

5

10

15

20

25

30

35

a variety of overlapping constructs within the central domain of 1000 amino acids to which no function can as yet be assigned.

These are tested in yeast to exclude those which lead to activation of the reporter gene in the absence of the cDNA-activator fusion. cDNA libraries were transformed into these reporter strains and positive (In this strategy, screening of clones identified. multiple libraries requires very little effort (transformation followed by plating on selective and indicator medium)).

A preferred cDNA library is from cell lines in which a phenotypic change is observed following UNC-53 expression such as mouse N4 neuroblastoma cells or The yeast two hybrid MCF-7 breast carcinoma cells. system can identify interacting proteins or "sections" of nucleic acid which may not be translated in vivo but which may inhibit UNC-53.

Candidate positives are tested for the fusionprotein dependence of the reporter gene activation. The cDNA insert in remaining positive clones is sequenced. The obtained sequence is screened through the databases, which provides, especially in the case of C. elegans clones, significant extra sequence.

Another system also exists for the identification of proteins which bind or modify UNC-53. An UNC-53 protein is bound by conventional techniques to a column. A sample to be tested is then passed over the column. This sample may be fractions from cells from C.elegans, mammals or any other organism. These sample fractions may have been incubated with 32ATP. In this course the "reaction" of the labelled fraction

with UNC-53 can be determined. If the UNC-53 on the column becomes ³²P phosphorylated then this indicat s that the sample fraction contains an UNC-53 modifying protein. Alternatively a constituent of the sample may bind to the UNC-53 and remain bound therewith on the column. The retention of any fraction of the sample on the column and the identification of the fraction can easily be determined by techniques known in the art.

5

10

15

20

25

30

35

Example 9 describes the identification of sensitive, dependant or resistant mutations as direct tools for the development of screens for compounds with similar or antagonistic activities. Both resistant and sensitising mutations may have a phenotype in the absence of the compound and no or a different phenotype in the presence of the compound. This permits the introduction of action-specificity in the screens.

High throughput screens are a basic feature of C. elegans genetic methodology. Non-complementation screens for new alleles in a locus require setting up of up to 8000 separate worm populations starting from one hand-picked individual each. This is done in 24 well plates or small Petri-plates. These are subsequently (after 1 or 2 generations) visually screened for a complex behavioural phenotype. For pharmacological screens where populations can be started from multiple individuals pipetted from a pool of synchronised eggs, high throughput screens can also be developed. If the endpoint of the assay can be scored in liquid, populations can be set up in microtitreplates. If the end-point is linked to a reporter gene (e.g. β -galactosidase activity) ELISA type colour-metric assays can be used to score the end-point. C. elegans can also be introduced into soils, exposed to compounds and subsequently recovered and assayed. Such endpoints are used in the heat-shock assay developed by Stressgen (Stringham & Candido (1994), Environ. Toxicology and Chemistry, 13(8), 1211-1220).

Gain of function mutants of <u>C. elegans</u> or transgenic <u>C. elegans</u> in which a pathway of interest has been over- or constitutively activated, causing a dominant phenotype which can be used to develop specific screens for inhibitors.

Transgenic lines expressing UNC-53 ectopically under the <u>C. elegans</u> heat-shock (hsp-16) promoter, and body wall muscle (unc-54) promoter have been constructed. These lines lead to dominant phenotypes in development and are used directly to screen a spectrum of compounds. Where necessary or deemed useful endogenous <u>C. elegans</u> genes can be replaced by or complemented with human signal transduction pathways.

DEPOSITED CELL LINES AND PLASMIDS

	STRAIN NAME	DATE OF DEPOSIT	LMBP ACCESSION NUMBER
25	pTB54 Plasmid	22 MAY 1995	3296
30	pTB112 Plasmid	22 MAY 1995	3295
	pTB72	22 MAY 1996	3486
35	TB4EX25 Cell Line	22 MAY 1995	1384 CB
	TBAIn76 Cell Line	22 MAY 1995	1385 CB
40	HYBRIDOMA Cell Line	22 MAY 1995	1383 CB

MCF-7 TRANSFECTED BREAST CARCINOMA

5

10

15

20

- 46 -

	CELL LINE	24 MAY 1996	1550 CB
5	TRANSFECTED N4 NEUROBLASTOMA CELL LINE	24 MAY 1996	1549 CB
10	WILD TYPE MCF-7 BREAST CARCINOMA CELL LINE	24 MAY 1996	1551 CB

10

15

25

30

35

The above plasmids and cell-lines were deposited at the Belgian Coordinated Collections of Micro organisms (BCCM) at Laboratorium voor Moleculaire Biologie - Plasmidencollective (LMBP) B-9000, Ghent, Belgium, in accordance with the provisions of the Budapest Treaty of 28 April 1977.

The present invention will now be described with reference to the following Examples.

Examples

Example 1 - Molecular Characterisation of unc-53 gene in C. elegans Screen for muscle pattern mutants:

C. elegans has two sets of muscles which are suitable to study this problem, the body wall muscles and the sex muscles. The sex muscles are a set of 16 muscle cells (4 muscle types) in the hermaphrodite and 41 cells in the male (10 muscle types) with distinct attachments points on the hypodermis and gonads. The sex muscles develop postembryonically and are not required for viability. The body wall muscles are arranged longitudinally (roughly 2 cells abreast) into four quadrants. At birth there are 81 cells. In postembryonic development, extra muscles interdigitate with these bringing the total number of body wall

- 47 -

muscles in the hermaphrodite to 95. Head, neck and body muscles can be distinguished within these rows on the basis of their innervation and patterning within the rows.

We have screened 4800 haploid genomes using Nomarski and polarized microscopy for mutants with specific attachment or pattern defects in a subset of the male sex muscles but with wild type body wall muscle pattern and myofilament organization, wild type movement and wild type male bursa anatomy (a sensitive indicator of wild type morphogenesis). Amongst the 21 identified mutants we selected for further study those with specific phenotypes in both the male and hermaphrodite sex muscles. As these muscles lie in different regions of the animals this was thought to reduce the chance that the male tail phenotype is a pleiotropic consequence of changes in regional identity of the tail or defects in male tail hypodermal lineage or morphogenesis.

20

25

30

35

15

5

10

Muscle phenotype of e2432.

Mutant e2432 was isolated on the basis of its phenotype in the male spicule retractor muscles, a pair of bilaterally symmetrical muscles which attach anteriorly to the body wall and posteriorly to the base of the spicules. The spicule retractors of mutant e2432 are shorter than wild type. Their attachment to the spicules is wild type, but their attachment point to the body wall is shifted posteriorly. The spicule protractors sometimes extend processes onto the attachment point of the spicule retractors on the hypodermis, suggesting the defect is not in these attachment points, but rather in the extension of the muscles towards that point. The diagonal muscles are in most specimens wild type but they are occasionally not parallel to one another or are have a dorsal

attachment point that is mor ventrally positioned than in wild tye. e2432 males have a nicely shap d fan with the normal pattern of rays, suggesting that the sex muscle defect is not pleiotropic due to defects in the hypodermis.

5

10

15

20

25

30

35

e2432 hermaphrodites have a reduced ability to lay eggs which is variable from animal to animal. This is due to a muscle pattern defect in the vulval sex muscles. The uterine muscles, 8 muscle cells which circle the hermaphrodite uterus, are wild type in e2432. The vulval muscles are a set of 4 pairs of cells arranged symmetrically in a cross-pattern around the vulval slit. Each pair consists of one vml and one vm2 muscle cell. The vm2 muscles attach to the junction between uterus and vulva and extend anteriorly to attach to the hypodermis in between two muscle cells of the ventral body wall muscle quadrant. In e2432 these muscles are shorter than in wild type small. In e2432 they can only be visualized by laser confocal microscopy (after FITC-phalloidin staining of the myofilaments). This showed that they attached to the uterus as in wild type, but that their attachment to the body wall is ectopic (in a random position lateral of the vulva, usually on the ventral edge of the muscle row). In e2432 vm2 myofilaments are oriented more dorsoventrally than in wild type (where their orientation is essentially in the longitudinal axis of the animal). This phenotype is not due to a defect in the attachment point on the epidermis to which these cells should attach in wild type, since we frequently observe that the vml sex muscles make an apparently wild type attachment to this unoccupied attachment point.

In wild type hermaphrodites, the vml muscle cells attach close to the junction between epidermis and vulva and in the adult extend dorsally and anteriorly

10

15

20

25

30

35

(under an angle of 45-50 degrees with respect of the vulval slit) to attach to the hypodermis at the dorsal edge of the ventral body wall muscle quadrants. In e2432 the attachment of the vml muscles to the vulva is wild type. With their other end they attach, like wild type vml cells, along the dorsal of the edge of the ventral body wall muscles. However the angle between the vulval slit and the myofilaments of the vml sex muscles is reduced (less than 45 degrees) so that their dorsal attachment point is closer to the vulva than in wild type. The forces acting on the vulva can be separated in an antero-posterior and a dorsal vector. In e2432, the antero-posterior vector of both the vml and vm2 muscle is significantly reduced, leading to a reduced ability to open the vulva upon contraction. Studies in which vulval muscles were ablated individually or in groups suggested that 2 vulval muscle cells of wild type orientation are sufficient for wild type function.

Adult <u>C. elegans</u> hermaphrodites have 95 body wall muscle cells arranged longitudinally (roughly 2 cells abreast) into four quadrants. In wild type cells these cells are spindle shaped.

e2432 adults have body wall muscles with a wild type muscle cell and myofilament pattern, except that cells with interdigitating tips occur more frequently than in wild type. Like the unc-53 phenotype in the male and hermaphrodite sex muscles, this body wall muscle defect, which can also be observed in other guidance and attachment mutants like unc-6 and mups, can also be attributed to a reduced ability to extend "growth cones" otherwise referred to as cell processes in the anterior-posterior axis of the animal.

Position on the genetic map :
e2432 was mapped to the left arm of chromosome II

10

15

20

25

and was found not to complement unc-53(e404). The unc-53 locus was originally identified by Brenner (1974), Genetics, 77, 71-94 as one of the uncoordinated mutants but has received only sporadic attention in general phenotypic surveys of the UNC-collection (Hedgecock et al (1987), Development, 100, 365-382 and Siddiqui (1990), Neurosci. Res. (Suppl) 13, 171-190, in a genome wide screen for egg laying defective mutants (Trent and Horvitz (1983), Genetics, 104, 619-647) and using e2432 as a tool to study the effect of body shape on the pattern of neuronal processes (Hekimi and Kershaw (1993), J. Neuroscience, 13(10) 4254-4271). We initiated a detailed genetic and phenotypic analysis of this locus using the existing available alleles which various colleagues isolated in different screens: The canonical unc-53 allele e404, a strong UNC was isolated by Sydney Brenner. Alleles n152, n166 and n1199 have been obtained in screens for egg laying defective mutants. Alleles NJ234 and NJ222 were isolated by Ed Hedgecock in a screen defective in excretory canal outgrowth. As these screens were aimed isolating viable fertile alleles, we isolated additional alleles by pre-complementation screens designed to yield loss of function alleles irrespective of their phenotype. e2432/mnDf90 hermaphrodites are egl, weak unc's with a slightly stronger phenotype than e2432. Matings were set up on 3 cm petri dishes between 2 to 3 unc-53(e2432) sqt-1(sc13) /+ males and 2 e2431ts or dpy-6(e14) hermaphrodites mutagenized with EMS in the L4 stage 30 (Brenner, 1974) , Genetics, 77 71-94. The F1 egl, unc-53 like hermaphrodites, which may be unc-53(e2432) sqt-1(sc13)/unc-53(new) were cloned on petri dishes and their offspring examined for the segregation of new unc-53 alleles. In two screens, two unc-53 35 alleles, 5 and 8 were isolated in an estimated 13000

F1 offspring, giving an approx. mutation rate 1/3250 mutagenized chromosomes. Sqt-1(sc13), an allele of sqt-1 that confers a roller phenotype was included because it is closely linked to unc-53 (0.2 m.u.) and marks the original allele e2432. e2431ts, an X-linked ts larval lethal with a mup phenotype was included to eliminate F1 hermaphrodites arising from selfing and F1 males which can mate. In the second screen dpy-6(e14) was included to prevent F1 males from mating with F1 hermaphrodites.

5

10

15

20

25

30

35

All unc-53 alleles used in this study fail to complement to e2432. Complementation was tested by mating unc-53(e2432) sqt-1(sc13)/+ males to hermaphrodites of the respective alleles. The male sex muscle phenotype described above for e2432 was found to be the only 100% penetrant phenotype in the unc-53 locus (see below) and was the primary phenotype used in complementation tests. Each of these alleles was also complemented to mnDf90 by mating unc-4 mnDf90/mnC1 males to unc-53 homozygotes and temporary unc-53/unc-4 mnDf90 lines were established to evaluate the phenotype. The male and hermaphrodite phenotypes of all alleles over deficiency is identical or slightly, but not substantially stronger than that of the homozygous lines (which is not unusual for a large deficiency).

S. Brenner mapped unc-53 to 2.9 +/- 0.7 map units from dpy-10 (chromosome II). We refined this map position by mapping unc-53 with respect to different deficiencies in the region and doing three factor crosses between unc-4 and sqt-1, a 1.5 map unit interval. Unc-53(e2432)/+ males were mated in unc-4 sqt-1 hermaphrodites. Non-rolling F1 offspring were cloned on petriplates and their broods screened for the segregation of unc-53(e2432). Unc-4 non sqt-1 and sqt-1 non unc-4 hermaphrodites were picked from those

10

15

20

25

30

35

plates and cloned on petriplates. 6 out of 42 sqt-1 non unc-4 recombinants segregated unc-53 and 3 out of 18 unc-4 non sqt-1 recombinants did not segregate unc-53. This yields a relative position of unc-4 / 51 / unc-53 / 9 / sqt-1. Or a calculated map position for unc-53 on chromosome II, 0.23 map units left of sqt-1.

Unc-53(e2432) was mapped relative to three deficiencies in the region mnDf90 mnDf87 and mnDf77 by mating e2432/+ males to unc-4 Dfx/mnC1 hermaphrodites and scoring for males and hermaphrodites with the unc-53 phenotype in the F1. The experiment was also performed by mating unc-4 mnDfx/mnC1 males to homozygous unc-53. mnDf87 and mnDf90 do not complement unc-53 while mnDf77 complements unc-53. Ooc-3, the only other gene on the genetic map in the region, was found to complement unc-53 in identical crosses between e2432 and unc-4 ooc-3/mnC1. Further mapping of unc-53 relative to RFLPs between wt strains in the region and the molecular cloning confirmed the map position of unc-53 (see below).

Molecular characterization :

We started cloning the unc-53 locus because the study and interpretation of the unc-53 phenotype and the different mutants in the locus would be greatly facilitated by having information on and probes for the unc-53 mRNA and gene product.

At the time we initiated cloning of unc-53, a contig extending between unc-4 and sqt-1 (approx. 1500 kb) had been identified by A. Coulson and J. Sulston (C. elegans genome project LMB Cambridge), with no clone markers in between. To correlate the genetic map with the physical map in this region we positioned cosmids of this contig relative to the deficiencies mnDf77, mnD87 and mnDf90 by comparing band intensities of Southern blots of mnDfx/mnCl strains probed with

- 53 -

cosmids throughout the region. Cosmid KO2F7 is deleted in mnDf90 but not deleted in mnDf87 an mnDf77 thus identifying a leftmost location for unc-53. Cosmids W10G4, TO8D11 and F33G3 are in the unc-53 region (not deleted in mnDf77 but deleted in mnDf87 and mnDf90). Cosmid KO4H9 is deleted in mnDf77 and identifies a rightmost location for the gene. The distance between KO2F7 and KO4H9 is approx. 10 cosmids.

PCT/EP96/02311

To narrow down the position of unc-53 further we looked for restriction fragment length polymorphisms between wild type strains in this interval and identified N2/RC301 RFLPs in cosmids W10G4, F40F8 and F22G3. We mapped these using three factor crosses with the strains unc-53 sqt-1/RC301 and unc-4 unc-53/RC301. We mapped F22G3 and F40F8 between unc-53 and sqt-1 at the following relative distances: unc-4 / 9 / W10G4 / 2 / unc-53 / 1 / F40F8 / 1 / F22G3 / sqt-1.

20

25

30

35

15

WO 96/38555

5

10

These data localize unc-53 in an interval of approx. 80kb in which more than 15 differently overlapping cosmids are available. Pools of cosmids were injected in unc-53(n152) gonads together with the rol-6 selectable marker. Transient roller lines were established and scored for rescue of the unc-53 phenotype. Cosmid T28D2 was found to rescue the backward movement egg laying phenotypes of allele n152.

A genomic library of N2 in lambda 2001 was screened with T28D2 and flanking overlapping cosmids. These were assayed in pools and individually for transformation rescue. Lambda clone, S4 carrying a sixteen kb insert was shown to give some rescue activity. Using restriction fragments of S4 as a probe, cDNA clones M5 (3.8 kb) and M18 (1-2 kb) were

isolated from a Lamda MGU1 cDNA library. Both M18 and M5 contain an identical 3'-end as judged by restriction fragment analysis. Partial sequence analysis showed that M18 is shorter version of M5. Insert M5 was sequenced on both strands and was found not to be a poly-A tail at its 3'-end but appears not to full length at its 5'-end.

5

10

15

20

25

30

35

To find the 5' end of the unc-53 transcript we did nested PCR on L2 stage random primed cDNA, between antisense oligos tab2 and tab (43 bp away from the 5' end of cDNA M5) and an oligo to the SL1 trans-spliced leader sequence. This sequence is transspliced to the 5'-end of most C. elegans mRNAs. This yielded at least 6 classes of PCR-fragments which have been subcloned and sequenced. All contain the 43 bp between oligo tab2 and the 5' end of cDNA M5 (bp1281 to 1338). The longest PCR fragment (TB3) extends the sequence of cDNA M5 with 1280 bp. When added to the length of the cDNA M5, this unc-53 transcript which we constructed in vitro and named tb3-M5 would then be 5073 bp long (including some poly-A tail) and have a 1528 AA open reading frame. Recently a 5 kb cDNA, was identified in an embryonic cDNA library which has the TB3-5'-end (including part of the SL1), and the same 3'-end as M5, suggesting that TB3-M5 occurs in vivo. Similar PCR reactions in which the SL1 oligo was replaced by an SL2 transplice oligo gave no reaction products. Preliminary Northern blot analysis identifies a major 5.0 kb transcript and at least 2 smaller transcripts that are expressed in L2, L4 and adult worms. It needs to be examined whether the unc-53 5' ends reported here are made in vivo and encode different proteins or whether they represent PCR noise. The smaller PCR-fragments TB1b, TB16, TB1, TB6b and TB22 are "nested deletions" of clone TB3 with SL1's at their 5' end. The sequence of each is identical in the

- 55 -

regions of overlap. The shorter SL1 transspliced transcripts contain ATGs downstream of the SL1 addition sites at positions 466, 988 and 1324. Comparison to the sequence of genomic clones confirmed that the SL1s are spliced onto intron exon boundaries. However not all intron-exon boundaries receive SL1, suggesting that there is some specificity to this differential trans-splicing.

Recently the <u>C. elegans</u> sequencing consortium has sequenced cosmids F45E10. We mapped cDNA tb3-M5 onto these cosmids and found that unc-53 is an unusually large locus. It has 23 exons spread over more than 31 kb of genomic DNA.

The lambda clone S4 that rescues does not contain the first 430 bp of the unc-53 transcript. This suggests that the ORF between positions 63 and 430 is not essential for transformation rescue. This rescue may derive from expression of transcripts TB6b or TB22 or from "non-specific" initiation of transcription on the extrachromosomal arrays.

Additional confirmation that M5 was derived from the unc-53 transcription unit is provided by the observation that allele n152 has a 300 bp deletion, disrupting the sequence of cDNA M5 and leading to a large (possibly complete) reduction of UNC-53 protein in n152 embryos stained in immunofluorescence with an anti-unc-53 antibody (16-48-2). In addition, allele e2432 was found to carry a 3-4 kb insertion in this transcription unit.

30

35

25

5

10

15 ·

20

Sequence homology:

Antibody staining:

The NdeI-EcoRI fragment of cDNA M5, the 47 kd fragment of UNC-53 encoded by the NdeI-EcoRI (position 3187 to 4458 (tb-M5 fig 3) protein sequence

25

fig 2) was subcloned in the T7 expression vector prk172 (yielding vector TB66 and xpressed in E. coli. Inclusion bodies containing recombinant protein were purified, by processes known in the art solubilized in 8 M Urea and the recombinant protein purified over a DEAE column equilibrated in 8M urea. Purified protein was mixed with complete Freund's adjuvant and injected in a rabbit and 4 Lou rats. This was followed six weeks later by bi-weekly boosts with antigen mixed with incomplete adjuvant. All sera are active in 10 western blotting at titers of 1:30,000 on Western blots of the 47 kd unc-53 fragment expressed in E.coli. With this western blotting assay, a ratmouse hybridoma cell line was prepared producing a monoclonal antibody to UNC-53. Mab 16-48-2 has the 15 following properties:

- protein G-binding
- binding activity on western blots of
- (1) the 47 kd UNC-53 fragment expressed in E. coli, (pTB66)
- (2) the 57 kd carboxyterminal fragment of UNC-53 expressed in <u>E. coli</u> (construct pTB65.)
- (3) the full length TB3-M5 UNC-53 expressed in <u>E.</u>
 Coli (construct pTB61) and mammalian cells (COS-cells; constructs pTB54 and 56).
- immunoprecipitation of native and SDS denatured full length TB3-M5 UNC-53 construct pTB50 expressed in vitro-transcription translation reactions in reticulocyte lysates.
- immuno-histochemistry in wild-type <u>C. elegans</u> fixed with methanol, acetone or paraformaldehyde and transgenic <u>C. elegans</u> expressing UNC-53 tb3-m5 pTB110, 111 or 112 in epidermis, neurones, gut and muscle.

Mab 16-48-2 fail to detect antigen of the correct 35 size on Western blots of total worm proteins or worm proteins fractioned by progressive extraction with

deterg nts, urea and SDS.

5

10

15

20

25

30

35

Excretory canal phenotype :

The excretory canal of <u>C. elegans</u> is a large H-shaped cell. It's cell body is positioned ventrally at the level of the pharyngeal bulb and send out two processes dorsally. At the level of the lateral epidermis (seam) each of these bifurcates and extends anteriorly and posteriorly over the seam cells, until they extend over most of the whole body length. It has been reported that in unc-53 the posterior process of the excretory cell does not extend up to the V6/T seam-cell boundary (E. Hedgecock <u>et al.</u>, (1987), Development, <u>100</u> 365-382).

We have done an extensive characterization of this phenotype in all alleles listed, either by direct in vivo Nomarski microscopy or UL6 rol6d marked unc-53 strains which express Lac2 in the epidermis and excretory cell (Hope(1991) Development 113(2) 399-408). In wild type the excretory cell processes are straight. In unc-53 the canal is often meandering from left to right over the seam before it arrests prematurely, as if it has lost directional cues in its migration. It never leaves the lateral epidermis seam. Both the anterior and posteriorward processes are affected.

In weak unc-53 alleles the posterior excretory canal processes arrest anywhere between the vulval region and the V6/T boundary. We noticed that in even the strongest alleles or in unc-53/Df heterozygotes the canal arrests unusually frequently at or close to the vulva and never substantially before the vulva. We therefore set out to test whether the gonad dependent attractive signal which attracts the sex myoblasts to the gonad also might attract the excretory canal in an unc-53 independent manner to the

10

15

20

25

30

35

vulval region. If this is the case we would expect that in a strong unc-53 mutant n152 in which the 2 somatic gonad cells (the source of the signal) have been ablated, the excretory canal migration would be fully arrested. As a control we ablated one germ cell and one somatic gonad cell (Z1 and Z2 or Z2 and 24). Embryos were ablated in the comma to 2 fold stage and the position of the excretory canal scored double blind in hatched embryos. At the time of ablation, the canal may already have started growing out. hatching, the endpoint of our experiment, the growth cone of the posterior canal process has reached just beyond the gonad. Although these are technically difficult laser ablations, the results show a substantial difference in excretory canal outgrowth between embryo with an ablated somatic gonad and control ablated embryos. In the experimental series the canal usually arrested a significant distance from the gonad or any other potentially damaged cells, suggesting the loss of a long range signal as described for the SM myoblast migration (Thomas et al (1990) and Stern (1991)). In the control series the excretory canal usually extended as far as unablated n152 and into region of the partially ablated gonad. This indicates that the premature arrest observed in the experimental series was not due to encountering a damaged region.

A gonad dependent and independent pathway were found to act redundantly in the posteriorard migration of the sex myoblasts. The data suggest that in wild type the migration of excretory cell growth cones is also guided by a gonad dependent and a gonad independent cue. In both cases the gonad dependent cue acts towards the gonad, but from opposite directions. However the gonad independent signal act anteriorward on the SM myoblasts and posteriorward on

5

10

15

20

25

30

35

- 59 -

the posterior excretory cell growth cones. Since single mutants in both the gonad dependent pathway (sem-5) and independent pathway (unc-53) have no excretory cell phenotype these pathways may be redundant in the trajectory up to the gonad. An analogous redundancy has been observed for the sex myoblast migration. In the trajectory between gonad and tail the gonad independent pathway acts in different directions on the SM cells versus the excretory cell. In the excretory cell it acts in both anteriorward and posteriorward migration. A simple explanation which is elaborated in detail below is that unc-53 (like sem-5) may act downstream of a variety of receptors interpreting different cues.

The previously described interaction between the gonad and the sex myoblasts was rationalizable as an interaction between cells due to become part of the same organ. The interaction between the excretory cell and the gonad we report here suggests that the gonad may have a more general role as organizer cell migrations in the embryo. We wish to point out that the described dependent and independent pathways are formal genetic concepts. It is for example possible that in unc-53 embryos or unc-53 embryos in which the gonad dependent pathway has been genetically or laser ablated, as yet to be identified, pathway defining growth cones are misplaced leading indirectly to defective sex myoblast, neuronal (PLM, see below) or excretory canal migration. The observed highly restricted expression of unc-53 is an additional indication of this possibility.

Sex muscle phenotype:

All unc-53 alleles exhibit the sex muscle phenotype described for e2432. We quantified phenotype

WO 96/38555 . - 60 -

in eight alleles :

Young adults grown at 20°C were mounted for polarized light or Nomarski microscopy on 2% agarose pads containing 0.2% phenoxypropanol as described in Sulston and Horvitz (1977) Dev. Biol. 56,110-156 . The vml sex muscles were examined under polarized light with a 40x objective and a Brace Kohler compensator and photographed. In addition, adults were fixed, incubated with fitc-coupled phalloidin and mounted for fluorescence microscopy as described in Goh and Bogaert (1991) Dev. Biol. <u>56</u>, 110-156. The angle between the longitudinal axis of the animal and the central bundle of myofilaments of the anterior and posterior vml was measured from the negatives with a protractor. As the vulva is a transverse slit at a right angle to the cylindrical body axis, the angle between the vml and the vulval slit can be measured independently of which side of the animal faces the observer.

20

25

30

35

15

5

10

Neuronal phenotype:

Unc-53 animals move poorly backwards when prodded but has good forward movement (Brenner (1974) Genetics 77 71-94). Various aspects of the neuronal phenotype of unc-53 has been reported in general phenotypic surveys of the UNC-collection (Brenner (1974) Genetics 77 71-94). The posterior branch of the PDE neuron can be abnormal (Hedgecock et al. (1987) Development 100 365-382) and the mechanosensory PLMR & PLML neurons can have commissures into the ventral cord at a position much posterior than in the wild-type. There are also frequently multiple ventralward PLM commissures evenly spaced along the posterior half of the body (Siddiqui (1990) Neurosci. Res. (Suppl) 13 171-190), Hedgecock et al., (1987) Development 100 365-382).

Examples 2 to 5 - Biochemical Analysis of UNC-53

Example 2 - Immunoprecipitations of 35 S labelled unc-53 gene products.

5

10

15

20

25

The rat anti-UNC-53 monoclonal antibody, 16-48-2 (obtained from the hybridoma LMBP Accession no. 1383CB) elicited against a 47 kD fragment of the 3' end of UNC-53 from <u>C. elegans</u> was used to immunoprecipitate UNC-53 proteins. In this experiment, the full length unc-53 construct pTB50 (Fig. 11) was transcribed and translated in vitro in rabbit reticulocyte lysates. The resulting radioactively labelled 35S unc-53 gene products were incubated with the monoclonal antibody under both denaturing (using SDS) and non-denaturing conditions, then incubated with protein G sepharose. The bound products were analysed by SDS-PAGE and fluorography. Monoclonal antibody 16-48-2 recognised both native and SDS denatured radioactive UNC-53 products verifying that the protein translated in vitro was bona fide UNC-53. This result shows that immuno-precipitation is a useful tool in schemes to purify native protein and to identify UNC-53 protein complexes in biochemical experiments.

Example 3 - Actin sedimentation assays (8A
variant).

Besides the N-terminal region of the protein which is similar to actin binding proteins, the predicted protein sequence of UNC-53 identified two putative actin binding sites. The first borders on the 3' end of the region of α -actinin/ β -spectrin homology and the second lies in the 3' end of the cDNA sequence. This suggests that UNC-53 could potentially

10

15

20

25

30

35

- 62 -

bind two actin molecules and via actin cross-linking, stabilise a particular growth cone spike to promote directional extension. Alternatively, the two actin binding sites may serve to anchor UNC-53 (and its shorter gene products) to the microfilament cytoskeleton to then transduce a signal via the NTPase domain to the downstream pathway.

To test the two site model, full length and truncated versions of UNC-53 (pTB50 and pTB52) were transcribed and translated in rabbit reticulocyte lysates for 90 minutes following standard protocols (Promega). To remove insoluble components, the reactions were airfuged for 1 hour at 100,000 x g and the supernatant containing 35S labelled UNC-53 products introduced in actin co-sedimentation assays according to the method of Vancompernolle et al. (1992), EMBO J. 11, 4739-4746. In this procedure, radioactively labelled UNC-53 was incubated with monomeric G-actin in G buffer (2 mM Tris pH 7.5, 0.2 mM CaCl, 0.5 mM β mercaptoethanol, 0.2 mM ATP) for one hour at room temperature. The salt concentration was then increased with F buffer (1 M KCl, 10 mM MgCl,) to a final concentration of 100 mM to promote polymerisation of G-actin to F-actin. After an additional one hour incubation, polymerised Factin/protein complexes were pelleted at 100,000 x g in an airfuge, washed with G buffer, resuspended in Laemmli buffer and separated by denaturing SDS-PAGE. The presence of actin in the pellets was confirmed by Coomasie staining while radioactively labelled UNC-53 products were detected by fluorography. Both the full length UNC-53 protein, pTB50, and the truncated construct, pTB52 translated in vitro in rabbit reticulocyte lysates cosedimented with F-actin at starting G-actin concentrations of 50-100 μ g/ml. This suggests that UNC-53 binds to microfilament

cytoskel ton. Moreover, deletion of the first putative actin binding site (pTB52) did not eliminate actin binding.

5 Example 4 - UNC53 interacts with F-actin cytoskeleton (7A and 8A variant)

10

15

20

25

30

Analysis of the predicted protein sequence of UNC-53 identified two putative actin binding sites of the LKK class. The first borders the 3' end of the region of α -actinin/ β -spectrin homology in the amino terminus of the protein while the second lies in the 3' end of the protein sequence upstream of the putative nucleotide binding domain. A single UNC-53 monomer could thus potentially bind and crosslink two actin molecules.

To test whether UNC-53 associates with the actin cytoskeleton, a 7A (pTB72) and 8A version (pTB73) of unc-53 (Figures 25 and 27 respectively) were transcribed and translated in rabbit reticulocyte lysates and the "S labelled products introduced into F-actin co-sedimentation assays (Figure 35a). The full length UNC-53 protein (pTB72) translated in vitro cosedimented with F-actin at starting G-actin concentrations of 100 mg/ml (Figure 35b) suggesting that UNC-53 interacts with F-actin. By 250 mg/ml, all of the UNC53 protein co-sedimented with the F-actin pellet. In contrast, no UNC53 was present in the pellet of the control reaction without actin. sedimentation was purely actin dependent. This result also indicated that the in vitro UNC-53 protein remained soluble even after the salt concentration was raised.

Deletion of the first putative actin binding site

in pTB73 did not eliminate actin binding since the larger pTB73 products, including the largest fragment co-sedimented with F-actin under the identical set of conditions (Figure 35b). However, since the rabbit reticulocyte lysates contain numerous proteins, it is possible that the interaction of UNC-53 with actin may not be direct but rather mediated through another associated protein.

Several smaller radiolabelled protein fragments in the TnT reactions were observed in addition to the predicted protein products. Immunoprecipitation experiments confirmed that these products were UNC53 derived. Most likely they result from additional translational starts at internal methionines, since the identical set of smaller products was observed from reaction to reaction; or from premature termination and proteolytic degradation. Many of these smaller fragments also co-sedimented with Factin. Since the second predicted actin binding site is within the 3' end of the molecule, truncated proteins that are the result of internal starts would be expected to have this site and to bind actin.

EXPERIMENTAL PROCEDURES:

5

10

15

20

30

25 Construction of UNC53 plasmids.

The complete unc53 cDNA was cloned as a 5.1 kb NotI-ApaI cassette in the mammalian expression vector pCDNA3 (Invitrogen) to generate plasmid pTB72, the 7A clone variant. To optimize translational initiation at the first methionine, a mammalian KOZAK consensus sequence was engineered upstream of the start methionine by PCR amplification of DNA coding for the first 139 amino acids of the amino terminus with the

25

30

oligonucleotides BG03 (5'ataagaatgcggccgccgccatgacgacgtcaaatgtagaattgata-3') and BG02 (5'-cgcggatcctcaaaccgcgggtggcataatggatg-3'). BG03 contains the mammalian KOZAK consensus sequence in addition to a NotI restriction site. pTB73 is a 5 deletion of the first 408 base pairs of the unc53 cDNA contained in the vector Bluescript II-KS. construction removes the first two methionines of the unc53 cDNA sequence such that the first possible start methionine in pTB73 is at amino acid position 165 in 10 the cDNA sequence. In all these constructs, (pTB72, pTB73 and pTB50) the unc53 cDNA is inserted into the multiple cloning site such that the T7 promoter is immediately upstream of the 5' end of the cDNA 15 sequence.

The first 139 amino acids of the UNC53 cDNA were amplified by PCR with oligonuclectides BG01 (5'ggaattccaaccatatgacgacgtcaaatgtagaattgaata-3') and BG02 (5'-cgcggatcctcaaaccgcgggtggcataatggatg-3') to generate a convenient NdeI cloning site immediately upstream of the start methionine. This amplification was cloned as an NdeI-BamHI fragment into the prokaryotic expression vector pRK172 (Godedert M. and Jakes R. (1990), EMBO J. Vol. 9, pp 4225-4230 and McLeod M et al, 1987 EMBO. J. Vcl 6, pp 729-736) to generate construct pTB57. pTB61 contains the PCR derived amino terminus of pTB57 in addition to the 3' end of pTB50. Thus pTB61 contains the identical unc53 8A variant cDNA as in pTB50, but as an NdeI-NcoI fragment in the vector pRK172 for prokaryotic expression.

In vitro transcription/ translation reactions

The UNC53 cDNA constructs pTB72, pTB73 or pTB50 were transcribed and translated for 90' at 30°C in a cell free T7 polymerase expression system in rabbit reticulocyte lysates following the company's protocols (ProMega). Prior to further manipulations, the reactions were centrifuged for 1 hour at 100,000 x g to remove insoluble components. In all subsequent experiments, the supernatant containing the soluble fraction of 35S labelled UNC-53 products was utilized.

5

10

15

20

25

30

Actin co-sedimentation assays Soluble radioactively labelled "S-Met-UNC53 products were introduced in actin co-sedimentation assays according to the method of Vancompernolle et al. (1992). In this procedure, radioactively labelled UNC-53 was incubated with monomeric G-actin in G buffer (2 mM Tris-pH 7.5, 0.2 mM CaCl2, 0.5 mM bmercaptoethanol, 0.2 mM ATP) for one hour at room temperature and then the salt concentration increased with F buffer (1 M KCl, 10 mM MgCl2) to a final concentration of 100 mM to promote polymerization of G-actin to F-actin. After an additional one hour incubation, polymerized F-actin/protein complexes were pelleted at 100,000 x g in an airfuge (Beckman), washed with G buffer, resuspended in Laemmli buffer and separated by denaturing SDS-PAGE. The presence of actin in the pellets was confirmed by Coomasie staining while radioactively labelled UNC-53 products were detected by fluorography. Briefly, after destaining, gels were soaked in 45 . methanol, 7.5 % acetic acid (vol/vol) for 30 minutes, followed by 30 min. in dimethyl sulfoxide (DMSO), and 1 hour in 10 % PPO dissolved in DMSO (wt/vol). The scintillant was precipitated by rehydrating the gels with four five

minute water washes. After drying, gels were exposed to Xray film (Hyperfilm-Amersham).

Immunoprecipitations

30

To confirm that the radioactively labelled 5 proteins translated in vitro were of UNC53 origin, an anti-rat monoclonal antibody, 16-48-2, elicited against a 47 kD fragment of the 3' end of UNC-53 was used to immunoprecipitate UNC-53 proteins. In this experiment, the unc-53 construct pTB50 was transcribed 10 and translated in vitro in rabbit reticulocyte lysates. The resulting radioactively labelled "S UNC-53 gene products were incubated with the monoclonal antibody under both denaturing (0.4% SDS, 2.0% Triton X-100) and non-denaturing conditions for 1 hour at 15 room temperature, then incubated with protein G sepharose for 2 hours at room temperature, the beads washed 3 times with PBS and the bound products analyzed by SDS-PAGE and fluorography. Monoclonal antibody 16-48-2 recognized both native and denatured 20 radioactive UNC-53 products. As a control, a reaction without monoclonal antibody 16-48-2 was treated identically.

25 <u>Example 5</u> - Interaction of UNC-53 with SEM-5/GRB-2

The observation that certain alleles of UNC-53 enhance the sex myoblast migration defect of sem-5 mutants is difficult to interpret. While the genetics suggests that UNC-53 and SEM-5 cooperate to regulate sex myoblast migration, it is unclear whether this is the result of a direct molecular interaction. To answer this question, two types of biochemical experiments were used to determine if UNC-53

10

15

20

25

physically interacts with SEM-5. In the first experiment, radioactively labelled 35S UNC-53, synthesised in reticulocyte lysates, was incubated with SEM-5/GST (glutathione-S-transferase) fusion protein bound to glutathione resin or with GST protein bound to glutathione resin. After incubation, the beads were washed and the bound proteins analysed by SDS-PAGE and fluorography. This demonstrated that UNC-53 made in vitro specifically bound to the SEM-5/GST fusion protein resin. The GST fusion proteins have been previously described. Purification of GSTfusion proteins was facilitated by using a commercially available kit (Pharmacia). purification methods followed the manufacturer's protocols.

To further characterise the nature of the interaction with SEM-5, a second experiment utilised Western blot overlays. UNC-53 fusion proteins were expressed in E.coli and the denatured protein lysates separated by SDS-PAGE and blotted to Immobilon-P nylon membrane (Milipore). Blots were incubated with biotin labelled SEM-5/GST, GRB-2/GST or GST protein, washed and bound multi-protein biotinylated complexes detected by probing with an avidin-alkaline phosphatase conjugate. The results from this experiment demonstrated that SEM-5 and its mammalian homologue GRB2 can interact with UNC-53 in vitro. Binding was observed in induced cell lysates only and probing with the UNC-53 monoclonal antibody 16-48-2 detected the identical sets of products. In addition, 30 only the full length UNC-53 fusion, pTB61 (Fig. 7), which contained the SH3 binding sites gave a positive result (pTB52 was not tested) No signal was detectable for either of the SH3 binding site minus fusion proteins, pTB57 (Fig. 11) or pTB65 (Fig. 11). This 35 provides supportive evidence that the polyproline

- 69 -

repeats of the UNC-53 directly bind to the SH3 domains of SEM-5. Moreov r, these results show that a SEM-5 or GRB-2/GST glutathione resin may be used in schemes to affinity purify native UNC-53 from tissue culture cells or nematodes or other organism extracts.

Detailed Methodology

5

10

15

20

25

30

Radioactively labelled 35S UNC-53 synthesized in reticulocyte lysates was incubated with SEM-5/GST (glutathione-S-transferase) fusion protein bound to glutathione resin or with GST protein alone bound to glutathione resin for one hour at 20°C. After incubation, the beads were washed four times with Phosphate Buffered Saline (PBS)/Triton X-100 (0.2%) and the bound proteins analyzed by SDS-PAGE and fluorography. The SEM5 and GRB2 GST fusions have been previously described (Lowenstein et al., 1992; Stern et al., 1993). Purification of GST-fusion proteins was facilitated using a commercially available kit (Pharmacia). All purification methods followed the company protocols.

Western blot overlays

Approximately 500-1000 mg each of purified GRB2-GST protein or GST protein were biotin labelled by the following procedure. After overnight dialysis in PBS at 4°C, 1 M Hepes, pH7.4, was added to a final concentration of 100 mM and 50-100 mg of biotinylation reagent, dissolved in dimethyl sulfoxide, and the mixture incubated at 20°C for 90 minutes. The biotinylation reaction was stopped by the addition of 1 M Tris, pH7.4 to a final concentration of 100 mM and the labelled proteins stored on ice.

The UNC-53 construct pTB61 was expressed in E. coli strain BL21 (DE3), and the denatured protein

10

15

30

35

lysate separated by SDS-PAGE and electroblotted to Immobilon-P nylon membrane (Millipore). Membranes were blocked with 1 % skim milk powder in TBS-T (20 mM Tris, pH7.6; 0.14 M NaCl; 0.1% Tween-20) for 1 hour at 37°C. Subsequently, membranes were incubated in equimolar amounts of either biotin labelled GRB-2/GST or biotin labelled GST protein for 1 hour at 20°C, washed 4 x with TBS-T and bound multi-protein biotinylated complexes detected by probing for 1 hour at 20°C with an avidin-alkaline phosphatase conjugate (dilution 1:5000). Biotinylated protein conjugate complexes were visualized with a chromogenic solution containing bromochloroindolyl phosphate (BCIP)/nitro blue tetrazolium (NBT) in 100 mM Tris(pH 9.5), 100 mM NaCl, 5 mM MgCl2. Development was terminated with 10 mM Tris (pH8.0), 1 mM EDTA.

PCT/EP96/02311

Example 6 - Transgenic Analysis

To further our understanding of the function of unc-53 we developed an <u>in vivo</u> assay to test gene fusions generated <u>in vitro</u>. Nematode expression vectors containing the full length unc-53 cDNA, TB3M5, downstream of various tissue specific and inducible promoters were constructed.

The mec-7 promoter of pTB112 (Fig. 7) confers tissue specific expression to the mechanosensory neurons, the unc-54 promoter of pTB111 (Fig. 7) confers tissue specific expression to body wall muscle and the hsp16-41 promoter of pTB109 (Fig. 7) confers and pTB110 (Fig. 7) confers heat inducible expression to somatic cells. pTB109 is a transcriptional fusion containing only the hsp16-41 gene promoter and has been shown to confer high levels of inducible expression in embryos. pTB110 contains a larger

5

10

15

20

25

30

35

- 71 -

portion of the hsp16-41/2 intergenic region in addition to a synthetic intron. This plasmid is expected to be highly inducible in embryos and postembryonic stages in most somatic cell types.

Oocytes of both wild type (N2) and unc-53(n152) hermaphrodites were microinjected according to the method of Fire (1986), EMBO J., 5, 2673-2680. Coinjection of the unc-53 fusion with a selection plasmid, pRF4, a dominant marker of rol-6, allowed identification of transgenic animals by their right rolling phenotype (Mello et al, (1991), EMBO J., 10, 3959-3970. In C. elegans, the injected DNA does not integrate into the genome but rather forms extrachromosomal arrays which are heritable at a frequency ranging from 20-95% (Stinchcomb et al, (1985), Mol. Cell. Biol., 5, 3483-3496; Fire et al, (1990), Gene, 93, 189-198; Mello et al, (1991), EMBO J., 10, 3959-3970. Transgenic extrachromosomal lines were considered stable after the rolling phenotype had passed through four generations. Some transgenic HSunc-53 strains were mutagenised with 3550 rads of y rays emanating from a 60Co source which produces breaks in the chromosomes allowing for insertion of the extrachromosomal array. Stable integrants were identified by screening for homozygous rolling F3 broods. The names and genotypes of all transgenic strains are listed in Table 1 with details of the unc-53 fusions (constructs/vectors) listed in Table 2:

Table 1 - Extend in other constructs

STRAIN NAME	PARENTAL STRAIN	unc53 FUSION	SELECTION	lacZ MARKER
TB3In54	n152	pTB109	pRF4	UL6
TBAIn8	N2	pTB110	pRF4	pPCZ1

TBAIn61	N2	pTB110	pRF4	pPCZ1
TBAIn69	N2	pTB110	pRF4	pPCZ1
	N2	pTB110	pRF4	pPCZ1
Accession				
No 1385CB				
1 ' 1				
	N2	pTB110	pRF4	pPCZ1
<u> </u>	N2	pTB110	pRF4	pPCZ1
<u></u>	N2	pTB110	pRF4	pPCZ1
	N2	pTB110	pRF4	pPCZ1
<u> </u>	N2	pTB110	pRF4	pPCZ1
	N2	pTB110	pRF4	pPCZ1
	N2	pTB110	pRF4	pPCZ1
TB1Ex10	n152	pTB112	pRF4	none
TB1Ex23	n152	pTB112	pRF4	none
TB1Ex8	N2	pTB112	pRF4	none
TB1Ex16	. N2	pTB112	pRF4	none
TB2Ex1	N2	pTB112	pRF4	none
TB2Ex37	N2	pTB112	pRF4	none
TB3Ex10	N2	pTB112	pRF4	none
TB3Ex12	N2	pTB112	pRF4	none
TB3Ex20	N2	pTB112	pRF4	none
TB3Ex37	N2	pTB112	pRF4	none
TB4Ex14	N2	pTB112	pRF4	none
TB4Ex18	N2	pTB112	pRF4	none
TB4Ex22	N2	pTB112	pRF4	none
TB4Ex25	N2	pTB112	pRF4	none
Accession				
NO LMBP				
1384CB (See Fig 16)				
TB1Ex3	n152	pTB111	pRF4	none
	TBAIn69 TBAIn76 Accession No 1385CB (See Fig 17A) TBAIn90 TBAIn210 TBAIn222 TBAIn306 TBAIn327 TBBIn3 TBBIn267 TB1Ex10 TB1Ex23 TB1Ex8 TB1Ex16 TB2Ex1 TB2Ex1 TB2Ex17 TB3Ex10 TB3Ex10 TB3Ex12 TB3Ex20 TB3Ex20 TB3Ex37 TB4Ex14 TB4Ex18 TB4Ex22 TB4Ex25 Accession No LMBP 1384CB (See Fig 16)	TBAIn69 N2 TBAIn76 N2 Accession No 1385CB (See Fig 17A) TBAIn90 N2 TBAIn210 N2 TBAIn222 N2 TBAIn306 N2 TBAIn327 N2 TBBIn3 N2 TBBIn267 N2 TB1Ex10 N152 TB1Ex23 N152 TB1Ex8 N2 TB1Ex8 N2 TB1Ex16 N2 TB2Ex1 N2 TB2Ex1 N2 TB3Ex10 N2 TB3Ex10 N2 TB3Ex10 N2 TB3Ex10 N2 TB3Ex10 N2 TB3Ex12 N2 TB3Ex20 N2 TB4Ex14 N2 TB4Ex14 N2 TB4Ex15 N2 TB4Ex16 N2	TBAIn69 N2 pTB110 TBAIn76 N2 pTB110 Accession No 1385CB (see Fig 17A) TBAIn90 N2 pTB110 TBAIn210 N2 pTB110 TBAIn222 N2 pTB110 TBAIn306 N2 pTB110 TBAIn327 N2 pTB110 TBBIn3 N2 pTB110 TBBIn3 N2 pTB110 TBBIn467 N2 pTB110 TB1Ex10 n152 pTB112 TB1Ex23 n152 pTB112 TB1Ex8 N2 pTB112 TB1Ex8 N2 pTB112 TB2Ex1 N2 pTB112 TB2Ex1 N2 pTB112 TB3Ex10 N2 pTB112 TB3Ex10 N2 pTB112 TB3Ex10 N2 pTB112 TB3Ex20 N2 pTB112 TB3Ex20 N2 pTB112 TB4Ex14 N2 pTB112 TB4Ex18 N2 pTB112 TB4Ex18 N2 pTB112 TB4Ex22 N2 pTB112 TB4Ex25 N2 pTB112 TB4Ex25 N2 pTB112	TBAIn69 N2 pTB110 pRF4 TBAIn76 N2 pTB110 pRF4 Accession No 1385CB (See Fig 17A) TBAIn90 N2 pTB110 pRF4 TBAIn210 N2 pTB110 pRF4 TBAIn322 N2 pTB110 pRF4 TBAIn306 N2 pTB110 pRF4 TBAIn327 N2 pTB110 pRF4 TBBIn3 N2 pTB110 pRF4 TBBIn3 N2 pTB110 pRF4 TBBIn267 N2 pTB110 pRF4 TB1EX10 n152 pTB112 pRF4 TB1EX23 n152 pTB112 pRF4 TB1EX8 N2 pTB112 pRF4 TB1EX8 N2 pTB112 pRF4 TB1EX8 N2 pTB112 pRF4 TB2EX1 N2 pTB112 pRF4 TB2EX1 N2 pTB112 pRF4 TB3EX10 N2 pTB112 pRF4 TB3EX20 N2 pTB112 pRF4 TB3EX20 N2 pTB112 pRF4 TB3EX20 N2 pTB112 pRF4 TB4EX14 N2 pTB112 pRF4 TB4EX15 N2 pTB112 pRF4 TB4EX16 N2 pTB112 pRF4 TB4EX17 N2 pTB112 pRF4 TB4EX18 N2 pTB112 pRF4 TB4EX25 N2 pTB112 pRF4 TB4EX25 N2 pTB112 pRF4 TB4EX25 N2 pTB112 pRF4 TB4EX25 N2 pTB112 pRF4

WO 96/38555 - 73 - PCT/EP96/02311

TB1Ex6	n152	рТВ111	pRF4	non
17B, C)				
TB1Ex11	n152	pTB111	pRF4	none

,5

35

Notes for Table 1: Ex-extrachromosomal In-integrated pTB109, pTB110-Heat shock unc-53 fusions

10 pTB111-mec-7 fusion

pTB112-unc-54 fusion

pRF4-rol-6 (sul006) (Mello <u>et al</u>, (1991), EMBO J., <u>5</u>, 3959-3970)

UL6-excretory canal promoter lacZ fusion

pPCZ1-Hsp16-48/1 lacZ fusion (Stringham et al, (1992)
Molec.Biol.Cell 3, 221-233)

Table 2

Full length cDNA tb3M5 (still has SL1 and 5' UTR) 20 (NotI-ApaI fragment in Bluescript II-KS, for pTB50 in vitro transcription) (NotI-ApaI fragment in Bluescript II-SK, for pTB51 in vitro transcription) (NotI-ApaI fragment in pCDNA3, for mammalian 25 pTB54 expression) (Deposited as accession no. LMBP3296) (NotI-ApaI fragment in hsp16-pucBM21, for in pTB109 vivo expression) (NotI-Apa fragment in pGEM5 +) pTB67 30

PCR1 of amino terminus of cDNA

(*PCR using oligos BG01 and BG02)

pTB57 (NdeI-BamHI fragment in pRK172, for <u>E. coli</u> expression)

pTB58 (NdeI-NcoI fragment in pGEM5)

	pTB63	(SacI-NcoI fragment in pRSETA, for E. coli
	-	expression)
	pTB64	(BamHI fragment in pBluescriptII-KS)
5	Full len	gth cDNA utilizing PCR1 amino terminus
	pTB61	(Ndel-Ncol fragment in pRK172, for E. coli
	-	expression)
	pTB110	(Xbal-Kpnl fragment in pPD49.83, for in vivo
	_	expression)
10	pTB111	(XbaI-KpnI fragment in pPD52.102, for <u>in</u>
		<u>vivo</u> expression)
	pTB112	(XbaI-KpnI fragment in pPD30.38, for <u>in vivo</u>
		expression)
		(Deposited as accession no. LMBP3295)
15		•
		amino terminus of cDNA
	(*PCR us	ing oligos BG03 and BG01)
	pTB59	(NotI-BamHI fragment in pBluescript II-KS)
	pTB60	(NotI-XhoI fragment in pCDNA3, for mammalian
20		expression)
	<u>Full len</u>	gth cDNA utilizing PCR2 amino terminus
	pTB55	(NotI-EaeI fragment in pBluescriptII-KS)
	pTB56	(NotI-ApaI fragment in pCDNA3, for mammalian
25		expression)
	•	
		onstructs (SacII deletion of amino terminus of pTB50)
	pTB52	(SacII deletion of amino terminus of pTB51)
		(Smal fragment of pTB52 in pGEX2T, for
30	pTB62	prokaryotic expression)
		(NdeI-NcoI fragment of 3' terminus in
•	pTB65	pRK172, for prokaryotic expression)
	mp - c - c	(NdeI-EcoRI fragment of 3' terminus in
	pTB66	pRK172, for prokaryotic expression, MAB 16-
35		
		48-2)

5

10

15

20

25

30

35

Initially, the phenotype of each transgenic line was characterised by inspection with a dissecting microscope and/or Nomarski optics. Transgenic strains were directly analysed for expression of unc-53 by immunohistochemistry. Briefly, embryos were adhered to polylysine coated slides and permeabilised by a combination of freeze fracturing and immersion in cold methanol and acetone (3-4 minutes each). Embryos were rehydrated through an acetone/distilled water series and then incubated for 30 minutes at room temperature in TBS-Tween (0.1%). The anti-UNC-53 monoclonal 16-48-2 anti-sera was applied undiluted and the slides incubated at 4°C overnight. The embryos were washed three times with TBS-T and then incubated in a secondary rhodamine like (Cy3-M)conjugated antibody for 1 hour at 37°C. After 3-4 washed in TBS-T the slides were mounted for fluorescence microscopy in 2% propylgallate, 80% glycerol-pH 8.0.

Characterisation of transgenic strains carrying pTB112

UNC-53 was over-expressed in the muscle of wild type animals (pTB112 in N2). Each extrachromosomal pTB112/N2 line consisted of wild type and rolling animals as expected, but in addition, several mutant phenotypes were observed at low frequency. These animals varied considerably in phenotype and included embryos which arrested at the two fold stage, larvae which hatched but died soon afterward, animals with extra protrusions on the epidermis and animals with a truncated posterior end. This phenotype is consistent with that of the mup or mua classes of muscle mutants in which the positioning and/or integrity of muscle attachments to the hypodermis has been disrupted. Most of these animals were either inviable or sterile. The progeny of the viable mutants contained the same

5

10

15

20

25

30

35

- 76 -

frequency of rollers, wild type and mutants as did the prog ny of rolling individuals. Since th extrachromosomal array may be lost at each cell division, every animal is a mosaic. The healthy rollers may have lost the transgene from most muscle cells and may represent weak phenotypes whereas the 2 fold arrests represent the situation where the array has been lost from few muscle cells. Nomarski and polarised light microscopy of the severe larval lethals showed that the muscle cells were disorganised and over-extended.

Detailed analysis of the underlying defect in embryonic development that leads to this terminal phenotype were performed with immunofluorescence microscopy (Fig 21).

Since the unc-54 gene encodes the myosin heavy chain, we expected that this promoter would be active in body muscle descendants from the comma stage In the unc-54 - unc-53 strains, signal was indeed localised to the body muscle cells in comma and later stages as predicted. The immunofluorescence was localised to the cytoplasm of the cell bodies and was particularly intense at the tips of the extending processes. Increased process length was observed very early in muscle development (comma to 1.5 fold stage) and increased up to the three fold stage. No other abnormalities in shape or muscle myofilament pattern were observed in the anterior-posterior axis of the animal. Two and three fold embryos which were stained with the monoclonal antibody NE8(4c6.3) (Goh and Bogaert, (1991), Dev. Biol. 56, 110-156) appeared to have a relatively wild type myofilament structure. As these animals are mosaic, it may be possible that severe cases die in late morphogenesis and those which survive through embryogenesis to adulthood can tolerate a few distorted muscle cells.

- 77 -

pTB111 transgenic lines

Immunostains indicates that the transgene is expressed efficiently in the mechanosensory neurons of a transgenic extrachromosomal line carrying the pTB111 transgene in an unc-53 (n152) genetic background (Fig 20).

pTB109 and pTB110 lines

10

15

20

25

30

35

5

Twelve integrated lines derived from three separate mutageneses of extrachromosomal lines have been isolated. TB3In54 carries the pTB109 fusion in addition to pRF4. Nine TBA strains were isolated after mutagenesis of an extrachromosomal strain, HSA. There are two strains (TBB) derived from mutagenesis of the extrachromosomal strain HS B. Both TBA and TBB strains contain the transgenes pTB110, pPCZ1 and pRF4. Inclusion of the HS-lacZ plasmid, pPCZ1 (Stringham et al, (1992), Molec.Bio.Cell 3, 221-233) allows one to monitor the strength of the heat shock induction by assaying for β-galactosidase activity.

Immunostains of embryos freeze fractured after a two hour heat shock showed that the signal was most prominent in the pharynx, gut and neurons. Surprisingly, the signal had a speckled appearance. This may be a feature of heat shock. Heat shock proteins may sequester UNC-53 to "chaperone" it during stress. Alternatively, UNC-53 may be targeted for degradation. In one experiment, embryos were heat shocked for two hours, allowed to recover overnight and then freeze fractured the next morning. While levels were reduced, there was a little residual UNC-53 signal in the gut cells. Thus, about 16 hours later most the protein has gone.

Level of heat shock and recovery times are

- 78 -

therefore important factors in the mutant rescue experiments and the preferred assay system described in example 10. In addition, experiments suggest that heat shock induction in liquid culture versus agar plates or dry incubators versus water baths need careful calibration.

After a strong three hour heat shock, a high percentage of animals were not able to recover from the stress. Embryos which were not subjected to a double shock (2-two hour heat shocks at 33°C separated by a two-hour recovery) hatch out as malformed worms reminiscent of the muscle overexpression lines (Fig 21). The heat shock promoter used is especially active in the pharynx. Consistent with this, a strong pharyngeal morphogenetic phenotype was observed (Fig 21). Pharyngeal phenotypes are easy to score and quantify (feeding rate, dye uptake, LacZ lines staining the pharynx) by anyone skilled in the C. elegans field and may form a preferred embodiment of the assay.

Example 7

Over-expression of UNC-53 results in directional over-extension: Assay with 7A variant.

25

30

35

5

10

15

20

In wild type *C. elegans*, body muscle cells are normally spindle shaped while in UNC53 mutants, a number of these cells have a reduced process which results in a fork shaped tip. This phenotype is consistent with the general reduction of extension observed in many growth cone types along the longitudinal axis of the animal in unc-53 mutants. Recalling the extremely limited pattern of UNC53 expression in embryogenesis detected by immunostaining with monoclonal antibody 16-48-2; no UNC53 activity was

5

10

15

20

25

30

- 79 -

discernable in wild type body muscle cells during outgrowth suggesting that the levels of UNC53 activity required for this extension may be extremely low.

We overexpressed unc-53 in the muscle of wild type animals by expressing the full length cDNA under the control of the unc-54 myosin heavy chain promoter in the fusion pTB113. Plasmid pTB113 is a translational fusion containing the 7A variant unc-53 cDNA sequence as an XbaI-KpnI fragment starting from the first methionine and including the unc-53 cDNA poly adenylation tail under control of the myosin heavy chain unc-54 promoter of the nematode expression vector pPD30.38 available on Internet web site ftp Plasmid pTB114 contains archive: ciwl, ciwemb.edu. the identical cDNA fragment under control of the hsp16-41 -2 promoter (Jones et al., 1995, Dev. Biol. VOL. 171, PAGES 60-72) which confers heat inducible expression to somatic cells, in the expression vector pPD 49.83 (Fire, pers. comm.) The amino terminus of the UNC53 cDNA is identical to the PCR amplification with BG01 and BG02 of pTB57. Thus, both pTB113 and pTB114 are in frame translational fusions devoid of the SL1 leader sequence and upstream untranslated region of the cDNA.

Each transgenic mosaic line (3 were examined) consisted of wild type and rolling animals as expected, but in addition, several mutant phenotypes were observed at a low frequency. These animals varied considerably in phenotype and included, embryos which arrested at the two fold stage, larvae which hatched but died soon afterwards, animals with extra protrusions on the epidermis and animals with a truncated posterior end. Most of these latter animals

5

10

15

20

25

30

- 80 -

. were either inviable or sterile. The progeny of the viable mutants contained the same frequency of rollers, wild type and mutants as did the progeny of rolling individuals. Since the extrachromosomal array may be lost at each cell division, every animal is a The healthy rollers may have lost the transgene from most muscle cells and may represent weak phenotypes whereas the 2 fold arrests represent the situation where the array has been retained in most muscle cells. The truncated posterior end may be the result of lethality in the D lineage due to mosaicism. Nomarski and polarized light microscopy of the severe larval lethals showed that the muscle cells were disorganized and over-extended in the longitudinal axis. In some cases the muscle cells appeared detached from the hypodermis. As these animals are mosaic, it may be possible that severe cases die early in morphogenesis whereas those which survive through embryogenesis to adulthood can tolerate a few distorted muscle cells.

In transgenic pTB113 strains, UNC53 expression, as detected by immunostaining with monoclonal antibody 16-48-2, was localized to the body muscle cells in comma and later stages as predicted for the UNC-53 promoter (myosin heavy chain). The pattern of immunofluoresence with the anti UNC-53 antibody was localized to the cytoplasm of the cell bodies and was particularly intense at the tips of the extending processes and in the cytoskeleton, when compared to phalloidin staining which specifically stains the actin cytoskeleton. The identical pattern of subcellular localization, in the cytoplasm and cytoskeleton, was also observed in the intestinal

cells of pTB114 transgenic embryos expressing UNC-53 ectopically after heat shock.

In addition, the growth cone processes appeared to be overextended specifically in the anterior-posterior axis of the animal. To verify this, the length of body muscle cells over-expressing the UNC53 cDNA in the pTB113 strains were measured and compared to the length of wild-type muscle growth cones expressing an unc-54 promoter-GFP (green fluorescent protein) fusion, pPD49.83 (available on Internet Web Ste Ftp archive: ciwl. ciwemb.edu. The GFP reporter allowed visualization of the entire cell body and boundaries of the muscle cells in wild-type animals. We estimated that the processes of the pTB113 expressing cells were roughly 15 times the length of pPD49.83 expressing wild type cells.

The lethality in the transgenic progeny of the three pTB113 strains examined ranged from 32% to 78%. Thus a significant proportion of the transformed mosaic progeny did not survive morphogenesis. In contrast, no lethality was observed in the pPD93.48 (unc-54-GFP) control strains. The lethality observed in the pTB113 lines is likely the consequence of overextension of muscle cells during embryogenesis because (a) both pTB113 and pPD93.48 utilize the identical promoter and should be expressed in the same cells at the same point in development, and (b) rol-6 selection was used to identify transformants for both constructs.

30

25

5

10

15

20

Example 8

Transient and stable transfection of UNC-53 in N4 neuroblastoma cells.

5

10

15

20

25

30

pTB72 and a plasmid expressing Lac2 under the CMV promoter were transfect d transiently with the Caphosphate method in N4 neuroblastoma cells.

N4 cells and their stably transfected counterparts were grown in Minimum Essential Medium (MEM) -REGA 3 (GIBCO BRL) supplemented with 10% Foetal Calf Serum, 1% L-Glutamine, 2% Sodium Bicarbonate, 200 units/ml penicilline and 200 μ g/ml ϕ treptomycine, in a humidified atmosphere of 90% air and 10% CO2 at 37°C. Transfections were performed by the Lipofectamine method (GIBCO BRL). 18 to 24 hrs before transfection cells were seeded in complete growth medium at a density of 7x105 per well in a six well tissue culture plate, and incubated at 379 C in a CO2 incubator. For each transfection the following solutions were prepared.: SolA = 4 μ g of DNA diluted in 200 ul of Optimem (GIBCO

SolB = 12 ul of Lipofectamine reagent diluted in 200 ul of Optimem (GIBCO BRL) Solutions A and B were combined, gently mixed and incubated at room temperature for 30 minutes. For each transfection 0.6 ml of Optimem was added to the lipid-DNA complex to reach the final volume of 1 ml. This mixture was then added onto the cells (which had been previously rinsed once with 2 ml of Optimem). The cells were incubated in the transfection mixture for 5 hrs at 37C in a CO2 incubator. At the beginning of the sixth hour from transfection, 1 ml of complete growth medium supplemented with 20% of Foetal calf serum was added to the transfected cells. The cells were incubated for 18 hrs at 37C in a CO2 incubator. 24 hrs following the beginning of transfection the supernatans was replaced with fresh growth medium.

72hrs post transfection cell cultures from each well 35 were harvested, diluted 1:24 and distributed over 24

- 83 -

well plates with the growth medium containing 500, 750 ug/ml or 1mg/ml of geneticin (G418, GIBCO BRL). After -12 days from the start of selection, single clones were picked and allowed to grow in the absence of selection. Of 27 initial clones, 7 were lost while expanding the clones because of their slow growth rate and the apparent general toxicity of caused by the transfected construct. Clone 9 was selected for further analysis.

10

5

Functional assay for neurite extension in N4 neuroblastoma

Step (1): Quantitative determination of neuronal morphology, i.e. length of neurites and fraction of positive cells is performed fully automatically. As an example we studied the degree of morphological differentiation in the wild-type N4 cells to a stably transfected C9 clone.

20

25

30

35

15

Step (2): Quantitative neuronal morphology

Morphological changes of neurones were quantitated as described in GEERTS et al (1992 Restorative Neurology and Neuroscience 4: 21-32 and Katsuhito et al Neurodegeration, 2: 173-181). Briefly, at appropriate times, glutaraldehyde was applied to cell cultures. No washing steps were This ensured that the morphology of the performed. cells at that time point was frozen. The cells were observed in transmitted light mode on an Axiovert microscope, equipped with a Marzhauser scanning stage driven by an Indy workstation (Silicon graphics). Images were captured using a MC5 video camera (HCS). About 3000 cells were detected in 64 neatly aligned images, forming a 8x8 square matrix of images. exact alignment of the images ensured that neurites

could b followed from one image field to the next.

The analysis software automatically detected cell
bodies and neurites and saved cell body size and
length of each individual neurite on a file.

Different parameters were subsequently calculated.

The neurite length per cell was calculated on freely
lying cells (not within a cluster). The fraction
positive cells is the fraction of cells having at
least one neurite with a length exceeding twice the
cell body diameter. Figure 40 clearly shows that clone
c9 increases both neurite length (free length) and
fraction of positive cells, compared to wild-type N4
cells clone.

<u>Example 9</u>

5

10

15

20

25

30

35

Transient and stable transfection of UNC-53 in MCF-7 breast carcinoma cells.

pTB72 and a plasmid expressing Lac Z under the CMV promoter where transfected transiently with the Ca-phosphate method in MCF-7 breast carcinoma cells.

MCF7 cells and their stably transfected counterparts were grown in Dulbecco's Modified Eagle's Medium (DMEM, GIBCO BRL) supplemented with 10% foetal Calf Serum, 1% L-Glutamine, 1% of a 5mg/ml stock of Gentamicine and 1% of a 100mM stock of Sodium Pyruvate in an humidified atmosphere of 90% air and 10% CO2 at 37 C. Construct pTB72 was transfected by the Calciumphosphate method (ref): 18-24hrs before transfection. cells were seeded at a density of 3×10^5 in a six well tissue culture plate with complete growth medium. Two hours before transfection the culture medium was removed and replaced with 1.8 ml of fresh medium. The cells were put back in the incubator until the moment of transfection. DNA-Ca₃(PO4)₂ precipitates were prepared one hour before transfection : For each transfection (1 well): 4 ug of DNA (=3-4 ul) was

5

10

15

20

25

30

35

- 85 -

combined with 76 ul of TE (Tris HCl-EDTA pH 8) 0.1M to a final volume of 80 ul. To th se DNA's diluted in TE, 20 ul of CaCl, Hepes solution was added to a final volume of 100 ul of DNA/CaCl2 mixture. The 100 ul of DNA/CaCl2 mixture was added very slowly, drop-by-drop to 100ul of 2x BS/Hepes while shaking, to a final volume of 200 ul. The resulting 200 ul DNA/Calcium Phosphate mixture was added to the cells and the mixture incubated for 8 hrs at 37 C in a CO2 incubator. At the beginning of the ninth hour from the start of transfection, the supernatans with the DNA/Calcium phosphate mixture was replaced with 3 ml of complete culture medium. 72hrs post transfection, cells from each well were harvested, split1:24 in complete growth medium supplemented with 1mg/ml of Geneticin (G418, GIBCO-BRL) and plated out in 24 well plates. 15 days from the start of selection, single clones where picked and allowed to grow without selection. Three clones MCF7-pTB72-clone9, MCF7-pTB72-14 and MCF7-pTB72-15 were retained all of which have a similar phenotype.

1) Phenotyping UNC-53 transfected MCF-7 breast carcinoma cells:

The general morphology and motile behaviour of the three transfected MCF-7 clones are different from non-transfected cells.

The assay consists of a tyramide amplification of a classical immunofluorescent reaction. The cells were grown in defined medium with 10% charcoal treated serum and supplemented by 10 μ g/ml insulin (final concentration) and 5 ng/ml basic fibroblast growth factor (final concentration). The substrate consisted of 50 μ g/ml poly-L-lysine in chamber slides; cultures were maintained in a humidified atmosphere of 95/5% air/CO₂.

5

10

15

20

25

30

35

Inductin of expression of vimentin and f increased levels of fosfotyrosine was found in the transfected subclones. Vimentin formed dense clusters around the cell nucleus with some filamentous structures in the pseudo-podes. Fosfotyrosine, on the other hand, was predominantly found at the border of the cell ruffles, at the same subcellular area where UNC53 expression was found. This provides evidence of a controlling molecule functioning in a signal transduction pathway and that vimentin is an indicator of metastasis in cancerous cell lines.

2) Functional assay to establish the signal transduction role of UNC-53.

Cells locomote in tissues and on substrates. type and amount of cell locomotion depends on different factors: (1) the physiological conditions perceived through receptors, which can be - for example - stimulation with or deprivation of serum, growth factor(s), cytokine(s), chemokine(s) or (pro-) inflammatory mediators; (2) the type and functionality of cell adhesion molecules expressed by cells and extracellular matrix molecules present in tissue or in culture model, (3) the actin, tubulin and/or intermediate filament cytoskeleton and (4) proper functioning of integrator proteins such as UNC-53, homologues or other molecules that translate physiological stimuli (or lack of stimuli) into increased or decreased cell motility, directional or random motility or different types of motility. Cell locomotion can be measured in different types of assays, such as disperse cells or in monolayer cultures, as cellular outgrowth from tissues in culture or in organotype cultures. Motility of live cells can be quantified microscopically as in example 8 or by time-lapse video or cinematography or by

phagokinetic assays (Albrecht-Buehler, 1977, Cell, 11:395) amongst other methods.

Cell motility assays are interesting tools to study the functioning and pharmacology of UNC-53 and the unc-53 pathway.

5

10

15

25

30

35

All previous observations were performed on MCF-7 cells grown in defined medium supplemented by 10 μ g/ml insulin (final concentration) and 5ng/ml basic fibroblast growth factor (final concentration). This approach offers the possibility of investigating the role of FGF in the UNC53 role of signal transmission. Indeed, by comparing wild-type versus UNC53 transfected cells cultured in medium with or without FGF/insulin and/or by microinjection of UNC53 protein, it can be investigated if UNC53 is responsible directly for regulating a signal transduction pathway linking extracellular growth factors to the assembly of, amongst others, focal adhesions.

20 <u>Example 10</u>: Enhanced phagokinesis in Ce-unc-53 transfected MCF-7 cells.

In this example evidence is presented that transfection of a plasmid containing the Ce-unc-53 sequence under a suitable promoter enhances cell motility in the phagokinesis assay.

When culture plastics are coated with colloidal gold particles, a variety of cells types were shown to migrate over the plate and displace or phagocytose the gold lawn on their way while locomoting. The track left bare is a qualitative and quantitative measure of cell motility and/or locomotion. The basic methods have been described in detail elsewhere (Albrecht-Buehler, 1977, Cell, 11:395; Zetter, 1980, Nature, 285:41; O'Keefe et al., 1983, J. Invest. Dermatol., 85:130).

- 88 -

Methods

5

10

15

20

35

12 well plat s were coated for 15 minutes with 5 μ g/ml gelatin in water and gold coated as described by Albrecht-Bueller (1977). Ce-unc-53 transfected MCF-7 cells and the parent MCF-7 were cultured in parallel, trypsinised dispersed in culture medium and seeded in 12-well plates at a density of 2550 cells per well. The cells were allowed to adhere to the plate and to locomote for 16 hours. After incubation the cells were chemically fixed to the plate using paraformaldehyde, washed with distilled water and finally air-dried.

Subsequently, images of the gold lawns were captured using automated videomicroscopy, composite images of the wells were generated and single-cell phagokinetic tracks were measured using a home-made routine in SCILTM software.

Results

The parent MCF-7 line displayed two cell populations with different motile behaviour in phagokinesis assays. In table 3 the fraction of parent and Ce-unc-53 transfected MCF-7 cells that produced linear tracks in the phagokinesis assay are shown. In the parent MCF-7 cells, 88% of the cells 25 produce a round track (long and short axis less than 2-fold different) and 12% cells produce 'linear' tracks (long and short axis more than 2-fold different). unc-53 transfection of MCF-7 cells produced an increase of the fraction of cells displaying 'linear' 30 tracks to 28% at the cost of the cells producing round tracks.

> These observation suggest that Ce-unc-53 transfection into MCF-7 is capable of increasing in situ locomotion of MCF-7 e.g. by increased spreading, ruffling or other forms of non-directional motility in

the 'round' population as well as by driving a fraction of transfect d MCF-7 cells from non-directional motility (round tracks) into directional migration (linear tracks).

In tissue culture, cells are provided with non-directional signals. It is likely that providing directionality to these signals will enhance observed effects. Significant enhancement was observed for the fraction of linear tracks.

In addition, a significant increase of 35% in the area of tracks was observed in the Ce-unc-53 transfected MCF-7 cells versus the parent MCF-7 cells (Table 3). This increase occurred in the round track population; the area of linear tracks was found not to be changed by transfection.

These obsevations in phagokinesis suggest that Ce-unc-53 transfection into MCF-7 cells is capable of increasing insitu locomotion in Ce-unc-53 MCF-7, e.g. by increasing spreading, ruffling, or other forms of non-directional motility in the "round" population. In addition the Ce-unc-53 transgene in MCF-7 cells drives a fraction of the MCF-7 cells from non-directional motility (round tracks) into directional migration (linear tracks).

25

5

10

15

20

parent and Ce-unc-53 transfected MCF-7 cells	•
parent MCF-7 Ce-unc-53 MCF-7	incr

30

	parent MCF-7	Ce-unc-53 MCF-7	increase
Fraction linear	% +- SD(n)	%+-SD(n)	
tracks (*)	12+-3 (8)	28+-6 (8)	2.33
Track area (**)	pixels+-SD(n)	picels+-SD (n)	
all tracks	1261+-128(8)	1698+-179(8)	1.35
round tracks	1229+-162(8)	1464+-204(8)	1.19
linear tracks	2367+-424(8)	2300+-319(8)	0.97

35

MCF-7 cells expressing low levels of UNC-53 exhibit increased motility.

Individual transfected cells are much more flattened in appearance than wild type and have a broad lamellipodium extending from the edge of the cell. Ruffling edges are more frequent than in wild type. Transfected cells in clusters have a broad lamellipodium edge around the cluster while cluster of the non-transfected. Within the cluster the nuclei are more widely spaced from one-another than in wild type cells (also due to a lamellipodium edge).

15

20

25

30

10

5

Example 11

Method for Protein micro-sequencing of coaffinity purifying proteins

UNC-53 protein was immuno-affinity purified from extracts of cells expressing <u>C. elegans</u> UNC-53 using monoclonal antibody 16-48-2. One to five mg of Mab 16-48-2 was prepared, purified on protein-G sepharose and subsequently covalently linked to sepharose beads. A column of such beads was loaded with both crude cytosolic and Triton-X100 extracts (containing solubilised RTKs) and eluted with 4M MgCl₂ or other chaotropic agents. A co-immuno-purifying band was identified on SDS-denaturing PAGE gels, eluted from these gels and micro-sequenced. This protein sequence or mass information of peptides generated by proteolysis was used to identify the co-immunoprecipitation directly from the sequence databases.

Alternatively the sequence was reverse translated

5

10

15

20

25

and oligonucleotides based on the sequence prepared. This is used to clone the corresponding gene as well as other techniques well known in the art.

Example 12 C. elegans as a model assay system.

We have constructed transgenic strains which overexpress UNC-53 in body muscle. This results in increased extension of muscle cells and embryonic lethality at low frequency. These strains were used to screen for drugs which interfere with UNC-53 activity and thereby suppress the background lethality.

Another related assay was used to screen specifically to identify inhibitors of downstream components in the signal transduction pathway. assay utilised constitutively active mutant cDNA (or corresponding nucleic acid sequence). Such a mutant may be formed by mutating the nucleotide binding domain such that GTP or ATP is always bound or by covalently attaching SEM-5. In this strategy, transgenics/mutants (nematodes or tissue cultured cell lines) were generated which maintain the pathway in a permanently switched on state. Over-extension and subsequent lethality results in a greater frequency than that observed in the unc-54 - unc-53 wild-type lines. By screening for survivors after drug treatment, this assay specifically identifies inhibitors of downstream components in the signal transduction pathway.

A range of other embodiments of the assay are obvious to a person skilled in the art of <u>C. elegans</u> genetics, including the use of alternative selectable markers, genetic backgrounds, histochemical detection and visual detection systems to identify phenotypic

5

15

20

25

30

changes following contacting a single worm or a population of worms with a compound.

Another assay previously described herein utilizes the unc-53 promoter. The unc-53 promoter is fused to a nucleic acid sequence encoding a reporter molecule. By screening for cells which do not express the wild type pattern, molecules which increase or reduce transcription of unc-53 may be identified.

Example 13 - Heterologous expression of

C. elegans UNC-53 in insect cells.

C. elegans UNC53 cDNAs have been expressed in a Baculovirus system to obtain sufficient amounts of protein for biochemical and structural studies.

Two UNC53 cDNA clones (UNC53(7A) and UNC53(8A) have been documented differing in the number of adenosine (A) residues (7 or 8) in a polyA stretch of the of the 3' coding region; the two clones therefore have different reading frames in the carboxyterminal coding region.

The 5' (N-terminal) part of the UNC53 coding region was excised from pTB564 with SacII after linearizing the plasmid with NdeI. The Ndei site was blunted with Klenow. The remaining C-terminal part of the coding region was excised from pTB68(7A) and pTB50(8A) with SacII plus KpnI. The NdeI/SacII fragment from pTB64 and the SacII/KpnI fragment from either pTB68 or pTB50 were ligated simultaneously into pBacPAK9 (Clontech) which had been linearized with Ecl136II (blunt end) and KpnI. In this way, a minimum amount of 5' untranslated region is left in the final construct.

The desired recombinant viruses were obtained by

5

10

15

20

25

30

35

- 93 -

co-transfection of Sf21 cells (Spodoptera frugiperda) with one of the aforementioned pBacPAK9 constructs and BacPAK6 Bsu361-digested DNA (Clontech). Several candidate recombinant viruses plaques were picked and screened by PCR for the presence of the target gene and the absence of wild-type virus.

Sf9 cells were infected at a high multiplicity with UNC53(7A) or UNC53(8A) recombinant Baculoviruses for protein expression. Proteins from whole cell lysates were separated by denaturing (SDS) polyacrylamide gel electrophoresis and transferred to The expression of UNC53 in nitrocellulose membranes. those cell lysates was confirmed by immunoreaction with a monoclonal antibody (16-49-2) to UNC53 and subsequent chemiluminescent detection (ECL™ Amersham). A Coomassie-stained band of the expected size was observed in lysates of Sf9 cells infected with UNC-53(7A) or UNC53(8A) recombinant baculoviruses, but not with control constructs. Within the accuracy of the methods, this Coomassiestained band coincided with the largest immunoreactive band. Their estimated mass was approximately 180 kDa, which is compatible with the theoretically calculated mass (167 kDa). We therefore conclude that this band most likely corresponds to intact UNC53.

For both UNC53(7A) and UNC53(8A) baculoviral expression constructs, mostly intact recombinant UNC53-protein was detected by immunoblotting in lysates from infected cells harvested 24 hours post infection. Larger amounts of recombinant protein could be detected in lysates from cells prepared during later stages of infection (48 and 72 hours post infection) but in those preparations a considerable amount of smaller fragments (presumptive degradation products) is observed.

Example 14

5

10

15

20

25

30

The UNC-53 protein expressed in Sf9 cells using a Baculovirus expression system is a valid tool to study its biochemical functions and a valid tool to identify interacting proteins.

UNC53 7A(L2.3)/pBacPAK9 were resuspended in 100 microliter Phosphate Buffered Saline supplemented with 0.14 micromolar of pepstatin, 10 mM of benzamidine and 0.015 micromolar aprotinin. The cells were briefly sonicated and the obtained material was centrifuged at 30,000 g for 30 minutes at 4 degrees centrigade. The clear supernatant (soluble fraction) was frozen in 50% glycerol. An aliquot of this fraction was incubated in the cold room for 48 hrs. The protein samples were analyzed by SDS-PAGE, blotted to nitrocellulose and probed with mab 16-48-2. This showed that UNC-53 protein made in SF9 cells is soluble and stable under the conditions tested.

20 microlitres of the UNC-53 SF9 lysate were incubated with 5 microlitre GST-Sepharose beads loaded with equal amouts (approx. 10 microgram) of GST-GRB-2 or GST alone. The beads were rinsed 3 times in 500 microlitres of solution PBS-0.2% Tween 20 and eluted with 50 microliter SDS sample buffer. The eluted material was analyzed by SDS-PAGE and Western blot analysis with mab 16-48-2. UNC-53 was retained on the GST-GRB2 column and not on the GST demonstrating that UNC-53 interacts in vitro with GRB-2.

Example 15

5

15

20

25

Identification of proteins interacting with UNC-

Vectors pCB50 and pCB51 were constructed as bait vectors for the yeast two hybrid system expressing resp. the full length and the carboxyterminal part of UNC-53.

pCB50 was constructed by cloning the full length

UNC-53 cDNA (7A variant; NdeI-NcoI fragment from

pTB74) into pAS1-CYH2 vector from Clontech. (Figure
30).

pCB51 (Figure 32) was constructed by cloning the 1880 bp NdeI-NcoI fragment from pTB74 into vector pAS1-CYH2 from Clontech. This protein encodes among others, the GTP/ATP binding domains, a leucine zipper domain, and an additional coiled-coil domain.

pCB50 and pCB51 were transformed in yeast strain Hf7C (YRG2). Expression was confirmed by western blotting using antibodies to the GAL4 protein fused to UNC-53 in these constructs. Bands of expected size (190 kd for pCB50 and 90 kd for pCB51) were observed both in yeast strains with pCB50 and pCB51 indicating that both fusion proteins are expressed in the yeast. The expression of the pCB50 and pCB51 fusion proteins in yeast strain Hf7C does not lead to expression of the LacZ or HIS reporter genes. These experiments demonstrate that the constructed fusions are useful baits in yeast two hybrid screens.

Vector pCB55 was made by cloning the 984 bp

BamHI-BglII of pTB74 construct into the yeast two

-96-

hybrid activation vector (pGAD-424 vector from Clontech) (Figure 34). In order to check the possible interactions of UNC-53 either with itself (homodimerization) or other proteins.

This vector expresses a Gal-4 activation domain fused to amongst others the predicted coiled coil or leucine zipper domain of UNC-53.

The following combinations of plasmids were cotransformed in yeast strain HF7C : (1) pCB51 and pCB55 (2) pCB55 with control plasmid- pTD1 and (3) positive 10 control plasmids pTD1 and PVA3 (two proteins known to interact (Bartel, P.L et al., Biotechniques Vol. 14 nr.6 (1993)). Yeast cotransformed with combination (1) and (3) grew well on -LEU;-TRYP plates and -LEU;-TRYP; -HIS plates indicating that an interacting 15 protein is present in both co-transformations. Only yeast co-transformed with (3) was positive in a lacZ assay indicating that the observed interaction in (1) (between pCB50 and pCB 55) is weak. For cotransformation (2), colonies grew on -LEU; -TRYP plates 20 and as expected not on -LEU;-TRYP;-HIS plates. The positive control were thus positive whereas the negative controls were negative. We conclude that there is a weak but significant interaction between pCB51 and pCB55, which is strong enough to activate 25 the HIS but not the lacZ reporter gene in this Hf7c strain.

Example 16

5

Protocol to screen for components which inhibit or enhance UNC-53 using <u>C. elegans</u> cell line pTBIn76

-97-

Embryos from large liquid C. elegans cultures of line pTBIn76 (table 1) are collected by sucrose flotation of a bleached population (Goh and Bogaert (1991), Dev. Biol. <u>56</u>, 110-156). Embryos are dispensed in 96 well microtiter plates with M9 medium 5 and various concentrations of the compound to be The embryos are allowed to hatch and are synchronised in the L1 stage by starvation. After a suitable exposure to the compound (by standard calibration) a standard quantity of E. coli (food) is 10 dispersed in the 96 well plates, which starts C. elegans post-embryonic development. The microtiter plates are then placed in an incubator to induce heat shock and subsequently placed at 25°C to permit continued development. After 0 to 1 generations of C. 15 elegans development wells are inspected to assess the degree of population growth inhibition. inspection can consist of an optical density measurement to assess the amount of food consumed by the developing nematodes. Very little food is 20 consumed when no test compound is present: most food is consumed if an UNC-53 inhibitor has blocked the lethal or subviable phenotype induced by the transgene. The inspection can also be a visual inspection of the number of healthy or subviable worms 25 or a histochemical measurement of C. elegans viability or of the remainder of E. coli (food).

Example 17 - Protocol to screen for compounds
which inhibit or enhance cell regulation or motility.

35

Transfected cells used in this example were the same as those obtained from example 8. Compounds to be tested were added to each of the cells and their effects on the cells monitored. Functional assays to determine neurite extension were also the same as used

-98-

in example 8 as described by Geests et al. One compound (of the Formula I below) was used for further testing.

5 <u>Example 18</u> - Compounds targetted at the unc-53 pathway.

Snythesis of $(1-(1\underline{H}-pyrro1-2-ylmethyl)-2-piperidone.$

10

15

20

25

30

Step 1

To a stirred solution of 150g of 1<u>H</u>-pyrrol-2-carboxaldehyde in 1500g parts of trichloromethane were added 690, of 5Å molecular Sieves. A kit solution of 264, of methyl 5-aminopentanoate hydrochloride in 1500g of tricholoromethane was added. After stirring for 5 minutes, 465g of thiethylamine were added over

10 minutes. Upon complete addition, the reaction mixture was stirred for 20 hours at ambient temperature. The mixture was filtered over diatomaceous earth and the filtrate was concentrated by evaporation of the solvent. The concentrate was triturated in 1,1'-oxybisethane. The precipitate was filtered off and the filtrate was concentrated, yielding 300g (91.1%) of 5-[[(1H-pyrrol-2-

WO 96/38555 PCT/EP96/02311 -99-

Step 2

A mixture of 150g of 5-[[(1H-pyrrol-2-yl)methylen]amino]pentanoate hydrogenated at 3.10⁵Pa and at ambient temperature with 3.3 parts of platinum oxide. After the calculated amount of hydrogen was consumed, the catalyst was filtered off and the filtrate was evaporated. The residue was dissolved in dichloromethane and the organic phase was washed three times with a sodium hydroxide 3 N solution. The product was distilled at 13.30 Pa (bp 100-130°C). The residue was crystallized from cyclohexane and hexane. The product was filtered off and dried, yielding 193 parts (100%) of 1-(1H-pyrrol-2-ylmethyl)-2-piperidone.; mp. 105.8°C.

15 The compound (1-(1<u>H</u>-pyrrol-2-ylmethyl)-2piperidinone) when applied for 24 hours to cultures of
both wild-type and transfected N4 (mouse
neuroblastoma) cells displays a differential
behaviour. There is no effect (or at most a small
20 stimulatory) effect on the wild-type N4 cells, up to
concentrations of 1 μM, the compound clearly becomes
toxic for both types of cells. The results indicate
that this compound conteracts the effects of
overexpression of UNC-53 and may have beneficial
25 effects therefore in for example metastasis.

100

SEQUENCE LISTING

- (1) GENERAL INFORMATION:
 - (i) APPLICANT:
 - (A) NAME: BOGAERT; THIERRY
 - (B) STREET: Voorstraat 36 bus 11
 - (C) CITY: Kortrijk
 - (E) COUNTRY: Belgium
 - (F) POSTAL CODE (ZIP): B-8500
 - (A) NAME: STRINGHAM; EVE
 - (B) STREET: 9326-133 A Street
 - (C) CITY: Surrey
 - (D) STATE: British Columbia
 - (E) COUNTRY: Canada
 - (F) POSTAL CODE (ZIP): V3V 5R5
 - (A) NAME: VANDEKERCKHOVE; JOEL
 - (B) STREET: Rode Benkendreef 27
 - (C) CITY: Loppem
 - (D) STATE: -
 - (E) COUNTRY: Belgium
 - (F) POSTAL CODE (ZIP): none
 - (ii) TITLE OF INVENTION: Processes for the identification of compounds which control cell behaviour, the compounds identified and pharmaceutical compositions containing them and their use in the control of cell behaviour
 - (iii) NUMBER OF SEQUENCES: 48
 - (iv) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
 - (v) CURRENT APPLICATION DATA:

APPLICATION NUMBER: EP PCT/EP96/02311

- (vi) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: GB 9510944.3
 - (B) FILING DATE: 31-MAY-1995
- (2) INFORMATION FOR SEQ ID NO: 1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 5073 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA
 - (iii) HYPOTHETICAL: NO
 - (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Caenorhabditis elegans
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

101

GGTTTAATTA CCCAAGTTTG AGACATCAAT TCCATCGAAC GAAATGTTGG TGCTCCGAAT 60 AAAATGACGA CGTCAAATGT AGAATTGATA CCAATCTACA CGGATTGGGC CAATCGGCAC 120 CTTTCGAAGG GCAGCTTATC AAAGTCGATT AGGGATATTT CCAATGATTT TCGCGACTAT 180 CGACTGGTTT CTCAGCTTAT TAATGTGATC GTTCCGATCA ACGAATTCTC GCCTGCATTC 240 ACGARACGTT TGGCARARAT CACATCGRAC CTGGRTGGCC TCGRRACGTG TCTCGRCTAC 300 CTGAAAAATC TGGGTCTCGA CTGCTCGAAA CTCACCAAAA CCGATATCGA CAGCGGAAAC 360 TTGGGTGCAG TTCTCCAGCT GCTCTTCCTG CTCTCCACCT ACAAGCAGAA GCTTCGGCAA 420 CTGAAAAAG ATCAGAAGAA ATTGGAGCAA CTACCCACAT CCATTATGCC ACCCGCGGTT 480 TCTAAATTAC CCTCGCCACG TGTCGCCACG TCAGCAACCG CTTCAGCAAC TAACCCAAAT 540 TCCAACTTTC CACAAATGTC AACATCCAGG CTTCAGACTC CACAGTCAAG AATATCGAAA 600 ATTGATTCAT CAAAGATTGG TATCAAGCCA AAGACGTCTG GACTTAAACC ACCCTCATCA 660 TCAACCACTT CATCAAATAA TACAAATTCA TTCCGTCCGT CGAGCCGTTC GAGTGGCAAT 720 AATAATGTTG GCTCGACGAT ATCCACATCT GCGAAGAGCT TAGAATCATC ATCAACGTAC 780 AGCTCTATTT CGAATCTAAA CCGACCTACC TCCCAACTCC AAAAACCTTC TAGACCACAA 840 900 ACCCAGCTAG TTCGTGTTGC TACAACTACA AAAATCGGAA GCTCAAAGCT AGCCGCTCCG 960 AAAGCCGTGA GCACCCCAAA ACTTGCTTCT GTGAAGACTA TTGGAGCAAA ACAAGAGCCC 1020 GATAACAGCG GTGGTGGTGG TGGTGGAATG CTGAAATTAA AGTTATTCAG TAGCAAAAAC CCATCTTCCT CATCGAATAG CCCACAACCT ACGAGAAAGG CGGCGGCGGT GCCTCAACAA 1080 CARACTITGT CGARARTCGC TGCCCCAGTG ARRAGTGGCC TGRAGCCGCC GACCAGTARG 1140 1200 CTGGGAAGTG CCACGTCTAT GTCGAAGCTT TGTACGCCAA AAGTTTCCTA CCGTAAAACG GACGCCCAA TCATATCTCA ACAAGACTCG AAACGATGCT CAAAGAGCAG TGAAGAAGAG 1260 1320 TCCGGATACG CTGGATTCAA CAGCACGTCG CCAACGTCAT CATCGACGGA AGGTTCCCTA AGCATGCATT CCACATCTTC CAAGAGTTCA ACGTCAGACG AAAAGTCTCC GTCATCAGAC 1380 GATCTTACTC TTAACGCCTC CATCGTGACA GCTATCAGAC AGCCGATAGC CGCAACACCG 1440 GTTTCTCCAA ATATTATCAA CAAGCCTGTT GAGGAAAAAC CAACACTGGC AGTGAAAGGA 1500 GTGAAAAGCA CAGCGAAAAA AGATCCACCT CCAGCTGTTC CGCCACGTGA CACCCAGCCA 1560 ACAATCGGAG TTGTTAGTCC AATTATGGCA CATAAGAAGT TGACAAATGA CCCCGTGATA 1620 TCTGAAAAAC CAGAACCTGA AAAGCTCCAA TCAATGAGCA TCGACACGAC GGACGTTCCA 1680 CCGCTTCCAC CTCTAAAATC AGTTGTTCCA CTTAAAATGA CTTCAATCCG ACAACCACCA 1740 ACGTACGATG TTCTTCTAAA ACAAGGAAAA ATCACATCGC CTGTCAAGTC GTTTGGATAT 1800 GAGCAGTCGT CCGCGTCTGA AGACTCCATT GTGGCTCATG CGTCGGCTCA GGTGACTCCG 1860 CCGACAAAA CTTCTGGTAA TCATTCGCTG GAGAGAAGGA TGGGAAAGAA TAAGACATCA 1920

GAATCCAGCG GCTACACCTC	TGACGCCGGT	GTTGCGATGT	GCGCCAAAAT	GAGGGAGAAG	1980
CTGAAAGAAT ACGATGACAT	GACTCGTCGA	GCACAGAACG	GCTATCCTGA	CAACTTCGAA	2040
GACAGTTCCT CCTTGTCGTC	TGGAATATCC	GATAACAACG	AGCTCGACGA	CATATCCACG	2100
GACGATTTGT CCGGAGTAGA	CATGGCAACA	GTCGCCTCCA	AACATAGCGA	CTATTCCCAC	2160
TTTGTTCGCC ATCCCACGTC	TTCTTCCTCA	AAGCCCCGAG	TCCCCAGTCG	GTCCTCCACA	2220
TCAGTCGATT CTCGATCTCG	AGCAGAACAG	GAGAATGTGT	ACAAACTTCT	GTCCCAGTGC	2280
CGAACGAGCC AACGTGGCGC	CGCTGCCACC	TCAACCTTCG	GACAACATTC	GCTAAGATCC	2340
CCGGGATACT CATCCTATTC	TCCACACTTA	TCAGTGTCAG	CTGATAAGGA	CACAATGTCT	2400
ATGCACTCAC AGACTAGTCG	ACGACCTTCT	TCACAAAAAC	CAAGCTATTC	AGGCCAATTT	2460
CATTCACTTG ATCGTAAATG	CCACCTTCAA	GAGTTCACAT	CCACCGAGCA	CAGAATGGCG	2520
GCTCTCTTGA GCCCGAGACG	GGTGCCGAAC	TCGATGTCGA	AATATGATTC	TTCAGGATCC	2580
TACTCGGCGC GTTCCCGAGG	TGGAAGCTCT	ACTGGTATCT	ATGGAGAGAC	GTTCCAACTG	2640
CACAGACTAT CCGATGAAAA	ATCCCCCGCA	CATTCTGCCA	AAAGTGAGAT	GGGATCCCAA	2700
CTATCACTGG CTAGCACGAC	AGCATATGGA	TCTCTCAATG	AGAAGTACGA	ACATGCTATT	2760
CGGGACATGG CACGTGACTT	GGAGTGTTAC	AAGAACACTG	TCGACTCACT	AACCAAGAAA	2820
CAGGAGAACT ATGGAGCATT	GTTTGATCTT	TTTGAGCAAA	AGCTTAGAAA	ACTCACTCAA	2880
CACATTGATC GATCCAACTT	GAAGCCTGAA	GAGGCAATAC	GATTCAGGCA	GGACATTGCT	2940
CATTTGAGGG ATATTAGCAA	TCATCTTGCA	TCCAACTCAG	CTCATGCTAA	CGAAGGCGCT	3000
GGTGAGCTTC TTCGTCAACC	ATCTCTGGAA	TCAGTTGCAT	CCCATCGATC	ATCGATGTCA	3060
TCGTCGTCGA AAAGCAGCAA	GCAGGAGAAG	ATCAGCTTGA	GCTCGTTTGG	CAAGAACAAG	3120
AAGAGCTGGA TCCGCTCCTC	ACTCTCCAAG	TTCACCAAGA	AGAAGAACAA	GAACTACGAC	3180
GAAGCACATA TGCCATCAAT	TTCCGGATCT	CAAGGAACTC	TTGACAACAT	TGATGTGATT	3240
GAGTTGAAGC AAGAGCTCAA	AGAACGCGAT	AGTGCACTTT	ACGAAGTCCG	CCTTGACAAT	3300
CTGGATCGTG CCCGCGAAGT	TGATGTTCTG	AGGGAGACAG	TGAACAAGTT	GAAAACCGAG	3360
AACAAGCAAT TAAAGAAAGA	AGTGGACAAA	CTCACCAACG	GTCCAGCCAC	TCGTGCTTCT	3420
TCCCGCGCCT CAATTCCAGT	TATCTACGAC	GATGAGCATG	TCTATGATGC	AGCGTGTAGC	3480
AGTACATCAG CTAGTCAATC	TTCGAAACGA	TCCTCTGGCT	GCAACTCAAT	CAAGGTTACT	3540
GTAAACGTGG ACATCGCTGG	AGAAATCAGT	TCGATCGTTA	ACCCGGACAA	AGAGATAATC	3600
GTAGGATATC TTGCCATGTC	AACCAGTCAG	TCATGCTGGA	AAGACATTGA	TGTTTCTATT	3660
CTAGGACTAT TTGAAGTCTA	CCTATCCAGA	ATTGATGTGG	AGCATCAACT	TGGAATCGAT	3720
GCTCGTGATT CTATCCTTGG	CTATCAAATT	GGTGAACTTC	GACGCGTCAT	TGGAGACTCC	3780
ACAACCATGA TAACCAGCCA	TCCAACTGAC	ATTCTTACTT	CCTCAACTAC	AATCCGAATG	3840

103

TTCATGCACG	GTGCCGCACA	GAGTCGCGTA	GACAGTCTGG	TCCTTGATAT	GCTTCTTCCA	3900
aagcaaatga	TTCTCCAACT	CGTCAAGTCA	ATTTTGACAG	AGAGACGTCT	GGTGTTAGCT	3960
GGAGCAACTG	GAATTGGAAA	GAGCAAACTG	GCGAAGACCC	TGGCTGCTTA	TGTATCTATT	4020
CGAACAAATC	AATCCGAAGA	TAGTATTGTT	AATATCAGCA	TTCCTGAAAA	CAATAAAGAA	4080
Gaattgcttc	AAGTGGAACG	ACGCCTGGAA	AAGATCTTGA	GAAGCAAAGA	ATCATGCATC	4140
GTAATTCTAG	ATAATATCCC	AAAGAATCGA	ATTGCATTTG	TTGTATCCGT	TTTTGCAAAT	4200
GTCCCACTTC	AAAACAACGA	AGGTCCATTT	GTAGTATGCA	CAGTCAACCG	ATATCAAATC	4260
CCTGAGCTTC	AAATTCACCA	CAATTTCAAA	ATGTCAGTAA	TGTCGAATCG	TCTCGAAGGA	4320
TTCATCCTAC	GTTACCTCCG	ACGACGGGCG	GTAGAGGATG	AGTATCGTCT	AACTGTACAG	4380
ATGCCATCAG	AGCTCTTCAA	AATCATTGAC	TTCTTCCCAA	TAGCTCTTCA	GGCCGTCAAT	4440
AATTTTATTG	AGAAAACGAA	TTCTGTTGAT	GTGACAGTTG	GTCCAAGAGC	ATGCTTGAAC	4500
TGTCCTCTAA	CTGTCGATGG	ATCCCGTGAA	TGGTTCATTC	GATTGTGGAA	TGAGAACTTC	4560
ATTCCATATT	TGGAACGTGT	TGCTAGAGAT	GGCAAAAAAA	ACCTTCGGTC	GCTGCACTTC	4620
CTTCGAGGAT	CCCACCGACA	TCGTCTCTAA	AAAATGGCCG	TGGTTCGATG	GTGAAAACCC	4680
GGAGAATGTG	CTCAAACGTC	TTCAACTCCA	AGACCTCGTC	CCGTCACCTG	CCAACTCATC	4740
CCGACAACAC	TTCAATCCCC	TCGAGTCGTT	GATCCAATTG	CATGCTACCA	AGCATCAGAC	4800
CATCGACAAC	ATTTGAACAG	AAGACTCTAA	TCTTCTCTCG	CCTCTCCCCC	GCTTTCCTTA	4860
PCTTCGTACC	GGTACCTGAT	GATTCCCCAT	TTTCCCCCTT	TTCCCCCCAA	TTTCCCAGAA	4920
CCTCCTGTTC	CCTTTGTTCC	TAGTCCTCCC	GGGTGCCGAC	GCCGAAGCGA	TTTAAAAACC	4980
PTTTTCTTTC	CGAAACATTT	CCCATTGCTC	ATTAATAGTC	AAATTGAATA	AACAGTGTAT	5040
STACTTAAAA	алалалала	ааааааааа	AAA			5073

(2) INFORMATION FOR SEQ ID NO: 2:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 5072 base pairs

 - (B) TYPE: nucleic acid (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

GGTTTAATTA CCCAAGTTTG AGACATCAAT TCCATCGAAC GAAATGTTGG TGCTCCGAAT 60 AAAATGACGA CGTCAAATGT AGAATTGATA CCAATCTACA CGGATTGGGC CAATCGGCAC 120 CTTTCGAAGG GCAGCTTATC AAAGTCGATT AGGGATATTT CCAATGATTT TCGCGACTAT 180

104

CGACTGGTTT	CTCAGCTTAT	TAATGTGATC	GTTCCGATCA	ACGAATTCTC	GCCTGCATTC	240
ACGAAACGTT	TGGCAAAAAT	CACATCGAAC	CTGGATGGCC	TCGAAACGTG	TCTCGACTAC	300
CTGAAAAATC	TGGGTCTCGA	CTGCTCGAAA	CTCACCAAAA	CCGATATCGA	CAGCGGAAAC	360
TTGGGTGCAG	TTCTCCAGCT	GCTCTTCCTG	CTCTCCACCT	ACAAGCAGAA	GCTTCGGCAA	420
CTGAAAAAAG	ATCAGAAGAA	ATTGGAGCAA	CTACCCACAT	CCATTATGCC	ACCCGCGGTT	480
TCTAAATTAC	CCTCGCCACG	TGTCGCCACG	TCAGCAACCG	CTTCAGCAAC	TAACCCAAAT	540
TCCAACTTTC	CACAAATGTC	AACATCCAGG	CTTCAGACTC	CACAGTCAAG	AATATCGAAA	600
ATTGATTCAT	CAAAGATTGG	TATCAAGCCA	AAGACGTCTG	GACTTAAACC	ACCCTCATCA	660
TCAACCACTT	CATCAAATAA	TACAAATTCA	TTCCGTCCGT	CGAGCCGTTC	GAGTGGCAAT	720
AATAATGTTG	GCTCGACGAT	ATCCACATCT	GCGAAGAGCT	TAGAATCATC	ATCAACGTAC	780
AGCTCTATTT	CGAATCTAAA	CCGACCTACC	TCCCAACTCC	AAAAACCTTC	TAGACCACAA	840
ACCCAGCTAG	TTCGTGTTGC	TACAACTACA	AAAATCGGAA	GCTCAAAGCT	AGCCGCTCCG	900
AAAGCCGTGA	GCACCCCAAA	ACTTGCTTCT	GTGAAGACTA	TTGGAGCAAA	ACAAGAGCCC	960
GATAACAGCG	GTGGTGGTGG	TGGTGGAATG	CTGAAATTAA	AGTTATTCAG	TAGCAAAAAC	1020
CCATCTTCCT	CATCGAATAG	CCCACAACCT	ACGAGAAAGG	CGGCGGCGGT	GCCTCAACAA	1080
CAAACTTTGT	CGAAAATCGC	TGCCCCAGTG	AAAAGTGGCC	TGAAGCCGCC	GACCAGTAAG	1140
CTGGGAAGTG	CCACGTCTAT	GTCGAAGCTT	TGTACGCCAA	AAGTTTCCTA	CCGTAAAACG	1200
GACGCCCCAA	TCATATCTCA	ACAAGACTCG	AAACGATGCT	CAAAGAGCAG	TGAAGAAGAG	1260
TCCGGATACG	CTGGATTCAA	CAGCACGTCG	CCAACGTCAT	CATCGACGGA	AGGTTCCCTA	1320
AGCATGCATT	CCACATCTTC	CAAGAGTTCA	ACGTCAGACG	AAAAGTCTCC	GTCATCAGAC	1380
GATCTTACTC	TTAACGCCTC	CATCGTGACA	GCTATCAGAC	AGCCGATAGC	CGCAACACCG	1440
GTTTCTCCAA	ATATTATCAA	CAAGCCTGTT	GAGGAAAAAC	CAACACTGGC	AGTGAAAGGA	1500
GTGAAAAGCA	CAGCGAAAAA	AGATCCACCT	CCAGCTGTTC	CGCCACGTGA	CACCCAGCCA	1560
ACAATCGGAG	TTGTTAGTCC	AATTATGGCA	CATAAGAAGT	TGACAAATGA	CCCCGTGATA	1620
TCTGAAAAAC	CAGAACCTGA	AAAGCTCCAA	TCAATGAGCA	TCGACACGAC	GGACGTTCCA	1680
CCGCTTCCAC	CTCTAAAATC	AGTTGTTCCA	CTTAAAATGA	CTTCAATCCG	ACAACCACCA	1740
ACGTACGATG	TTCTTCTAAA	ACAAGGAAAA	ATCACATCGC	CTGTCAAGTC	GTTTGGATAT	1800
GAGCAGTCGT	CCGCGTCTGA	AGACTCCATT	GTGGCTCATG	CGTCGGCTCA	GGTGACTCCG	1860
CCGACAAAAA	CTTCTGGTAA	TCATTCGCTG	GAGAGAAGGA	TGGGAAAGAA	TAAGACATCA	1920
GAATCCAGCG	GCTACACCTC	TGACGCCGGT	GTTGCGATGT	GCGCCAAAAT	GAGGGAGAAG	1980
CTGAAAGAAT	ACGATGACAT	GACTCGTCGA	GCACAGAACG	GCTATCCTGA	CAACTTCGAA	2040
GACAGTTCCT	CCTTGTCGTC	TGGAATATCC	GATAACAACG	AGCTCGACGA	CATATCCACG	2100

105

GACGATTTGT CCGGAGTAGA	CATGGCAACA	GTCGCCTCCA	AACATAGCGA	CTATTCCCAC	2160
TTTGTTCGCC ATCCCACGTC	TTCTTCCTCA	AAGCCCCGAG	TCCCCAGTCG	GTCCTCCACA	2220
TCAGTCGATT CTCGATCTCG	AGCAGAACAG	GAGAATGTGT	ACAAACTTCT	GTCCCAGTGC	2280
CGAACGAGCC AACGTGGCGC	CGCTGCCACC	TCAACCTTCG	GACAACATTC	GCTAAGATCC	2340
CCGGGATACT CATCCTATTC	TCCACACTTA	TCAGTGTCAG	CTGATAAGGA	CACAATGTCT	2400
ATGCACTCAC AGACTAGTCG	ACGACCTTCT	TCACAAAAAC	CAAGCTATTC	AGGCCAATTT	2460
CATTCACTTG ATCGTAAATG	CCACCTTCAA	GAGTTCACAT	CCACCGAGCA	CAGAATGGCG	2520
GCTCTCTTGA GCCCGAGACG	GGTGCCGAAC	TCGATGTCGA	AATATGATTC	TTCAGGATCC	2580
TACTCGGCGC GTTCCCGAGG	TGGAAGCTCT	ACTGGTATCT	ATGGAGAGAC	GTTCCAACTG	2640
CACAGACTAT CCGATGAAAA	ATCCCCCGCA	CATTCTGCCA	AAAGTGAGAT	GGGATCCCAA	2700
CTATCACTGG CTAGCACGAC	AGCATATGGA	TCTCTCAATG	AGAAGTACGA	ACATGCTATT	2760
CGGGACATGG CACGTGACTT	GGAGTGTTAC	AAGAACACTG	TCGACTCACT	AACCAAGAAA	2820
CAGGAGAACT ATGGAGCATT	GTTTGATCTT	TTTGAGCAAA	AGCTTAGAAA	ACTCACTCAA	2880
CACATTGATC GATCCAACTT	GAAGCCTGAA	GAGGCAATAC	GATTCAGGCA	GGACATTGCT	2940
CATTTGAGGG ATATTAGCAA	TCATCTTGCA	TCCAACTCAG	CTCATGCTAA	CGAAGGCGCT	3000
GGTGAGCTTC TTCGTCAACC	ATCTCTGGAA	TCAGTTGCAT	CCCATCGATC	ATCGATGTCA	3060
TCGTCGTCGA AAAGCAGCAA	GCAGGAGAAG	ATCAGCTTGA	GCTCGTTTGG	CAAGAACAAG	3120
AAGAGCTGGA TCCGCTCCTC	ACTCTCCAAG	TTCACCAAGA	AGAAGAACAA	GAACTACGAC	3180
GAAGCACATA TGCCATCAAT	TTCCGGATCT	CAAGGAACTC	TTGACAACAT	TGATGTGATT	3240
GAGTTGAAGC AAGAGCTCAA	AGAACGCGAT	AGTGCACTTT	ACGAAGTCCG	CCTTGACAAT	3300
CTGGATCGTG CCCGCGAAGT	TGATGTTCTG	AGGGAGACAG	TGAACAAGTT	GAAAACCGAG	3360
AACAAGCAAT TAAAGAAAGA	AGTGGACAAA	CTCACCAACG	GTCCAGCCAC	TCGTGCTTCT	3420
TCCCGCGCCT CAATTCCAGT	TATCTACGAC	GATGAGCATG	TCTATGATGC	AGCGTGTAGC	3480
AGTACATCAG CTAGTCAATC	TTCGAAACGA	TCCTCTGGCT	GCAACTCAAT	CAAGGTTACT	3540
GTAAACGTGG ACATCGCTGG	AGAAATCAGT	TCGATCGTTA	ACCCGGACAA	AGAGATAATC	3600
GTAGGATATC TTGCCATGTC	AACCAGTCAG	TCATGCTGGA	AAGACATTGA	TGTTTCTATT	3660
CTAGGACTAT TTGAAGTCTA	CCTATCCAGA	ATTGATGTGG	AGCATCAACT	TGGAATCGAT	3720
GCTCGTGATT CTATCCTTGG	CTATCAAATT	GGTGAACTTC	GACGCGTCAT	TGGAGACTCC	3780
ACAACCATGA TAACCAGCCA	TCCAACTGAC	ATTCTTACTT	CCTCAACTAC	AATCCGAATG	3840
TTCATGCACG GTGCCGCACA	GAGTCGCGTA	GACAGTCTGG	TCCTTGATAT	GCTTCTTCCA	3900
AAGCAAATGA TTCTCCAACT	CGTCAAGTCA	ATTTTGACAG	AGAGACGTCT	GGTGTTAGCT	3960
GGAGCAACTG GAATTGGAAA	GAGCAAACTG	GCGAAGACCC	TGGCTGCTTA	TGTATCTATT	4020

CGAACAAATC	AATCCGAAGA	TAGTATTGTT	AATATCAGCA	TTCCTGAAAA	CAATAAAGAA	4080
GAATTGCTTC	AAGTGGAACG	ACGCCTGGAA	AAGATCTTGA	GAAGCAAAGA	ATCATGCATC	4140
GTAATTCTAG	ATAATATCCC	AAAGAATCGA	ATTGCATTTG	TTGTATCCGT	TTTTGCAAAT	4200
GTCCCACTTC	AAAACAACGA	AGGTCCATTT	GTAGTATGCA	CAGTCAACCG	ATATCAAATC	4260
CCTGAGCTTC	AAATTCACCA	CAATTTCAAA	atgtcagtaa	TGTCGAATCG	TCTCGAAGGA	4320
TTCATCCTAC	GTTACCTCCG	ACGACGGGCG	GTAGAGGATG	AGTATCGTCT	AACTGTACAG	4380
ATGCCATCAG	AGCTCTTCAA	AATCATTGAC	TTCTTCCCAA	TAGCTCTTCA	GGCCGTCAAT	4440
Aattttattg	agaaaacgaa	TTCTGTTGAT	GTGACAGTTG	GTCCAAGAGC	ATGCTTGAAC	4500
TGTCCTCTAA	CTGTCGATGG	ATCCCGTGAA	TGGTTCATTC	GATTGTGGAA	TGAGAACTTC	4560
ATTCCATATT	TGGAACGTGT	TGCTAGAGAT	GGCAAAAAAA	CCTTCGGTCG	CTGCACTTCC	4620
TTCGAGGATC	CCACCGACAT	CGTCTCTAAA	AAATGGCCGT	GGTTCGATGG	TGAAAACCCG	4680
GAGAATGTGC	TCAAACGTCT	TCAACTCCAA	GACCTCGTCC	CGTCACCTGC	CAACTCATCC	4740
CGACAACACT	TCAATCCCCT	CGAGTCGTTG	ATCCAATTGC	ATGCTACCAA	GCATCAGACC	4800
ATCGACAACA	TTTGAACAGA	AGACTCTAAT	CTTCTCTCGC	CTCTCCCCCG	CTTTCCTTAT	4860
CTTCGTACCG	GTACCTGATG	ATTCCCCATT	TTCCCCCTTT	TCCCCCCAAT	TTCCCAGAAC	4920
CTCCTGTTCC	CTTTGTTCCT	AGTCCTCCCG	GGTGCCGACG	CCGAAGCGAT	TTAAAAACCT	4980
TTTTCTTTCC	GAAACATTTC	CCATTGCTCA	TTAATAGTCA	aattgaataa	ACAGTGTATG	5040
ТАСТТААААА	ААААААААА	АААААААА	AA			5072

- (2) INFORMATION FOR SEQ ID NO: 3:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1528 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: protein
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:
 - Met Thr Thr Ser Asn Val Glu Leu Ile Pro Ile Tyr Thr Asp Trp Ala 1 5 10 15
 - Asn Arg His Leu Ser Lys Gly Ser Leu Ser Lys Ser Ile Arg Asp Ile 20 25 30
 - Ser Asn Asp Phe Arg Asp Tyr Arg Leu Val Ser Gln Leu Ile Asn Val 35 40 45
 - Ile Val Pro Ile Asn Glu Phe Ser Pro Ala Phe Thr Lys Arg Leu Ala 50 55 60

Lys 65	Ile	Thr	Ser	Asn	Leu 70	Asp	Gly	Leu	Glu	Thr 75	Cys	Leu	Asp	Tyr	Leu 80
Lys	Asn	Leu	Gly	Leu 85	Asp	Cys	Ser	Lys	Leu 90	Thr	Lys	Thr	Asp	Ile 95	Asp
Ser	Gly	Asn	Leu 100	Gly	Ala	Val	Leu	Gln 105	Leu	Leu	Phe	Leu	Leu 110	Ser	Thr
Tyr	Lys	Gln 115	Lys	Leu	Arg	Gln	Leu 120	Lys	Lys	Asp	Gln	Lys 125	Lys	Leu	Glu
Gln	Leu 130	Pro	Thr	Ser	Ile	Met 135	Pro	Pro	Ala	Val	Ser 140	Lys	Leu	Pro	Ser
Pro 145	Arg	Val	Ala	Thr	Ser 150	Ala	Thr	Ala	Ser	Ala 155	Thr	Asn	Pro	Asn	Ser 160
Asn	Phe	Pro	Gln	Met 165	Ser	Thr	Ser	Arg	Leu 170	Gln	Thr	Pro	Gln	Ser 175	Arg
Ile	Ser	Lys	Ile 180	Asp	Ser	Ser	Lys	Ile 185	Gly	Ile	Lys	Pro	Lys 190	Thr	Ser
Gly	Leu	Lys 195	Pro	Pro	Ser	Ser	Ser 200	Thr	Thr	ser	ser	Asn 205	Asn	Thr	Asn
Ser	Phe 210	Arg	Pro	Ser	Ser	Arg 215	Ser	Ser	Gly	Asn	Asn 220	Asn	Val	Gly	Ser
Thr 225	Ile	Ser	Thr	Ser	Ala 230	Lys	Ser	Leu	Glu	Ser 235	Ser	Ser	Thr	Tyr	Ser 240
Ser	Ile	Ser	Asn	Leu 245	Asn	Arg	Pro	Thr	Ser 250	Gln	Leu	Gln	Lys	Pro 255	Ser
Arg	Pro	Gln	Thr 260	Gln	Leu	Val	Arg	Val 265	Ala	Thr	Thr	Thr	Lys 270	Ile	Gly
Ser	Ser	Lys 275	Leu	Ala	Ala	Pro	Lys 280	Ala	Val	Ser	Thr	Pro 285	Lys	Leu	Ala
Ser	Val 290	Lys	Thr	Ile	Gly	Ala 295	Lys	Gln	Glu	Pro	Asp 300	Asn	Ser	Gly	Gly
Gly 305	Gly	Gly	Gly	Met	Leu 310	Lys	Leu	Lys	Leu	Phe 315	ser	Ser	Lys	Asn	Pro 320
Ser	Ser	Ser	Ser	Asn 325	Ser	Pro	Gln	Pro	Thr 330	Arg	Lys	Ala	Ala	Ala 335	Val
Pro	Gln	Gln	Gln 340	Thr	Leu	Ser	Lys	11e 345	Ala	Ala	Pro	Val	Lys 350	Ser	Gly
Leu	Lys	Pro 355	Pro	Thr	Ser	Lys	Leu 360	Gly	Ser	Ala	Thr	Ser 365	Met	Ser	Lys
	370			_		375	-		_		Asp 380				
Ser	Gln	Gln	Asp	Ser	Lys	Arg	Cys	Ser	Lys	Ser	Ser	Glu	Glu	Glu	Ser

Gly	Tyr	Ala	Gly	Phe 405	Asn	Ser	Thr	Ser	Pro 410	Thr	Ser	Ser	Ser	Thr 415	Glı
Gly	Ser	Leu	Ser 420	Met	His	Ser	Thr	Ser 425	Ser	Lys	Ser	Ser	Thr 430	Ser	Ası
Glu	Lys	Ser 435	Pro	Ser	Ser	Asp	Asp 440	Leu	Thr	Leu	Asn	Ala 445	Ser	Ile	Va]
Thr	Ala 450	Ile	Arg	Gln	Pro	Ile 455	Ala	Ala	Thr	Pro	Val 460	Ser	Pro	Asn	Ile
Ile 465	Asn	Lys	Pro	Val	Glu 470	Glu	Lys	Pro	Thr	Leu 475	Ala	Val	Lys	Gly	Va]
Lys	Ser	Thr	Ala	Lys 485	Lys	Asp	Pro	Pro	Pro 490	Ala	Val	Pro	Pro	Arg 495	Asp
Thr	Gln	Pro	Thr 500	Ile	Gly	Val	Val	Ser 505	Pro	Ile	Met	Ala	His 510	Lys	Lys
Leu	Thr	Asn 515	Asp	Pro	Val	Ile	Ser 520	Glu	Lys	Pro	Glu	Pro 525	Glu	Lys	Leu
Gln	Ser 530	Met	Ser	Ile	Asp	Thr 535	Thr	Asp	Val	Pro	Pro 540	Leu	Pro	Pro	Leu
Lys 545	Ser	Val	Val	Pro	Leu 550	Lys	Met	Thr	Ser	11e 555	Arg	Gln	Pro	Pro	Thr 560
Tyr	Asp	Val	Leu	Leu 565	Lys	Gln	Gly	Lys	11e 570	Thr	Ser	Pro	Val	Lys 575	Ser
	_		Glu 580					585		_			590		
		595	Gln				600		_			605			
	610		Arg			615		_			620			-	-
625			Ala		630			_		635			•		640
			Asp	645					650					655	_
			Asp 660					665		_			670		
		675	Asp				680				-	685	_		
	690		Ser	_		695	_	-			700		_		
705			Ser		710		_			715					720
Val	Asp	Ser	Arg	Ser	Arg	Ala	Glu	Gln	Glu ·	Asn	Val	Tyr	Lys	Leu	Leu

109

Ser Gln Cys Arg Thr Ser Gln Arg Gly Ala Ala Ala Thr Ser Thr Phe Gly Gln His Ser Leu Arg Ser Pro Gly Tyr Ser Ser Tyr Ser Pro His Leu Ser Val Ser Ala Asp Lys Asp Thr Met Ser Met His Ser Gln Thr Ser Arg Arg Pro Ser Ser Gln Lys Pro Ser Tyr Ser Gly Gln Phe His Ser Leu Asp Arg Lys Cys His Leu Gln Glu Phe Thr Ser Thr Glu His Arg Met Ala Ala Leu Leu Ser Pro Arg Arg Val Pro Asn Ser Met Ser Lys Tyr Asp Ser Ser Gly Ser Tyr Ser Ala Arg Ser Arg Gly Gly Ser Ser Thr Gly Ile Tyr Gly Glu Thr Phe Gln Leu His Arg Leu Ser Asp Glu Lys Ser Pro Ala His Ser Ala Lys Ser Glu Met Gly Ser Gln Leu Ser Leu Ala Ser Thr Thr Ala Tyr Gly Ser Leu Asn Glu Lys Tyr Glu His Ala Ile Arg Asp Met Ala Arg Asp Leu Glu Cys Tyr Lys Asn Thr Val Asp Ser Leu Thr Lys Lys Gln Glu Asn Tyr Gly Ala Leu Phe Asp Leu Phe Glu Gln Lys Leu Arg Lys Leu Thr Gln His Ile Asp Arg Ser Asn Leu Lys Pro Glu Glu Ala Ile Arg Phe Arg Gln Asp Ile Ala His Leu Arg Asp Ile Ser Asn His Leu Ala Ser Asn Ser Ala His Ala Asn Glu Gly Ala Gly Glu Leu Leu Arg Gln Pro Ser Leu Glu Ser Val Ala Ser His Arg Ser Ser Met Ser Ser Ser Lys Ser Ser Lys Gln Glu 1000 Lys Ile Ser Leu Ser Ser Phe Gly Lys Asn Lys Lys Ser Trp Ile Arg 1015 Ser Ser Leu Ser Lys Phe Thr Lys Lys Lys Asn Lys Asn Tyr Asp Glu 1035 Ala His Met Pro Ser Ile Ser Gly Ser Gln Gly Thr Leu Asp Asn Ile 1045 1050 Asp Val Ile Glu Leu Lys Gln Glu Leu Lys Glu Arg Asp Ser Ala Leu

SUBSTITUTE SHEET (RULE 26)

1065

1060

- Tyr Glu Val Arg Leu Asp Asn Leu Asp Arg Ala Arg Glu Val Asp Val 1075 1080 1085
- Leu Arg Glu Thr Val Asn Lys Leu Lys Thr Glu Asn Lys Gln Leu Lys 1090 1095 1100
- Lys Glu Val Asp Lys Leu Thr Asn Gly Pro Ala Thr Arg Ala Ser Ser 1105 1110 1115 1120
- Arg Ala Ser Ile Pro Val Ile Tyr Asp Asp Glu His Val Tyr Asp Ala 1125 1130 1135
- Ala Cys Ser Ser Thr Ser Ala Ser Gln Ser Ser Lys Arg Ser Ser Gly 1140 1145 1150
- Cys Asn Ser Ile Lys Val Thr Val Asn Val Asp Ile Ala Gly Glu Ile 1155 1160 1165
- Ser Ser Ile Val Asn Pro Asp Lys Glu Ile Ile Val Gly Tyr Leu Ala 1170 1175 1180
- Met Ser Thr Ser Gln Ser Cys Trp Lys Asp Ile Asp Val Ser Ile Leu 1185 1190 1195 1200
- Gly Leu Phe Glu Val Tyr Leu Ser Arg Ile Asp Val Glu His Gln Leu 1205 1210 1215
- Gly Ile Asp Ala Arg Asp Ser Ile Leu Gly Tyr Gln Ile Gly Glu Leu 1220 1225 1230
- Arg Arg Val Ile Gly Asp Ser Thr Thr Met Ile Thr Ser His Pro Thr 1235 1240 1245
- Asp Ile Leu Thr Ser Ser Thr Thr Ile Arg Met Phe Met His Gly Ala 1250 1255 1260
- Ala Gln Ser Arg Val Asp Ser Leu Val Leu Asp Met Leu Leu Pro Lys 1265 1270 1275 1280
- Gln Met Ile Leu Gln Leu Val Lys Ser Ile Leu Thr Glu Arg Arg Leu 1285 1290 1295
- Val Leu Ala Gly Ala Thr Gly Ile Gly Lys Ser Lys Leu Ala Lys Thr 1300 1305 1310
- Leu Ala Ala Tyr Val Ser Ile Arg Thr Asn Gln Ser Glu Asp Ser Ile 1315 1320 1325
- Val Asn Ile Ser Ile Pro Glu Asn Asn Lys Glu Glu Leu Leu Gln Val 1330 1335 1340
- Glu Arg Arg Leu Glu Lys Ile Leu Arg Ser Lys Glu Ser Cys Ile Val 1345 1350 1355 1360
- Ile Leu Asp Asn Ile Pro Lys Asn Arg Ile Ala Phe Val Val Ser Val 1365 1370 1375
- Phe Ala Asn Val Pro Leu Gln Asn Asn Glu Gly Pro Phe Val Val Cys 1380 1385 1390
- Thr Val Asn Arg Tyr Gln Ile Pro Glu Leu Gln Ile His His Asn Phe 1395 1400 1405

111

Lys Met Ser Val Met Ser Asn Arg Leu Glu Gly Phe Ile Leu Arg Tyr 1410 1415 1420

Leu Arg Arg Arg Ala Val Glu Asp Glu Tyr Arg Leu Thr Val Gln Met 1425 1430 1435 1440

Pro Ser Glu Leu Phe Lys Ile Ile Asp Phe Phe Pro Ile Ala Leu Gln 1445 1450 1455

Ala Val Asn Asn Phe Ile Glu Lys Thr Asn Ser Val Asp Val Thr Val 1460 1465 1470

Gly Pro Arg Ala Cys Leu Asn Cys Pro Leu Thr Val Asp Gly Ser Arg 1475 1480 1485

Glu Trp Phe Ile Arg Leu Trp Asn Glu Asn Phe Ile Pro Tyr Leu Glu 1490 1495 1500

Arg Val Ala Arg Asp Gly Lys Lys Asn Leu Arg Ser Leu His Phe Leu 1505 1510 1515 1520

Arg Gly Ser His Arg His Arg Leu 1525

(2) INFORMATION FOR SEQ ID NO: 4:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1583 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: unknown
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

Met Thr Thr Ser Asn Val Glu Leu Ile Pro Ile Tyr Thr Asp Trp Ala 1 5 10 15

Asn Arg His Leu Ser Lys Gly Ser Leu Ser Lys Ser Ile Arg Asp Ile 20 25 30

Ser Asn Asp Phe Arg Asp Tyr Arg Leu Val Ser Gln Leu Ile Asn Val 35 40 45

Ile Val Pro Ile Asn Glu Phe Ser Pro Ala Phe Thr Lys Arg Leu Ala 50 55 60

Lys Ile Thr Ser Asn Leu Asp Gly Leu Glu Thr Cys Leu Asp Tyr Leu 65 70 75 80

Lys Asn Leu Gly Leu Asp Cys Ser Lys Leu Thr Lys Thr Asp Ile Asp 85 90 95

Ser Gly Asn Leu Gly Ala Val Leu Gln Leu Leu Phe Leu Leu Ser Thr

Tyr Lys Gln Lys Leu Arg Gln Leu Lys Lys Asp Gln Lys Leu Glu 115 120 125

Gln	Leu 130	Pro	Thr	Ser	Ile	Met 135	Pro	Pro	Ala	Val	Ser 140	Lys	Leu	Pro	Ser
Pro 145	Arg	Val	Ala	Thr	Ser 150	Ala	Thr	Ala	Ser	Ala 155	Thr	Asn	Pro	Asn	Ser 160
Asn	Phe	Pro	Gln	Met 165	Ser	Thr	Ser	Arg	Leu 170	Gln	Thr	Pro	Gln	Ser 175	Arg
Ile	Ser	Lys	Ile 180	Asp	Ser	Ser	Lys	Ile 185	Gly	Ile	Lys	Pro	Lys 190	Thr	Ser
Gly	Leu	Lys 195	Pro	Pro	Ser	Ser	Ser 200	Thr	Thr	Ser	Ser	Asn 205	Asn	Thr	Asn
Ser	Phe 210	Arg	Pro	Ser	Ser	Arg 215	Ser	Ser	Gly	Asn	Asn 220	Asn	Val	Gly	Ser
Thr 225	Ile	Ser	Thr	Ser	Ala 230	Lys	Ser	Leu	Glu	Ser 235	Ser	Ser	Thr	Tyr	Ser 240
Ser	Ile	Ser	Asn	Leu 245	Asn	Arg	Pro	Thr	Ser 250	Gln	Leu	Gln	Lys	Pro 255	Ser
Arg	Pro	Gln	Thr 260	Gln	Leu	Vāl	Arg	Val 265	Ala	Thr	Thr	Thr	Lys 270	Ile	G1 y
Ser	Ser	Lys 275	Leu	Ala	Ala	Pro	Lys 280	Ala	Val	Ser	Thr	Pro 285	Lys	Leu	Ala
Ser	Val 290	Lys	Thr	Ile	Gly	Ala 295	Lys	Gln	Glu	Pro	Asp 300	Asn	Ser	Gly	Gly
305		_	Gly		310					315					320
			Ser	325	·				330					335	
			Gln 340					345					350		
	-	355	Pro				360					365			
	370		Pro			375					380				
385			Asp		390	•				395			,		400
			Gly	405					410					415	
•			Ser 420					425					430		
		435	Pro				440					445			
Thr	Ala 450		Arg	Gln	Pro	11e 455		Ala	Thr	Pro	Val 460	Ser	Pro	Asn	Ile

Ile 465	Asn	Lys	Pro	Val	Glu 470	Gl u	Lys	Pro	,Thr	Leu 475	Ala	Val	Lys	Gly	Val 480
Lys	Ser	Thr	Ala	Lys 485	Lys	Asp	Pro	Pro	Pro 490	Ala	Val	Pro	Pro	Arg 495	Asp
Thr	Gln	Pro	Thr 500	Ile	Gly	Val	Val	Ser 505	Pro	Ile	Met	Ala	His 510	Lys	Lys
Leu	Thr	Asn 515	Asp	Pro	Val	Ile	Ser 520	Gl u	Lys	Pro	Glu	Pro 525	Glu	Lys	Leu
Gln	Ser 530	Met	Ser	Ile	Asp	Thr 535	Thr	Asp	Val	Pro	Pro 540	Leu	Pro	Pro	Leu
Lys 545	Ser	Val	Val	Pro	Leu 550	Lys	Met	Thr	Ser	Ile 555	Arg	Gln	Pro	Pro	Thr 560
Tyr	Asp	Val	Leu	Leu 565	Lys	Gln	Gly	Lys	Ile 570	Thr	Ser	Pro	Val	Lys 575	Ser
Phe	Gly	Tyr	Glu 580	Gln	Ser	Ser	Ala	Ser 585	Glu	Asp	Ser	Ile	Val 590	Ala	His
Ala	Ser	Ala 595	Gln	Val	Thr	Pro	Pro 600	Thr	Lys	Thr	Ser	Gly 605	Asn	His	Ser
Leu	Glu 610	Arg	Arg	Met	Gly	Lys 615	Asn	Lys	Thr	ser	Glu 620	Ser	Ser	Gly	Tyr
Thr 625	Ser	Asp	Ala	Gly	Val 630	Ala	Met	Cys	Ala	Lys 635	Met	Arg	Glu	Lys	Leu 640
Lys	Glu	Tyr	Asp	Asp 645	Met	Thr	Arg	Arg	Ala 650	Gln	Asn	Gly	Tyr	Pro 655	Asp
Asn	Phe	Glu	Asp 660	Ser	Ser	Ser	Leu	Ser 665	Ser	Gly	Ile	Ser	Asp 670	Asn	Asn
Glu	Leu	Asp 675	Ąsp	Ile	Ser	Thr	Asp 680	Asp	Leu	Ser	Gly	Val 685	Asp	Met	Ala
	690			_	His	695	•	•			700				
Thr 705	Ser	Ser	Ser	Ser	Lys 710	Pro	Arg	Val	Pro	Ser 715	Arg	Ser	Ser	Thr	Ser 720
Val	Asp	Ser	Arg	Ser 725	Arg	Ala	Glu	Gln	Gl u 730	Asn	Val	Tyr	Lys	Leu 735	Leu
Ser	Gln	Cys	Arg 740	Thr	Ser	Gln	Arg	Gly 745	Ala	Ala	Ala	Thr	Ser 750	Thr	Phe
Gly	Gln	His 755	Ser	Leu	Arg	Ser	Pro 760	Gly	Tyr	Ser	Ser	Tyr 765	Ser	Pro	His
	770				Asp	775	-				780				
Ser	Arg	Arg	Pro	Ser	Ser	Gln	Lys	Pro	Ser	Tyr	Ser	Gly	Gln	Phe	His

Ser	Leu	Asp	Arg	Lys 805	Cys	His	Leu	Gln	Glu 810	Phe	Thr	Ser	Thr	Glu 815	His
Arg	Met	Ala	Ala 820	Leu	Leu	Ser	Pro	Arg 825	Arg	Val	Pro	Asn	Ser 830	Met	Ser
Lys	Tyr	Asp 835	Ser	Ser	Gly	Ser	Tyr 840	Ser	Ala	Arg	Ser	Arg 845	Gly	Gly	Ser
Ser	Thr 850	Gly	Ile	Tyr	Gly	Glu 855	Thr	Phe	Gln	Leu	His 860	Arg	Leu	Ser	Asp
Glu 865	Lys	Ser	Pro	Ala	His 870	Ser	Ala	Lys	Ser	Glu 875	Met	Gly	Ser	Gln	Leu 880
Ser	Leu	Ala	ser	Thr 885	Thr	Ala	Tyr	Gly	Ser 890	Leu	Asn	Glu	Lys	Tyr 895	Glu
His	Ala	Ile	Arg 900	Asp	Met	Ala	Arg	Asp 905	Leu	Glu	Cys	Tyr	Lys 910	Asn	Thr
Val	Asp	Ser 915	Leu	Thr	Lys	Lys	Gln 920	Glu	Asn	Tyr	Gly	Ala 925	Leu	Phe	Asp
Leu	Phe 930	Glu	Gln	Lys	Leu	Arg 935	Lys	Leu	Thr	Gln	His 940	Ile	Asp	Arg	Ser
Asn 945	Leu	Lys	Pro	Glu	Glu 950	Ala	Ile	Arg	Phe	Arg 955	Gln	Asp	Ile	Ala	His 960
Leu	Arg	Asp	Ile	Ser 965	Asn	His	Leu	Ala	Ser 970	Asn	Ser	Ala	His	Ala 975	Asn
Glu	Gly	Ala	980 980	Glu	Leu	Leu	Arg	Gln 985	Pro	Ser	Leu	Glu	Ser 990	Val	Ala
		995					1000)				1005	5	Gln	
Lys	Ile 1010		Leu	Ser	Ser	Phe 1015		Lys	Asn	Lys	Lys 1020		Trp	Ile	Arg
Ser 1025		Leu	Ser	Lys	Phe 1030		Lys	Lys	Lys	Asn 1035	_	Asn	Tyr	Asp	Glu 1040
Ala	His	Met	Pro	Ser 1045		Ser	Gly	Ser	Gln 1050		Thr	Leu	Asp	Asn 1055	
Asp	Val	Ile	Glu 1060		Lys	Gln	Glu	Leu 1069	_	Glu	Arg	Asp	Ser 1070	Ala	Leu
Tyr	Glu	Val 1075	-	Leu	Asp	Asn	Leu 1080	-	Arg	Ala	Arg	Glu 1085		Asp	Val
Leu	Arg 1090		Thr	Val	Aśn	Lys 1095		Lys	Thr	Glu	Asn 110		Gln	Leu	Lys
Lys 1105		Val	Asp	Lys	Leu 1110		Asn	Gly	Pro	Ala 1115		Arg	Ala	Ser	Ser 1120
Arg	Ala	Ser	Ile	Pro 1125		Ile	Tyr	Asp	Asp 1130		His	Val	Tyr	Asp 1135	

115

Ala	Cys	Ser	Ser	Thr	Ser	Ala	Ser	Gln	Ser	Ser	Lys	Arg	Ser	Ser	Gly
			1140					1145			-	-	1150		-

- Cys Asn Ser Ile Lys Val Thr Val Asn Val Asp Ile Ala Gly Glu Ile 1155 1160 1165
- Ser Ser Ile Val Asn Pro Asp Lys Glu Ile Ile Val Gly Tyr Leu Ala 1170 1175 1180
- Met Ser Thr Ser Gln Ser Cys Trp Lys Asp Ile Asp Val Ser Ile Leu 1185 1190 1195 1200
- Gly Leu Phe Glu Val Tyr Leu Ser Arg Ile Asp Val Glu His Gln Leu 1205 1210 1215
- Gly Ile Asp Ala Arg Asp Ser Ile Leu Gly Tyr Gln Ile Gly Glu Leu 1220 1225 1230
- Arg Arg Val Ile Gly Asp Ser Thr Thr Met Ile Thr Ser His Pro Thr 1235 1240 1245
- Asp Ile Leu Thr Ser Ser Thr Thr Ile Arg Met Phe Met His Gly Ala 1250 1255 1260
- Ala Gln Ser Arg Val Asp Ser Leu Val Leu Asp Met Leu Leu Pro Lys 1265 1270 1275 1280
- Gln Met Ile Leu Gln Leu Val Lys Ser Ile Leu Thr Glu Arg Arg Leu 1285 1290 1295
- Val Leu Ala Gly Ala Thr Gly Ile Gly Lys Ser Lys Leu Ala Lys Thr 1300 1305 1310
- Leu Ala Ala Tyr Val Ser Ile Arg Thr Asn Gln Ser Glu Asp Ser Ile 1315 1320 1325
- Val Asn Ile Ser Ile Pro Glu Asn Asn Lys Glu Glu Leu Leu Gln Val 1330 1335 1340
- Glu Arg Arg Leu Glu Lys Ile Leu Arg Ser Lys Glu Ser Cys Ile Val 1345 1350 1355 1360
- Ile Leu Asp Asn Ile Pro Lys Asn Arg Ile Ala Phe Val Val Ser Val 1365 1370 1375
- Phe Ala Asn Val Pro Leu Gln Asn Asn Glu Gly Pro Phe Val Val Cys 1380 1385 1390
- Thr Val Asn Arg Tyr Gln Ile Pro Glu Leu Gln Ile His His Asn Phe 1395 1400 1405
- Lys Met Ser Val Met Ser Asn Arg Leu Glu Gly Phe Ile Leu Arg Tyr 1410 1415 1420
- Leu Arg Arg Arg Ala Val Glu Asp Glu Tyr Arg Leu Thr Val Gln Met 1425 1430 1435 1440
- Pro Ser Glu Leu Phe Lys Ile Ile Asp Phe Phe Pro Ile Ala Leu Gln
 1445 1450 1455
- Ala Val Asn Asn Phe Ile Glu Lys Thr Asn Ser Val Asp Val Thr Val 1460 1465 1470

PCT/EP96/02311

Gly	Pro	Arg	Ala	Cys	Leu	Asn	Cys	Pro	Leu	Thr	Val	Asp	Gly	Ser	Arg
_		147	5	_			148	0				1485	5		

- Glu Trp Phe Ile Arg Leu Trp Asn Glu Asn Phe Ile Pro Tyr Leu Glu 1495 1490
- Arg Val Ala Arg Asp Gly Lys Lys Thr Phe Gly Arg Cys Thr Ser Phe 15**0**5 1515 1510
- Glu Asp Pro Thr Asp Ile Val Ser Lys Lys Trp Pro Trp Phe Asp Gly 1525 1530
- Glu Asn Pro Glu Asn Val Leu Lys Arg Leu Gln Leu Gln Asp Leu Val 1545
- Pro Ser Pro Ala Asn Ser Ser Arg Gln His Phe Asn Pro Leu Glu Ser 1560 1555
- Leu Ile Gln Leu His Ala Thr Lys His Gln Thr Ile Asp Asn Ile 1575
- (2) INFORMATION FOR SEQ ID NO: 5:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 47 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA
 - (iii) HYPOTHETICAL: NO
- ' (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

ATAAGAATGC GGCCGCCGCC ATGACGACGT CAAATGTAGA ATTGATA

47

- (2) INFORMATION FOR SEQ ID NO: 6:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 41 base pairs
 - (B) TYPE: nucleic acid (C) STRANDEDNESS: single

 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA
 - (iii) HYPOTHETICAL: NO
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

GGAATTCCAA CCATATGACG ACGTCAAATG TAGAATTGAT A

117

(2) INFORMATION FOR SEQ ID NO: 7:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 35 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

CGCGGATCCT CAAACCGCGG GTGGCATAAT GGATG

35

- (2) INFORMATION FOR SEQ ID NO: 8:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 13 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

Lys Lys Asp Pro Pro Pro Ala Val Pro Pro Arg Asp Thr 5

- (2) INFORMATION FOR SEQ ID NO: 9:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 12 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:

 - (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:

Thr Thr Asp Val Pro Pro Leu Pro Pro Leu Lys Ser 5

- (2) INFORMATION FOR SEQ ID NO: 10:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 12 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:
- Glu Val Pro Val Pro Pro Val Pro Pro Arg Arg
- (2) INFORMATION FOR SEQ ID NO: 11:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 11 amino acids
 (B) TYPE: amino acid

 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

His Leu Asp Ser Pro Pro Ala Ile Pro Pro Arg

- (2) INFORMATION FOR SEQ ID NO: 12:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 11 amino acids
 - (B) TYPE: amino acid (C) STRANDEDNESS:

 - (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

His Ser Ile Ala Gly Pro Pro Val Pro Pro Arg

- (2) INFORMATION FOR SEQ ID NO: 13:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 13 amino acids
 - (B) TYPE: amino acid

 - (C) STRANDEDNESS: (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13:

Tyr Arg Ala Val Pro Pro Pro Leu Pro Pro Arg Arg Lys

- (2) INFORMATION FOR SEQ ID NO: 14:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 13 amino acids
 - (B) TYPE: amino acid

 - (C) STRANDEDNESS:
 (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14:
 - Gly Glu Leu Ser Pro Pro Pro Ile Pro Pro Arg Leu Asn
- (2) INFORMATION FOR SEQ ID NO: 15:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 11 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 15:
 - Ala Pro Ala Val Pro Pro Ala Arg Pro Gly Ser
- (2) INFORMATION FOR SEQ ID NO: 16:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 8 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 16:
 - Pro Ala Val Pro Pro Ala Arg Pro 5
- (2) INFORMATION FOR SEQ ID NO: 17:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 11 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 17:

Pro Pro Arg Pro Leu Pro Val Ala Pro Gly Ser

- (2) INFORMATION FOR SEQ ID NO: 18:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10 amino acids
 - (B) TYPE: amino acid

 - (C) STRANDEDNESS: (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 18:

Pro Ala Pro Ala Pro Pro Lys Pro Pro Lys

- (2) INFORMATION FOR SEQ ID NO: 19:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 13 amino acids(B) TYPE: amino acid

 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 19:

Pro Pro Asp Asn Gly Pro Pro Pro Leu Pro Thr Ser Ser

- (2) INFORMATION FOR SEQ ID NO: 20:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 13 amino acids
 - (B) TYPE: amino acid

 - (C) STRANDEDNESS:
 (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 20:

Pro Pro Gln Met Pro Leu Pro Glu Ile Pro Gln Gln Trp

- (2) INFORMATION FOR SEQ ID NO: 21:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 13 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide

121

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 21:

Ala Pro Thr Met Pro Pro Pro Leu Pro Pro Val Pro Pro

- (2) INFORMATION FOR SEQ ID NO: 22:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 12 amino acids
 - (B) TYPE: amino acid (C) STRANDEDNESS:

 - (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 22:

Phe Pro Ala Tyr Pro Pro Pro Pro Val Pro Val Pro

- (2) INFORMATION FOR SEQ ID NO: 23:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 28 amino acids (B) TYPE: amino acid

 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 23:

Leu Leu Phe Leu Leu Ser Thr Tyr Lys Gln Lys Leu Arg Gln Leu Lys

Lys Asp Gln Lys Lys Leu Glu Gln Leu Pro Thr Ser

- (2) INFORMATION FOR SEQ ID NO: 24:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 28 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:

 - (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 24:

Glu Thr Val Asn Val Asn Lys Leu Lys Thr Glu Asn Lys Gln Leu Lys

Lys Glu Val Asp Lys Leu Thr Asn Gly Pro Ala Thr

(2) INFORMATION FOR SEQ ID NO: 25:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10443 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double (D) TOPOLOGY: circular
- (ii) MOLECULE TYPE: other nucleic acid (A) DESCRIPTION: /desc = "plasmid"
- (iii) HYPOTHETICAL: NO
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 25:

					_	•
60	ATTGGGCCAA	ATCTACACGG	ATTGATACCA	CAAATGTAGA	ATGACGACGT	GGCCGCCGCC
120	ATGATTTTCG	GATATTTCCA	GTCGATTAGG	GCTTATCAAA	TCGAAGGGCA	TCGGCACCTT
180	AATTCTCGCC	CCGATCAACG	TGTGATCGTT	AGCTTATTAA	CTGGTTTCTC	CGACTATCGA
240	AAACGTGTCT	GATGGCCTCG	ATCGAACCTG	CAAAAATCAC	AAACGTTTGG	TGCATTCACG
300	ATATCGACAG	ACCAAAACCG	CTCGAAACTC	GTCTCGACTG	AAAAATCTGG	CGACTACCTG
360	AGCAGAAGCT	TCCACCTACA	CTTCCTGCTC	TCCAGCTGCT	GGTGCAGTTC	CGGAAACTTG
420	TTATGCCACC	CCCACATCCA	GGAGCAACTA	AGAAGAAATT	AAAAAAGATC	TCGGCAACTG
480	CAGCAACTAA	GCAACCGCTT	CGCCACGTCA	CGCCACGTGT	AAATTACCCT	CGCGGTTTCT
540	AGTCAAGAAT	CAGACTCCAC	ATCCAGGCTT	AAATGTCAAC	AACTTTCCAC	CCCAAATTCC
600	TTAAACCACC	ACGTCTGGAC	CAAGCCAAAG	AGATTGGTAT	GATTCATCAA	ATCGAAAATT
660	GCCGTTCGAG	CGTCCGTCGA	AAATTCATTC	CAAATAATAC	ACCACTTCAT	CTCATCATCA
720	AATCATCATC	AAGAGCTTAG	CACATCTGCG	CGACGATATC	AATGTTGGCT	TGGCAATAAT
780	AACCTTCTAG	CAACTCCAAA	ACCTACCTCC	ATCTAAACCG	TCTATTTCGA	AACGTACAGC
840	CAAAGCTAGC	ATCGGAAGCT	AACTACAAAA	GTGTTGCTAC	CAGCTAGTTC	ACCACAAACC
900	GAGCAAAACA	AAGACTATTG	TGCTTCTGTG	CCCCAAAACT	GCCGTGAGCA	CGCTCCGAAA
960	TATTCAGTAG	AAATTAAAGT	TGGAATGCTG	GTGGTGGTGG	AACAGCGGTG	AGAGCCCGAT
1020	CGGCGGTGCC	AGAAAGGCGG	ACAACCTACG	CGAATAGCCC	TCTTCCTCAT	САААААСССА
1080	AGCCGCCGAC	AGTGGCCTGA	CCCAGTGAAA	AAATCGCTGC	ACTTTGTCGA	TCAACAACAA
1140	TTTCCTACCG	ACGCCAAAAG	GAAGCTTTGT	CGTCTATGTC	GGAAGTGCCA	CAGTAAGCTG
1200	AGAGCAGTGA	CGATGCTCAA	AGACTCGAAA	TATCTCAACA	GCCCCAATCA	TAAAACGGAC
1260	CGACGGAAGG	ACGTCATCAT	CACGTCGCCA	GATTCAACAG	GGATACGCTG	AGAAGAGTCC
1320	AGTCTCCGTC	TCAGACGAAA	GAGTTCAACG	CATCTTCCAA	ATGCATTCCA	TTCCCTAAGC
1380	CGATAGCCGC	ATCAGACAGC	CGTGACAGCT	ACGCCTCCAT	CTTACTCTTA	ATCAGACGAT
1440	CACTGGCAGT	GAAAAACCAA	GCCTGTTGAG	TTATCAACAA	TCTCCAAATA	AACACCGGTT

GAAAGGAGTG AAAAGCACAG CGAAAAAAGA TCCACCTCCA GCTGTTCCGC CACGTGACAC 1500 CCAGCCAACA ATCGGAGTTG TTAGTCCAAT TATGGCACAT AAGAAGTTGA CAAATGACCC 1560 CGTGATATCT GAAAAACCAG AACCTGAAAA GCTCCAATCA ATGAGCATCG ACACGACGGA 1620 CGTTCCACCG CTTCCACCTC TAAAATCAGT TGTTCCACTT AAAATGACTT CAATCCGACA 1680 ACCACCAACG TACGATGTTC TTCTAAAACA AGGAAAAATC ACATCGCCTG TCAAGTCGTT 1740 TGGATATGAG CAGTCGTCCG CGTCTGAAGA CTCCATTGTG GCTCATGCGT CGGCTCAGGT 1800 GACTCCGCCG ACAAAAACTT CTGGTAATCA TTCGCTGGAG AGAAGGATGG GAAAGAATAA 1860 GACATCAGAA TCCAGCGGCT ACACCTCTGA CGCCGGTGTT GCGATGTGCG CCAAAATGAG 1920 GGAGAAGCTG AAAGAATACG ATGACATGAC TCGTCGAGCA CAGAACGGCT ATCCTGACAA 1980 2040 CTTCGAAGAC AGTTCCTCCT TGTCGTCTGG AATATCCGAT AACAACGAGC TCGACGACAT ATCCACGGAC GATTTGTCCG GAGTAGACAT GGCAACAGTC GCCTCCAAAC ATAGCGACTA 2100 TTCCCACTTT GTTCGCCATC CCACGTCTTC TTCCTCAAAG CCCCGAGTCC CCAGTCGGTC 2160 CTCCACATCA GTCGATTCTC GATCTCGAGC AGAACAGGAG AATGTGTACA AACTTCTGTC 2220 CCAGTGCCGA ACGAGCCAAC GTGGCGCCGC TGCCACCTCA ACCTTCGGAC AACATTCGCT 2280 AAGATCCCCG GGATACTCAT CCTATTCTCC ACACTTATCA GTGTCAGCTG ATAAGGACAC 2340 AATGTCTATG CACTCACAGA CTAGTCGACG ACCTTCTTCA CAAAAACCAA GCTATTCAGG 2400 CCAATTTCAT TCACTTGATC GTAAATGCCA CCTTCAAGAG TTCACATCCA CCGAGCACAG 2460 AATGGCGGCT CTCTTGAGCC CGAGACGGGT GCCGAACTCG ATGTCGAAAT ATGATTCTTC 2520 AGGATCCTAC TCGGCGCGTT CCCGAGGTGG AAGCTCTACT GGTATCTATG GAGAGACGTT 2580 CCAACTGCAC AGACTATCCG ATGAAAAATC CCCCGCACAT TCTGCCAAAA GTGAGATGGG 2640 ATCCCAACTA TCACTGGCTA GCACGACAGC ATATGGATCT CTCAATGAGA AGTACGAACA 2700 TGCTATTCGG GACATGGCAC GTGACTTGGA GTGTTACAAG AACACTGTCG ACTCACTAAC 2760 CAAGAAACAG GAGAACTATG GAGCATTGTT TGATCTTTTT GAGCAAAAGC TTAGAAAACT 2820 CACTCAACAC ATTGATCGAT CCAACTTGAA GCCTGAAGAG GCAATACGAT TCAGGCAGGA 2880 2940 CATTGCTCAT TTGAGGGATA TTAGCAATCA TCTTGCATCC AACTCAGCTC ATGCTAACGA AGGCGCTGGT GAGCTTCTTC GTCAACCATC TCTGGAATCA GTTGCATCCC ATCGATCATC 3000 GATGTCATCG TCGTCGAAAA GCAGCAAGCA GGAGAAGATC AGCTTGAGCT CGTTTGGCAA 3060 GAACAAGAAG AGCTGGATCC GCTCCTCACT CTCCAAGTTC ACCAAGAAGA AGAACAAGAA 3120 CTACGACGAA GCACATATGC CATCAATTTC CGGATCTCAA GGAACTCTTG ACAACATTGA 3180 3240 TGTGATTGAG TTGAAGCAAG AGCTCAAAGA ACGCGATAGT GCACTTTACG AAGTCCGCCT TGACAATCTG GATCGTGCCC GCGAAGTTGA TGTTCTGAGG GAGACAGTGA ACAAGTTGAA 3300 AACCGAGAAC AAGCAATTAA AGAAAGAAGT GGACAAACTC ACCAACGGTC CAGCCACTCG 3360

TGCTTCTTCC CGCGCCTCAA TTCCAGTTAT CTACGACGAT GAGCATGTCT ATGATGCA	GC 3420
GTGTAGCAGT ACATCAGCTA GTCAATCTTC GAAACGATCC TCTGGCTGCA ACTCAATC	AA 3480
GGTTACTGTA AACGTGGACA TCGCTGGAGA AATCAGTTCG ATCGTTAACC CGGACAAA	.GA 3540
GATAATCGTA GGATATCTTG CCATGTCAAC CAGTCAGTCA TGCTGGAAAG ACATTGAT	GT 3600
TTCTATTCTA GGACTATTTG AAGTCTACCT ATCCAGAATT GATGTGGAGC ATCAACTT	GG 3660
AATCGATGCT CGTGATTCTA TCCTTGGCTA TCAAATTGGT GAACTTCGAC GCGTCATT	GG 3720
AGACTCCACA ACCATGATAA CCAGCCATCC AACTGACATT CTTACTTCCT CAACTACA	AT 3780
CCGAATGTTC ATGCACGGTG CCGCACAGAG TCGCGTAGAC AGTCTGGTCC TTGATATG	CT 3840
TCTTCCAAAG CAAATGATTC TCCAACTCGT CAAGTCAATT TTGACAGAGA GACGTCTG	GT 3900
GTTAGCTGGA GCAACTGGAA TTGGAAAGAG CAAACTGGCG AAGACCCTGG CTGCTTAT	GT 3960
ATCTATTCGA ACAAATCAAT CCGAAGATAG TATTGTTAAT ATCAGCATTC CTGAAAAC	AA 4020
TAAAGAAGAA TTGCTTCAAG TGGAACGACG CCTGGAAAAG ATCTTGAGAA GCAAAGAA	TC 4080
ATGCATCGTA ATTCTAGATA ATATCCCAAA GAATCGAATT GCATTTGTTG TATCCGTT	TT 4140
TGCAAATGTC CCACTTCAAA ACAACGAAGG TCCATTTGTA GTATGCACAG TCAACCGA	TA 4200
TCAAATCCCT GAGCTTCAAA TTCACCACAA TTTCAAAATG TCAGTAATGT CGAATCGT	CT 4260
CGAAGGATTC ATCCTACGTT ACCTCCGACG ACGGGCGGTA GAGGATGAGT ATCGTCTA	AC 4320
TGTACAGATG CCATCAGAGC TCTTCAAAAT CATTGACTTC TTCCCAATAG CTCTTCAG	GC 4380
CGTCAATAAT TTTATTGAGA AAACGAATTC TGTTGATGTG ACAGTTGGTC CAAGAGCA	TG 4440
CTTGAACTGT CCTCTAACTG TCGATGGATC CCGTGAATGG TTCATTCGAT TGTGGAAT	GA 4500
GAACTTCATT CCATATTTGG AACGTGTTGC TAGAGATGGC AAAAAAACCT TCGGTCGC	TG 4560
CACTTCCTTC GAGGATCCCA CCGACATCGT CTCTAAAAAA TGGCCGTGGT TCGATGGT	GA 4620
ARACCCGGAG ARTGTGCTCA ARCGTCTTCA ACTCCAAGAC CTCGTCCCGT CACCTGCC	AA 4680
CTCATCCCGA CAACACTTCA ATCCCCTCGA GTCGTTGATC CAATTGCATG CTACCAAG	CA 4740
TCAGACCATC GACAACATTT GAACAGAAGA CTCTAATCTT CTCTCGCCTC TCCCCCGC	TT 4800
TCCTTATCTT CGTACCGGTA CCTGATGATT CCCCATTTTC CCCCTTTTCC CCCCAATT	TC 4860
CCAGAACCTC CTGTTCCCTT TGTTCCTAGT CCTCCCGGGT GCCGACGCCG AAGCGATT	TA 4920
AAAACCTTTT TCTTTCCGAA ACATTTCCCA TTGCTCATTA ATAGTCAAAT TGAATAAA	CA 4980
GTGTATGTAC TTAAAAAAAA AAAAAAAAAA ACTCGAGGG GGGCCCTATT CTATAGTG	TC 5040
ACCTAAATGC TAGAGCTCGC TGATCAGCCT CGACTGTGCC TTCTAGTTGC CAGCCATC	TG 5100
TTGTTTGCCC CTCCCCGTG CCTTCCTTGA CCCTGGAAGG TGCCACTCCC ACTGTCCT	TT 5160
CCTAATAAAA TGAGGAAATT GCATCGCATT GTCTGAGTAG GTGTCATTCT ATTCTGGG	GG 5220
GTGGGGTGGG GCAGGACAGC AAGGGGGGAGG ATTGGGAAGA CAATAGCAGG CATGCTGG	GG 5280

ATGCGGTGGG CTC	TATGGCT T	PCTGAGGCGG	AAAGAACCAG	CTGGGGCTCT	AGGGGGTATC	5340
CCCACGCGCC CTG	TAGCGGC G	SCATTAAGCG	CGGCGGGTGT	GGTGGTTACG	CGCAGCGTGA	5400
CCGCTACACT TGC	CAGCGCC C	CTAGCGCCCG	CTCCTTTCGC	TTTCTTCCCT	TCCTTTCTCG	5460
CCACGTTCGC CGG	CTTTCCC C	CGTCAAGCTC	TAAATCGGGG	CATCCCTTTA	GGGTTCCGAT	5520
TTAGTGCTTT ACC	GCACCTC	GACCCCAAAA	aacttgatta	GGGTGATGGT	TCACGTAGTG	5580
GGCCATCGCC CTG	ATAGACG (GTTTTTCGCC	CTTTGACGTT	GGAGTCCACG	TTCTTTAATA	5640
GTGGACTCTT GT	CCAAACT (GGAACAACAC	TCAACCCTAT	CTCGGTCTAT	TCTTTTGATT	5700
TATAAGGGAT TTT	GGGGATT T	TCGGCCTATT	GGTTAAAAAA	TGAGCTGATT	TAACAAAAAT	57 60
TTAACGCGAA TTA	ATTCTGT (GGAATGTGTG	TCAGTTAGGG	TGTGGAAAGT	CCCCAGGCTC	5820
CCCAGGCAGG CAG	AAGTATG (CAAAGCATGC	ATCTCAATTA	GTCAGCAACC	AGGTGTGGAA	5880
AGTCCCCAGG CTC	CCCAGCA (GGCAGAAGTA	TGCAAAGCAT	GCATCTCAAT	TAGTCAGCAA	5940
CCATAGTCCC GCC	CCTAACT (CCGCCCATCC	CGCCCTAAC	TCCGCCCAGT	TCCGCCCATT	6000
CTCCGCCCCA TGC	CTGACTA A	ATTTTTTTA	TTTATGCAGA	GGCCGAGGCC	GCCTCTGCCT	6060
CTGAGCTATT CCA	GAAGTAG 1	TGAGGAGGCT	TTTTTGGAGG	CCTAGGCTTT	TGCAAAAAGC	6120
TCCCGGGAGC TTC	TATATCC A	ATTTTCGGAT	CTGATCAAGA	GACAGGATGA	GGATCGTTTC	6180
GCATGATTGA ACA	AGATGGA 1	TTGCACGCAG	GTTCTCCGGC	CGCTTGGGTG	GAGAGGCTAT	6240
TCGGCTATGA CTC	GGCACAA (CAGACAATCG	GCTGCTCTGA	TGCCGCCGTG	TTCCGGCTGT	6300
CAGCGCAGGG GCC	CCCGGTT (CTTTTTGTCA	AGACCGACCT	GTCCGGTGCC	CTGAATGAAC	6360
TGCAGGACGA GGC	AGCGCGG (CTATCGTGGC	TGGCCACGAC	GGGCGTTCCT	TGCGCAGCTG	6420
TGCTCGACGT TG	CACTGAA (GCGGGAAGGG	ACTGGCTGCT	ATTGGGCGAA	GTGCCGGGGC	6480
AGGATCTCCT GTO	CATCTCAC (CTTGCTCCTG	CCGAGAAAGT	ATCCATCATG	GCTGATGCAA	6540
TGCGGCGGCT GC	ATACGCTT (GATCCGGCTA	CCTGCCCATT	CGACCACCAA	GCGAAACATC	6600
GCATCGAGCG AGG	CACGTACT (CGGATGGAAG	CCGGTCTTGT	CGATCAGGAT	GATCTGGACG	6660
AAGAGCATCA GG	GCTCGCG (CCAGCCGAAC	TGTTCGCCAG	GCTCAAGGCG	CGCATGCCCG	6720
ACGGCGAGGA TC	regregre)	ACCCATGGCG	ATGCCTGCTT	GCCGAATATC	ATGGTGGAAA	6780
ATGGCCGCTT TTC	CTGGATTC 1	ATCGACTGTG	GCCGGCTGGG	TGTGGCGGAC	CGCTATCAGG	6840
ACATAGCETT GE	CTACCCGT (GATATTGCTG	AAGAGCTTGG	CGGCGAATGG	GCTGACCGCT	6900
TCCTCGTGCT TT	ACGGTATC (GCCGCTCCCG	ATTCGCAGCG	CATCGCCTTC	TATCGCCTTC	6960
TTGACGAGTT CT	rctgagcg (GGACTCTGGG	GTTCGAAATG	ACCGACCAAG	CGACGCCCAA	7020
CCTGCCATCA CG	AGATTTCG	ATTCCACCGC	CGCCTTCTAT	GAAAGGTTGG	GCTTCGGAAT	7080
CGTTTTCCGG GA	CGCCGGCT	GGATGATCCT	CCAGCGCGGG	GATCTCATGC	TGGAGTTCTT	7140
CGCCCACCC AA	CTTGTTTA '	TTGCAGCTTA	TAATGGTTAC	AAATAAAGCA	ATAGCATCAC	7200

AAATTTCACA AATAAAGCAT	TTTTTTCACT	GCATTCTAGT	TGTGGTTTGT	CCAAACTCAT	7260
CAATGTATCT TATCATGTCT	GTATACCGTC	GACCTCTAGC	TAGAGCTTGG	CGTAATCATG	7320
GTCATAGCTG TTTCCTGTGT	GAAATTGTTA	TCCGCTCACA	ATTCCACACA	ACATACGAGC	7380
CGGAAGCATA AAGTGTAAAG	CCTGGGGTGC	CTAATGAGTG	AGCTAACTCA	CATTAATTGC	7440
GTTGCGCTCA CTGCCCGCTT	TCCAGTCGGG	AAACCTGTCG	TGCCAGCTGC	ATTAATGAAT	7500
CGGCCAACGC GCGGGGAGAG	GCGGTTTGCG	TATTGGGCGC	TCTTCCGCTT	CCTCGCTCAC	7560
TGACTCGCTG CGCTCGGTCG	TTCGGCTGCG	GCGAGCGGTA	TCAGCTCACT	CAAAGGCGGT	7620
AATACGGTTA TCCACAGAAT	CAGGGGATAA	CGCAGGAAAG	AACATGTGAG	CAAAAGGCCA	7680
GCAAAAGGCC AGGAACCGTA	AAAAGGCCGC	GTTGCTGGCG	TTTTTCCATA	GGCTCCGCCC	7740
CCCTGACGAG CATCACAAAA	ATCGACGCTC	AAGTCAGAGG	TGGCGAAACC	CGACAGGACT	7800
ATAAAGATAC CAGGCGTTTC	CCCCTGGAAG	CTCCCTCGTG	CGCTCTCCTG	TTCCGACCCT	7860
GCCGCTTACC GGATACCTGT	CCGCCTTTCT	CCCTTCGGGA	AGCGTGGCGC	TTTCTCAATG	7920
CTCACGCTGT AGGTATCTCA	GTTCGGTGTA	GGTCGTTCGC	TCCAAGCTGG	GCTGTGTGCA	7980
CGAACCCCCC GTTCAGCCCG	ACCGCTGCGC	CTTATCCGGT	AACTATCGTC	TTGAGTCCAA	8040
CCCGGTAAGA CACGACTTAT	CGCCACTGGC	AGCAGCCACT	GGTAACAGGA	TTAGCAGAGC	8100
GAGGTATGTA GGCGGTGCTA	CAGAGTTCTT	GAAGTGGTGG	CCTAACTACG	GCTACACTAG	8160
AAGGACAGTA TTTGGTATCT	GCGCTCTGCT	GAAGCCAGTT	ACCTTCGGAA	AAAGAGTTGG	8220
TAGCTCTTGA TCCGGCAAAC	AAACCACCGC	TGGTAGCGGT	GGTTTTTTTG	TTTGCAAGCA	8280
GCAGATTACG CGCAGAAAA	AAGGATCTCA	AGAAGATCCT	TTGATCTTTT	CTACGGGGTC	8340
TGACGCTCAG TGGAACGAAA	ACTCACGTTA	AGGGATTTTG	GTCATGAGAT	TATCAAAAAG	8400
GATCTTCACC TAGATCCTTT	TAAATTAAAA	ATGAAGTTTT	AAATCAATCT	AAAGTATATA	8460
TGAGTAAACT TGGTCTGACA	GTTACCAATG	CTTAATCAGT	GAGGCACCTA	TCTCAGCGAT	8520
CTGTCTATTT CGTTCATCCA	TAGTTGCCTG	ACTCCCCGTC	GTGTAGATAA	CTACGATACG	8580
GGAGGGCTTA CCATCTGGCC	CCAGTGCTGC	AATGATACCG	CGAGACCCAC	GCTCACCGGC	8640
TCCAGATTTA TCAGCAATAA	ACCAGCCAGC	CGGAAGGGCC	GAGCGCAGAA	GTGGTCCTGC	8700
AACTTTATCC GCCTCCATCC	AGTCTATTAA	TTGTTGCCGG	GAAGCTAGAG	TAAGTAGTTC	8760
GCCAGTTAAT AGTTTGCGCA	ACGTTGTTGC	CATTGCTACA	GGCATCGTGG	TGTCACGCTC	8820
GTCGTTTGGT ATGGCTTCAT	TCAGCTCCGG	TTCCCAACGA	TCAAGGCGAG	TTACATGATC	8880
CCCCATGTTG TGCAAAAAAG	CGGTTAGCTC	CTTCGGTCCT	CCGATCGTTG	TCAGAAGTAA	8940
GTTGGCCGCA GTGTTATCAC	TCATGGTTAT	GGCAGCACTG	CATAATTCTC	TTACTGTCAT	9000
GCCATCCGTA AGATGCTTTT	CTGTGACTGG	TGAGTACTCA	ACCAAGTCAT	TCTGAGAATA	30 60
GTGTATGCGG CGACCGAGTT	GCTCTTGCCC	GGCGTCAATA	CGGGATAATA	CCGCGCCACA	9120

127

TAGC	AGAACT	TTAAAAGTGC	TCATCATTGG	AAAACGTTCT	TCGGGGCGAA	AACTCTCAAG	9180
GATC	TTACCG	CTGTTGAGAT	CCAGTTCGAT	GTAACCCACT	CGTGCACCCA	ACTGATCTTC	9240
AGCA	TCTTTT	ACTTTCACCA	GCGTTTCTGG	GTGAGCAAAA	ACAGGAAGGC	AAAATGCCGC	9300
AAAA	AAGGGA	ATAAGGGCGA	CACGGAAATG	TTGAATACTC	ATACTCTTCC	TTTTTCAATA	9360
TAT	TGAAGC	ATTTATCAGG	GTTATTGTCT	CATGAGCGGA	TACATATTTG	AATGTATTTA	9420
GAAA	AATAAA	CAAATAGGGG	TTCCGCGCAC	ATTTCCCCGA	AAAGTGCCAC	CTGACGTCGA	9480
CGGA	TCGGGA	GATCTCCCGA	TCCCCTATGG	TCGACTCTCA	GTACAATCTG	CTCTGATGCC	9540
GCAT.	AGTTAA	GCCAGTATCT	GCTCCCTGCT	TGTGTGTTGG	AGGTCGCTGA	GTAGTGCGCG	9600
AGCA	Aaattt	AAGCTACAAC	AAGGCAAGGC	TTGACCGACA	ATTGCATGAA	GAATCTGCTT	9660
AGGG	TTAGGC	GTTTTGCGCT	GCTTCGCGAT	GTACGGGCCA	GATATACGCG	TTGACATTGA	9720
TAT	TGACTA	GTTATTAATA	GTAATCAATT	ACGGGGTCAT	TAGTTCATAG	CCCATATATG	9780
gagt'	TCCGCG	TTACATAACT	TACGGTAAAT	GGCCCGCCTG	GCTGACCGCC	CAACGACCCC	9840
CGCC	CATTGA	CGTCAATAAT	GACGTATGTT	CCCATAGTÃA	CGČČAATAĞG	GACTTTCCAT	9900
rgac	GTCAAT	GGGTGGACTA	TTTACGGTAA	ACTGCCCACT	TGGCAGTACA	TCAAGTGTAT	9960
CATA	TGCCAA	GTACGCCCCC	TATTGACGTC	AATGACGGTA	AATGGCCCGC	CTGGCATTAT	10020
3CCC	AGTACA	TGACCTTATG	GGACTTTCCT	ACTTGGCAGT	ACATCTACGT	ATTAGTCATC	10080
SCTA	TTACCA	TGGTGATGCG	GTTTTGGCAG	TACATCAATG	GGCGTGGATA	GCGGTTTGAC	10140
CAC	GGGGAT	TTCCAAGTCT	CCACCCCATT	GACGTCAATG	GGAGTTTGTT	TTGGCACCAA	10200
AATC	AACGGG	ACTTTCCAAA	ATGTCGTAAC	AACTCCGCCC	CATTGACGCA	AATGGGCGGT	10260
AGGC	GTGTAC	GGTGGGAGGT	CTATATAAGC	AGAGCTCTCT	GGCTAACTAG	AGAACCCACT	10320
3CTT	ACTGGC	TTATCGAAAT	TAATACGACT	CACTATAGGG	AGACCCAAGC	TTGGTACCGA	10380
CTC	GGATCC	ACTAGTAACG	GCCGCCAGTG	TGCTGGAATT	CTGCAGATAT	CCATCACACT	10440
icc.							10443

(2) INFORMATION FOR SEQ ID NO: 26:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 7474 base pairs
 (B) TYPE: nucleic acid

 - (C) STRANDEDNESS: double
 - (D) TOPOLOGY: circular
- (iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 26:

CTAAATTGTA	AGCGTTAATA	TTTTGTTAAA	ATTCGCGTTA	AATTTTTGTT	AAATCAGCTC	60
ATTTTTTAAC	CAATAGGCCG	AAATCGGCAA	AATCCCTTAT	AAATCAAAAG	AATAGACCGA	120
GATAGGGTTG	AGTGTTGTTC	CAGTTTGGAA	CAAGAGTCCA	CTATTAAAGA	ACGTGGACTC	180
CAACGTCAAA	GGGCGAAAAA	CCGTCTATCA	GGGCGATGGC	CCACTACGTG	AACCATCACC	240
CTAATCAAGT	TTTTTGGGGT	CGAGGTGCCG	TAAAGCACTA	AATCGGAACC	CTAAAGGGAG	300
CCCCCGATTT	AGAGCTTGAC	GGGGAAAGCC	GGCGAACGTG	GCGAGAAAGG	AAGGGAAGAA	. 360
AGCGAAAGGA	GCGGGCGCTA	GGGCGCTGGC	AAGTGTAGCG	GTCACGCTGC	GCGTAACCAC	420
CACACCCGCC	GCGCTTAATG	CGCCGCTACA	GGGCGCGTCC	CATTCGCCAT	TCAGGCTGCG	480
CAACTGTTGG	GAAGGGCGAT	CGGTGCGGGC	CTCTTCGCTA	TTACGCCAGC	TGGCGAAAGG	540
GGGATGTGCT	GCAAGGCGAT	TAAGTTGGGT	AACGCCAGGG	TTTTCCCAGT	CACGACGTTG	600
TAAAACGACG	GCCAGTGAGC	GCGCGTAATA	CGACTCACTA	TAGGGCGAAT	TGGAGCTCCA	660
CCGCGGTTTC	TAAATTĀĆCC	TCGCCACGTG	TCGCCACGTC	AGCAACCGCT	TCAGCAACTA	720
ACCCAAATTC	CAACTTTCCA	CAAATGTCAA	CATCCAGGCT	TCAGACTCCA	CAGTCAAGAA	780
TATCGAAAAT	TGATTCATCA	AAGATTGGTA	TCAAGCCAAA	GACGTCTGGA	CTTAAACCAC	840
CCTCATCATC	AACCACTTCA	TCAAATAATA	CAAATTCATT	CCGTCCGTCG	AGCCGTTCGA	900
GTGGCAATAA	TAATGTTGGC	TCGACGATAT	CCACATCTGC	GAAGAGCTTA	GAATCATCAT	960
CAACGTACAG	CTCTATTTCG	AATCTAAACC	GACCTACCTC	CCAACTCCAA	AAACCTTCTA	1020
GACCACAAAC	CCAGCTAGTT	CGTGTTGCTA	CAACTACAAA	AATCGGAAGC	TCAAAGCTAG	1080
CCGCTCCGAA	AGCCGTGAGC	ACCCCAAAAC	TTGCTTCTGT	GAAGACTATT	GGAGCAAAAC	1140
AAGAGCCCGA	TAACAGCGGT	GGTGGTGGTG	GTGGAATGCT	GAAATTAAAG	TTATTCAGTA	1200
GCAAAAACCC	ATCTTCCTCA	TCGAATAGCC	CACAACCTAC	GAGAAAGGCG	GCGGCGGTGC	1260
CTCAACAACA	AACTTTGTCG	AAAATCGCTG	CCCCAGTGAA	AAGTGGCCTG	AAGCCGCCGA	1320
CCAGTAAGCT	GGGAAGTGCC	ACGTCTATGT	CGAAGCTTTG	TACGCCAAAA	GTTTCCTACC	1380
GTAAAACGGA	CGCCCCAATC	ATATCTCAAC	AAGACTCGAA	ACGATGCTCA	AAGAGCAGTG	1440
AAGAAGAGTC	CGGATACGCT	GGATTCAACA	GCACGTCGCC	AACGTCATCA	TCGACGGAAG	. 1500
GTTCCCTAAG	CATGCATTCC	ACATCTTCCA	AGAGTTCAAC	GTCAGACGAA	AAGTCTCCGT	1560
CATCAGACGA	TCTTACTCTT	AACGCCTCCA	TCGTGACAGC	TATCAGACAG	CCGATAGCCG	1620
CAACACCGGT	TTCTCCAAAT	ATTATCAACA	AGCCTGTTGA	GGAAAAACCA	ACACTGGCAG	1680
TGAAAGGAGT	GAAAAGCACA	GCGAAAAAAG	ATCCACCTCC	AGCTGTTCCG	CCACGTGACA	1740
CCCAGCCAAC	AATCGGAGTT	GTTAGTCCAA	TTATGGCACA	TAAGAAGTTG	ACAAATGACC	1800
CCGTGATATC	TGAAAAACCA	GAACCTGAAA	AGCTCCAATC	AATGAGCATC	GACACGACGG	1860

129

ACGTTCCACC GCTTCCACCT	CTAAAATCAG	TTGTTCCACT	TAAAATGACT	TCAATCCGAC	1920
AACCACCAAC GTACGATGTT	CTTCTAAAAC	AAGGAAAAAT	CACATCGCCT	GTCAAGTCGT	1980
TTGGATATGA GCAGTCGTCC	GCGTCTGAAG	ACTCCATTGT	GGCTCATGCG	TCGGCTCAGG	2040
TGACTCCGCC GACAAAAACT	TCTGGTAATC	ATTCGCTGGA	GAGAAGGATG	GGAAAGAATA	2100
AGACATCAGA ATCCAGCGGC	TACACCTCTG	ACGCCGGTGT	TGCGATGTGC	GCCAAAATGA	2160
GGGAGAAGCT GAAAGAATAC	GATGACATGA	CTCGTCGAGC	ACAGAACGGC	TATCCTGACA	2220
ACTTCGAAGA CAGTTCCTCC	TTGTCGTCTG	GAATATCCGA	TAACAACGAG	CTCGACGACA	2280
TATCCACGGA CGATTTGTCC	GGAGTAGACA	TGGCAACAGT	CGCCTCCAAA	CATAGCGACT	2340
ATTCCCACTT TGTTCGCCAT	CCCACGTCTT	CTTCCTCAAA	GCCCCGAGTC	CCCAGTCGGT	2400
CCTCCACATC AGTCGATTCT	CGATCTCGAG	CAGAACAGGA	GAATGTGTAC	AAACTTCTGT	2460
CCCAGTGCCG AACGAGCCAA	CGTGGCGCCG	CTGCCACCTC	AACCTTCGGA	CAACATTCGC	2520
TAAGATCCCC GGGATACTCA	TCCTATTCTC	CACACTTATC	AGTGTCAGCT	GATAAGGACA	2580
CAATGTCTAT GCACTCACAG	ACTAGTCGAC	GACCTTCTTC	АСАААААССА	AGCTATTCAG	2640
GCCAATTTCA TTCACTTGAT	CGTAAATGCC	ACCTTCAAGA	GTTCACATCC	ACCGAGCACA	2700
GAATGGCGGC TCTCTTGAGC	CCGAGACGGG	TGCCGAACTC	GATGTCGAAA	TATGATTCTT	2760
CAGGATCCTA CTCGGCGCGT	TCCCGAGGTG	GAAGCTCTAC	TGGTATCTAT	GGAGAGACGT	2820
TCCAACTGCA CAGACTATCC	GATGAAAAAT	CCCCGCACA	TTCTGCCAAA	AGTGAGATGG	2880
GATCCCAACT ATCACTGGCT	AGCACGACAG	CATATGGATC	TCTCAATGAG	AAGTACGAAC	2940
ATGCTATTCG GGACATGGCA	CGTGACTTGG	AGTGTTACAA	GAACACTGTC	GACTCACTAA	3000
CCAAGAAACA GGAGAACTAT	GGAGCATTGT	TTGATCTTTT	TGAGCAAAAG	CTTAGAAAAC	3060
TCACTCAACA CATTGATCGA	TCCAACTTGA	AGCCTGAAGA	GGCAATACGA	TTCAGGCAGG	3120
ACATTGCTCA TTTGAGGGAT	ATTAGCAATC	ATCTTGCATC	CAACTCAGCT	CATGCTAACG	3180
AAGGCGCTGG TGAGCTTCTT	CGTCAACCAT	CTCTGGAATC	AGTTGCATCC	CATCGATCAT	3240
CGATGTCATC GTCGTCGAAA	AGCAGCAAGC	AGGAGAAGAT	CAGCTTGAGC	TCGTTTGGCA	3300
AGAACAAGAA GAGCTGGATC	CGCTCCTCAC	TCTCCAAGTT	CACCAAGAAG	AAGAACAAGA	3360
ACTACGACGA AGCACATATG	CCATCAATTT	CCGGATCTCA	AGGAACTCTT	GACAACATTG	3420
ATGTGATTGA GTTGAAGCAA	GAGCTCAAAG	AACGCGATAG	TGCACTTTAC	GAAGTCCGCC	3480
TTGACAATCT GGATCGTGCC	CGCGAAGTTG	ATGTTCTGAG	GGAGACAGTG	AACAAGTTGA	3540
AAACCGAGAA CAAGCAATTA	AAGAAAGAAG	TGGACAAACT	CACCAACGGT	CCAGCCACTC	3600
GTGCTTCTTC CCGCGCCTCA	ATTCCAGTTA	TCTACGACGA	TGAGCATGTC	TATGATGCAG	3660
CGTGTAGCAG TACATCAGCT	AGTCAATCTT	CGAAACGATC	CTCTGGCTGC	AACTCAATCA	3720
AGGTTACTGT AAACGTGGAC	ATCGCTGGAG	AAATCAGTTC	GATCGTTAAC	CCGGACAAAG	3780

130

AGATAATCGT	AGGATATCTT	GCCATGTCAA	CCAGTCAGTC	ATGCTGGAAA	GACATTGATG	3840
TTTCTATTCT	AGGACTATTT	GAAGTCTACC	TATCCAGAAT	TGATGTGGAG	CATCAACTTG	3900
GAATCGATGC	TCGTGATTCT	ATCCTTGGCT	ATCAAATTGG	TGAACTTCGA	CGCGTCATTG	3960
GAGACTCCAC	AACCATGATA	ACCAGCCATC	CAACTGACAT	TCTTACTTCC	TCAACTACAA	4020
TCCGAATGTT	CATGCACGGT	GCCGCACAGA	GTCGCGTAGA	CAGTCTGGTC	CTTGATATGC	4080
TTCTTCCAAA	GCAAATGATT	CTCCAACTCG	TCAAGTCAAT	TTTGACAGAG	AGACGTCTGG	4140
TGTTAGCTGG	AGCAACTGGA	ATTGGAAAGA	GCAAACTGGC	GAAGACCCTG	GCTGCTTATG	4200
TATCTATTCG	AACAAATCAA	TCCGAAGATA	GTATTGTTAA	TATCAGCATT	CCTGAAAACA	4260
ATAAAGAAGA	ATTGCTTCAA	GTGGAACGAC	GCCTGGAAAA	GATCTTGAGA	AGCAAAGAAT	4320
CATGCATCGT	AATTCTAGAT	AATATCCCAA	AGAATCGAAT	TGCATTTGTT	GTATCCGTTT	4380
TTGCAAATGT	CCCACTTCAA	AACAACGAAG	GTCCATTTGT	AGTATGCACA	GTCAACCGAT	4440
ATCAAATCCC	TGAGCTTCAA	ATTCACCACA	ATTTCAAAAT	GTCAGTAATG	TCGAATCGTC	4500
TCGAAGGATT	CATCCTACGT	TACCTCCGAC	GACGGGCGGT	AGAGGATGAG	TATCGTCTAA	4560
CTGTACAGAT	GCCATCAGAG	CTCTTCAAAA	TCATTGACTT	CTTCCCAATA	GCTCTTCAGG	4620
CCGTCAATAA	TTTTATTGAG	AAAACGAATT	CTGTTGATGT	GACAGTTGGT	CCAAGAGCAT	4680
GCTTGAACTG	TCCTCTAACT	GTCGATGGAT	CCCGTGAATG	GTTCATTCGA	TTGTGGAATG	4740
AGAACTTCAT	TCCATATTTG	GAACGTGTTG	CTAGAGATGG	САААААААСС	TTCGGTCGCT	4800
GCACTTCCTT	CGAGGATCCC	ACCGACATCG	TCTCTAAAAA	ATGGCCGTGG	TTCGATGGTG	4860
AAAACCCGGA	GAATGTGCTC	AAACGTCTTC	AACTCCAAGA	CCTCGTCCCG	TCACCTGCCA	4920
ACTCATCCCG	ACAACACTTC	AATCCCCTCG	AGTCGTTGAT	CCAATTGCAT	GCTACCAAGC	4980
ATCAGACCAT	CGACAACATT	TGAACAGAAG	ACTCTAATCT	TCTCTCGCCT	CTCCCCCGCT	5040
TTCCTTATCT	TCGTACCGGT	ACCTGATGAT	TCCCCATTTT	CCCCCTTTTC	CCCCCAATTT	5100
CCCAGAACCT	CCTGTTCCCT	TTGTTCCTAG	TCCTCCCGGG	TGCCGACGCC	GAAGCGATTT	5160
AAAAACCTTT	TTCTTTCCGA	AACATTTCCC	ATTGCTCATT	AATAGTCAAA	TTGAATAAAC	5220
AGTGTATGTA	СТТАААААА	ааааааааа	AACTCGAGGG	GGGGCCCGGT	ACCCAGCTTT	5280
TGTTCCCTTT	AGTGAGGGTT	AATTGCGCGC	TTGGCGTAAT	CATGGTCATA	GCTGTTTCCT	5340
GTGTGAAATT	GTTATCCGCT	CACAATTCCA	CACAACATAC	GAGCCGGAAG	CATAAAGTGT	5400
AAAGCCTGGG	GTGCCTAATG	AGTGAGCTAA	CTCACATTAA	TTGCGTTGCG	CTCACTGCCC	5460
GCTTTCCAGT	CGGGAAACCT	GTCGTGCCAG	CTGCATTAAT	GAATCGGCCA	ACGCGCGGG	5520
AGAGGCGGTT	TGCGTATTGG	GCGCTCTTCC	GCTTCCTCGC	TCACTGACTC	GCTGCGCTCG	5580
GTCGTTCGGC	TGCGGCGAGC	GGTATCAGCT	CACTCAAAGG	CGGTAATACG	GTTATCCACA	5640
GAATCAGGGG	ATAACGCAGG	AAAGAACATG	TGAGCAAAAG	GCCAGCAAAA	GGCCAGGAAC	5700

CGTAAAAAGG	CCGCGTTGCT	GGCGTTTTTC	CATAGGCTCC	GCCCCCTGA	CGAGCATCAC	5760
AAAAATC GAC	GCTCAAGTCA	GAGGTGGCGA	AACCCGACAG	GACTATAAAG	ATACCAGGCG	5820
TTTCCCCCTG	GAAGCTCCCT	CGTGCGCTCT	CCTGTTCCGA	CCCTGCCGCT	TACCGGATAC	5880
CTGTCCGCCT	TTCTCCCTTC	GGGAAGCGTG	GCGCTTTCTC	ATAGCTCACG	CTGTAGGTAT	5940
CTCAGTTCGG	TGTAGGTCGT	TCGCTCCAAG	CTGGGCTGTG	TGCACGAACC	CCCCGTTCAG	6000
CCCGACCGCT	GCGCCTTATC	CGGTAACTAT	CGTCTTGAGT	CCAACCCGGT	AAGACACGAC	6060
TTATCGCCAC	TGGCAGCAGC	CACTGGTAAC	AGGATTAGCA	GAGCGAGGTA	TGTAGGCGGT	6120
GCTACAGAGT	TCTTGAAGTG	GTGGCCTAAC	TACGGCTACA	CTAGAAGGAC	AGTATTTGGT	6180
ATCTGCGCTC	TGCTGAAGCC	AGTTACCTTC	GGAAAAAGAG	TTGGTAGCTC	TTGATCCGGC	6240
AAACAAACCA	CCGCTGGTAG	CGGTGGTTTT	TTTGTTTGCA	AGCAGCAGAT	TACGCGCAGA	6300
Aaaaaaggat	CTCAAGAAGA	TCCTTTGATC	TTTTCTACGG	GGTCTGACGC	TCAGTGGAAC	6360
GAAAACTCAC	GTTAAGGGAT	TTTGGTCATG	AGATTATCAA	AAAGGATCTT	CACCTAGATC	6420
СТТТТАААТТ	AAAAATGAAG	TTTTAAATCA	ATCTAAAGTA	TATATGAGTA	AACTTGGTCT	6480
GACAGTTACC	AATGCTTAAT	CAGTGAGGCA	CCTATCTCAG	CGATCTGTCT	ATTTCGTTCA	6540
TCCATAGTTG	CCTGACTCCC	CGTCGTGTAG	ATAACTACGA	TACGGGAGGG	CTTACCATCT	6600
GGCCCCAGTG	CTGCAATGAT	ACCGCGAGAC	CCACGCTCAC	CGGCTCCAGA	TTTATCAGCA	6660
ATAAACCAGC	CAGCCGGAAG	GGCCGAGCGC	AGAAGTGGTC	CTGCAACTTT	ATCCGCCTCC	6720
atccagtcta	TTAATTGTTG	CCGGGAAGCT	AGAGTAAGTA	GTTCGCCAGT	TAATAGTTTG	6780
CGCAACGTTG	TTGCCATTGC	TACAGGCATC	GTGGTGTCAC	GCTCGTCGTT	TGGTATGGCT	6840
TCATTCAGCT	CCGGTTCCCA	ACGATCAAGG	CGAGTTACAT	GATCCCCCAT	GTTGTGCAAA	6900
Aaagcggtta	GCTCCTTCGG	TCCTCCGATC	GTTGTCAGAA	GTAAGTTGGC	CGCAGTGTTA	6960
FCACTCATGG	TTATGGCAGC	ACTGCATAAT	TCTCTTACTG	TCATGCCATC	CGTAAGATGC	7020
PTTTCTGTGA	CTGGTGAGTA	CTCAACCAAG	TCATTCTGAG	AATAGTGTAT	GCGGCGACCG	7080
AGTTGCTCTT	GCCCGGCGTC	AATACGGGAT	AATACCGCGC	CACATAGCAG	AACTTTAAAA	7140
GTGCTCATCA	TTGGAAAACG	TTCTTCGGGG	CGAAAACTCT	CAAGGATCTT	ACCGCTGTTG	7200
AGATCCAGTT	CGATGTAACC	CACTCGTGCA	CCCAACTGAT	CTTCAGCATC	TTTTACTTTC	7260
ACCAGCGTTT	CTGGGTGAGC	AAAAACAGGA	AGGCAAAATG	CCGCAAAAAA	GGGAATAAGG	7320
GCGACACGGA	AATGTTGAAT	ACTCATACTC	TTCCTTTTTC	AATATTATTG	AAGCATTTAT	7380
	•		TTTGAATGTA	TTTAGAAAAA	TAAACAAATA	7440
~~~~~~~			0030			7474

WO 96/38555

132

### (2) INFORMATION FOR SEQ ID NO: 27:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 13414 base pairs
  - (B) TYPE: nucleic acid (C) STRANDEDNESS: double

  - (D) TOPOLOGY: circular
- (ii) MOLECULE TYPE: other nucleic acid (A) DESCRIPTION: /desc = "plasmid"
- (iii) HYPOTHETICAL: NO

#### (ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION: 11582
- (D) OTHER INFORMATION:/note= "N is A,G,C or T"

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 27:

TATGACGACG	TCAAATGTAG	AATTGATACC	ATTCTACACG	GATTGGGCCA	ATCGGCACCT	60
TTCGAAGGGC	AGCTTATCAA	AGTCGATTAG	GGATATTTCC	AATGATTTTC	GCGACTATCG	120
ACTGGTTTCT	CAGCTTATTA	ATGTGATCGT	TCCGATCAAC	GAATTCTCGC	CTGCATTCAC	180
GAAACGTTTG	GCAAAAATCA	CATCGAACCT	GGATGGCCTC	GAAACGTGTC	TCGACTACCT	240
GAAAAATCTG	GGTCTCGACT	GCTCGAAACT	CACCAAAACC	GATATCGACA	GCGGAAACTT	300
GGGTGCAGTT	CTCCAGCTGC	TCTTCCTGCT	CTCCACCTAC	AAGCAGAAGC	TTCGGCAACT	360
GAAAAAAGAT	CAGAAGAAAT	TGGAGCAACT	ACCCACATCC	ATTATGCCAC	CCGCGGTTTC	420
TAAATTACCC	TCGCCACGTG	TCGCCACGTC	AGCAACCGCT	TCAGCAACTA	ACCCAAATTC	480
CAACTTTCCA	CAAATGTCAA	CATCCAGGCT	TCAGACTCCA	CAGTCAAGAA	TATCGAAAAT	540
TGATTCATCA	AAGATTGGTA	TCAAGCCAAA	GACGTCTGGA	CTTAAACCAC	CCTCATCATC	600
AACCACTTCA	TCAAATAATA	CAAATTCATT	CCGTCCGTCG	AGCCGTTCGA	GTGGCAATAA	660
TAATGTTGGC	TCGACGATAT	CCACATCTGC	GAAGAGCTTA	GAATCATCAT	CAACGTACAG	720
CTCTATTTCG	AATCTAAACC	GACCTACCTC	CCAACTCCAA	AAACCTTCTA	GACCACAAAC	780
CCAGCTAGTT	CGTGTTGCTA	CAACTACAAA	AATCGGAAGC	TCAAAGCTAG	CCGCTCCGAA	840
AGCCGTGAGC	ACCCCAAAAC	TTGCTTCTGT	GAAGACTATT	GGAGCAAAAC	AAGAGCCCGA	900
TAACAGCGGT	GGTGGTGGTG	GTGGAATGCT	GAAATTAAAG	TTATTCAGTA	GCAAAAACCC	960
ATCTTCCTCA	TCGAATAGCC	CACAACCTAC	GAGAAAGGCG	GCGGCGGTGC	CTCAACAACA	1020
AACTTTGTCG	AAAATCGCTG	CCCCAGTGAA	AAGTGGCCTG	AAGCCGCCGA	CCAGTAAGCT	1080
GGGAAGTGCC	ACGTCTATGT	CGAAGCTTTG	TÄCGCCAAAA	GTTTCCTACC	GTAAAACGGA	1140
CGCCCCAATC	ATATCTCAAC	AAGACTCGAA	ACGATGCTCA	AAGAGCAGTG	AAGAAGAGTC	1200
CGGATACGCT	GGATTCAACA	GCACGTCGCC	AACGTCATCA	TCGACGGAAG	GTTCCCTAAG	1260

133

CATGCATTCC ACATCTTCCA AGAGTTCAAC GTCAGACGAA AAGTCTCCGT CATCAGACGA 1320 TCTTACTCTT AACGCCTCCA TCGTGACAGC TATCAGACAG CCGATAGCCG CAACACCGGT 1380 TTCTCCARAT ATTATCARCA AGCCTGTTGA GGARARACCA ACACTGGCAG TGARAGGAGT 1440 GAAAAGCACA GCGAAAAAAG ATCCACCTCC AGCTGTTCCG CCACGTGACA CCCAGCCAAC 1500 AATCGGAGTT GTTAGTCCAA TTATGGCACA TAAGAAGTTG ACAAATGACC CCGTGATATC 1560 TGAAAAACCA GAACCTGAAA AGCTCCAATC AATGAGCATC GACACGACGG ACGTTCCACC 1620 GCTTCCACCT CTAAAATCAG TTGTTCCACT TAAAATGACT TCAATCCGAC AACCACCAAC 1680 GTACGATGTT CTTCTAAAAC AAGGAAAAAT CACATCGCCT GTCAAGTCGT TTGGATATGA 1740 GCAGTCGTCC GCGTCTGAAG ACTCCATTGT GGCTCATGCG TCGGCTCAGG TGACTCCGCC 1800 GACAAAAACT TCTGGTAATC ATTCGCTGGA GAGAAGGATG GGAAAGAATA AGACATCAGA 1860 ATCCAGCGGC TACACCTCTG ACGCCGGTGT TGCGATGTGC GCCAAAATGA GGGAGAAGCT 1920 GAAAGAATAC GATGACATGA CTCGTCGAGC ACAGAACGGC TATCCTGACA ACTTCGAAGA 1980 CAGTTCCTCC TTGTCGTCTG GAATATCCGA TAACAACGAG CTCGACGACA TATCCACGGA 2040 2100 CGATTTGTCC GGAGTAGACA TGGCAACAGT CGCCTCCAAA CATAGCGACT ATTCCCACTT TGTTCGCCAT CCCACGTCTT CTTCCTCAAA GCCCCGAGTC CCCAGTCGGT CCTCCACATC 2160 AGTCGATTCT CGATCTCGAG CAGAACAGGA GAATGTGTAC AAACTTCTGT CCCAGTGCCG 2220 AACGAGCCAA CGTGGCGCCG CTGCCACCTC AACCTTCGGA CAACATTCGC TAAGATCCCC 2280 GGGATACTCA TCCTATTCTC CACACTTATC AGTGTCAGCT GATAAGGACA CAATGTCTAT 2340 GCACTCACAG ACTAGTCGAC GACCTTCTTC ACAAAAACCA AGCTATTCAG GCCAATTTCA 2400 TTCACTTGAT CGTAAATGCC ACCTTCAAGA GTTCACATCC ACCGAGCACA GAATGGCGGC 2460 TCTCTTGAGC CCGAGACGGG TGCCGAACTC GATGTCGAAA TATGATTCTT CAGGATCCTA 2520 CTCGGCGCGT TCCCGAGGTG GAAGCTCTAC TGGTATCTAT GGAGAGACGT TCCAACTGCA 2580 CAGACTATCC GATGAAAAAT CCCCCGCACA TTCTGCCAAA AGTGAGATGG GATCCCAACT 2640 2700 ATCACTGGCT AGCACGACAG CATATGGATC TCTCAATGAG AAGTACGAAC ATGCTATTCG GGACATGGCA CGTGACTTGG AGTGTTACAA GAACACTGTC GACTCACTAA CCAAGAAACA 2760 GGAGAACTAT GGAGCATTGT TTGATCTTTT TGAGCAAAAG CTTAGAAAAC TCACTCAACA 2820 CATTGATCGA TCCAACTTGA AGCCTGAAGA GGCAATACGA TTCAGGCAGG ACATTGCTCA 2880 TTTGAGGGAT ATTAGCAATC ATCTTGCATC CAACTCAGCT CATGCTAACG AAGGCGCTGG 2940 TGAGCTTCTT CGTCAACCAT CTCTGGAATC AGTTGCATCC CATCGATCAT CGATGTCATC 3000 GTCGTCGAAA AGCAGCAAGC AGGAGAAGAT CAGCTTGAGC TCGTTTGGCA AGAACAAGAA 3060 GAGCTGGATC CGCTCCTCAC TCTCCAAGTT CACCAAGAAG AAGAACAAGA ACTACGACGA 3120 AGCACATATG CCATCAATTT CCGGATCTCA AGGAACTCTT GACAACATTG ATGTGATTGA 3180

134

GTTGAAGCAA GAGCTCAAAG AAC	GCGATAG TGCACTTTAC	GAAGTCCGCC	TTGACAATCT	3240
GGATCGTGCC CGCGAAGTTG ATG	TTCTGAG GGAGACAGTG	AACAAGTTGA	AAACCGAGAA	3300
CAAGCAATTA AAGAAAGAAG TGG	ACAAACT CACCAACGGT	CCAGCCACTC	GTGCTTCTTC	3360
CCGCGCCTCA ATTCCAGTTA TCT	ACGACGA TGAGCATGTC	TATGATGCAG	CGTGTAGCAG	3420
TACATCAGCT AGTCAATCTT CGA	AACGATC CTCTGGCTGC	AACTCAATCA	AGGTTACTGT	3480
AAACGTGGAC ATCGCTGGAG AAA	TCAGTTC GATCGTTAAC	CCGGACAAAG	AGATAATCGT	3540
AGGATATCTT GCCATGTCAA CCA	GTCAGTC ATGCTGGAAA	GACATTGATG	TTTCTATTCT	3600
AGGACTATTT GAAGTCTACC TAT	CCAGAAT TGATGTGGAG	CATCAACTTG	GAATCGATGC	<b>36</b> 60
TCGTGATTCT ATCCTTGGCT ATC	AAATTGG TGAACTTCGA	CGCGTCATTG	GAGACTCCAC	3720
AACCATGATA ACCAGCCATC CAA	CTGACAT TCTTACTTCC	TCAACTACAA	TCCGAATGTT	<b>37</b> 80
CATGCACGGT GCCGCACAGA GTC	GCGTAGA CAGTCTGGTC	CTTGATATGC	TTCTTCCAAA	3840
GCAAATGATT CTCCAACTCG TCA	agtcaat tttgacagag	AGACGTCTGG	TGTTAGCTGG	3900
AGCAACTGGA ATTGGAAAGA GCA	AACTGGC GAAGACCCTG	GCTGCTTATG	TATCTATTCG	3960
AACAAATCAA TCCGAAGATA GTA	TTGTTAA TATCAGCATT	CCTGAAAACA	ATAAAGAAGA	4020
ATTGCTTCAA GTGGAACGAC GCC	TGGAAAA GATCTTGAGA	AGCAAAGAAT	CATGCATCGT	4080
AATTCTAGAT AATATCCCAA AGA	ATCGAAT TGCATTTGTT	GTATCCGTTT	TTGCAAATGT	4140
CCCACTTCAA AACAACGAAG GTC	CATTIGT AGTATGCACA	GTCAACCGAT	ATCAAATCCC	4200
TGAGCTTCAA ATTCACCACA ATT	ICAAAAT GTCAGTAATG	TCGAATCGTC	TCGAAGGATT	4260
CATCCTACGT TACCTCCGAC GAC	GGGCGGT AGAGGATGAG	TATCGTCTAA	CTGTACAGAT	4320
GCCATCAGAG CTCTTCAAAA TCA	TTGACTT CTTCCCAATA	GCTCTTCAGG	CCGTCAATAA	4380
TTTTATTGAG AAAACGAATT CTG	TTGATGT GACAGTTGGT	CCAAGAGCAT	GCTTGAACTG	4440
TCCTCTAACT GTCGATGGAT CCC	STGAATG GTTCATTCGA	TTGTGGAATG	AGAACTTCAT	4500
TCCATATTTG GAACGTGTTG CTA	GAGATGG CAAAAAAACC	TTCGGTCGCT	GCACTTCCTT	4560
CGAGGATCCC ACCGACATCG TCTC	CTAAAAA ATGGCCGTGG	TTCGATGGTG	AAAACCCGGA	4620
GAATGTGCTC AAACGTCTTC AAC	ICCAAGA CCTCGTCCCG	TCACCTGCCA	ACTCATCCCG	4680
ACAACACTTC AATCCCCTCG AGTC	CGTTGAT CCAATTGCAT	GCTACCAAGC	ATCAGACCAT	4740
CGACAACATT TGAACAGAAG ACTO	CTAATCT TCTCTCGCCT	CTCCCCCGCT	TTCCTTATCT	4800
TCGTACCGGT ACCTGATGAT TCCC	CCATTTT CCCCCTTTTC	CCCCCAATTT	CCCAGAACCT	4860
CCTGTTCCCT TTGTTCCTAG TCCT	CCCGGG TGCCGACGCC	GAAGCGATTT	AAAAACCTTT	4920
TTCTTTCCGA AACATTTCCC ATTC	SCTCATT AATAGTCAAA	TTGAATAAAC	AGTGTATGTA	4980
СТТАЛАЛАЛА АЛАЛАЛАЛА АЛАЛ	AAAAAA GGCCTATGCG	GCCGGGCCAT	GGAGGCCGAA	5040
TTCCCGGGGA TCCGTCGACC TGC	AGCCAAG CTAATTCCGG	GCGAATTTCT	TATGATTTAT	5100

135

GATTTTATT ATTAAATAAG TTATAAAAAA AATAAGTGTA TACAAATTTT AAAGTGACTC 5160 TTAGGTTTTA AAACGAAAAT TCTTGTTCTT GAGTAACTCT TTCCTGTAGG TCAGGTTGCT 5220 TTCTCAGGTA TAGCATGAGG TCGCTCTTAT TGACCACACC TCTACCGGCA TGCAAGCTTG 5280 GCGTAATCAT GGTCATAGCT GTTTCCTGTG TGAAATTGTT ATCCGCTCAC AATTCCACAC 5340 AACATACGAG CCGGAAGCAT AAAGTGTAAA GCCTGGGGTG CCTAATGAGT GAGGTAACTC 5400 ACATTAATTG CGTTGCGCTC ACTGCCCGCT TTCCAGTCGG GAAACCTGTC GTGCCAGCTG 5460 GATTAATGAA TCGGCCAACG CGCGGGGAGA GGCGGTTTGC GTATTGGGCG CTCTTCCGCT 5520 TCCTCGCTCA CTGACTCGCT GCGCTCGGTC GTTCGGCTGC GGCGAGCGGT ATCAGCTCAC 5580 TCAAAGGCGG TAATACGGTT ATCCACAGAA TCAGGGGATA ACGCAGGAAA GAACATGTGA 5640 GCAAAAGGCC AGCAAAAGGC CAGGAACCGT AAAAAGGCCG CGTTGCTGGC GTTTTTCCAT 5700 AGGCTCCGCC CCCCTGACGA GCATCACAAA AATCGACGCT CAAGTCAGAG GTGGCGAAAC 5760 CCGACAGGAC TATAAAGATA CCAGGCGTTT CCCCCTGGAA GCTCCCTCGT GCGCTCTCCT 5820 GTTCCGACCC TGCCGCTTAC CGGATACCTG TCCGCCTTTC TCCCTTCGGG AAGCGTGGCG 5880 CTTTCTCATA GCTCACGCTG TAGGTATCTC AGTTCGGTGT AGGTCGTTCG CTCCAAGCTG 5940 GGCTGTGTGC ACGAACCCCC CGTTCAGCCC GACCGCTGCG CCTTATCCGG TAACTATCGT 6000 CTTGAGTCCA ACCCGGTAAG ACACGACTTA TCGCCACTGG CAGCAGCCAC TGGTAACAGG 6060 ATTAGCAGAG CGAGGTATGT AGGCGGTGCT ACAGAGTTCT TGAAGTGGTG GCCTAACTAC 6120 GGCTACACTA GAAGGACAGT ATTTGGTATC TGCGCTCTGC TGAAGCCAGT TACCTTCGGA 6180 AAAAGAGTTG GTAGCTCTTG ATCCGGCAAA CAAACCACCG CTGGTAGCGG TGGTTTTTTT 6240 GTTTGCAAGC AGCAGATTAC GCGCAGAAAA AAAGGATCTC AAGAAGATCC TTTGATCTTT 6300 TCTACGGGGT CTGACGCTCA GTGGAACGAA AACTCACGTT AAGGGATTTT GGTCATGAGA 6360 6420 TARAGTATAT ATGAGTARAC TTGGTCTGAC AGTTACCAAT GCTTAATCAG TGAGGCACCT 6480 ATCTCAGCGA TCTGTCTATT TCGTTCATCC ATAGTTGCCT GACTCCCCGT CGTGTAGATA 6540 ACTACGATAC GGGAGGGCTT ACCATCTGGC CCCAGTGCTG CAATGATACC GCGAGACCCA 6600 CGCTCACCGG CTCCAGATTT ATCAGCAATA AACCAGCCAG CCGGAAGGGC CGAGCGCAGA 6660 AGTGGTCCTG CAACTTTATC CGCCTCCATC CAGTCTATTA ATTGTTGCCG GGAAGCTAGA 6720 GTAAGTAGTT CGCCAGTTAA TAGTTTGCGC AACGTTGTTG CCATTGCTAC AGGCATCGTG 6780 GTGTCACGCT CGTCGTTTGG TATGGCTTCA TTCAGCTCCG GTTCCCAACG ATCAAGGCGA 6840 GTTACATGAT CCCCCATGTT GTGCAAAAAA GCGGTTAGCT CCTTCGGTCC TCCGATCGTT 6900 GTCAGAAGTA AGTTGGCCGC AGTGTTATCA CTCATGGTTA TGGCAGCACT GCATAATTCT 6960 CTTACTGTCA TGCCATCCGT AAGATGCTTT TCTGTGACTG GTGAGTACTC AACCAAGTCA 7020

	TTCTGAGAAT	AGTGTATGCG	GCGACCGAGT	TGCTCTTGCC	CGGCGTCAAT	ACGGGATAAT	7080
	ACCGCGCCAC	ATAGCAGAAC	TTTAAAAGTG	CTCATCATTG	GAAAACGTTC	TTCGGGGCGA	7140
	AAACTCTCAA	GGATCTTACC	GCTGTTGAGA	TCCAGTTCGA	TGTAACCCAC	TCGTGCACCC	7200
	AACTGATCTT	CAGCATCTTT	TACTTTCACC	AGCGTTTCTG	GGTGAGCAAA	AACAGGAAGG	7260
	CAAAATGCCG	CAAAAAAGGG	AATAAGGGCG	ACACGGAAAT	GTTGAATACT	CATACTCTTC	7320
	CTTTTTCAAT	ATTATTGAAG	CATTTATCAG	GGTTATTGTC	TCATGAGCGG	ATACATATTT	7380
	GAATGTATTT	AGAAAAATAA	ACAAATAGGG	GTTCCGCGCA	CATTTCCCCG	AAAAGTGCCA	7440
	CCTGAACGAA	GCATCTGTGC	TTCATTTTGT	AGAACAAAAA	TGCAACGCGA	GAGCGCTAAT	7500
	TTTTCAAACA	AAGAATCTGA	GCTGCATTTT	TACAGAACAG	AAATGCAACG	CGAAAGCGCT	7560
	ATTTTACCAA	CGAAGAATCT	GTGCTTCATT	TTTGTAAAAC	AAAAATGCAA	CGCGAGAGCG	7620
	CTAATTTTC	AAACAAAGAA	TCTGAGCTGC	ATTTTTACAG	AACAGAAATG	CAACGCGAGA	7680
	GCGCTATTTT	ACCAACAAAG	AATCTATACT	TCTTTTTTGT	TCTACAAAAA	TGCATCCCGA	7740
	GAGCGCTATT	TTTCTAACAA	AGCATCTTAG	ATTACTTTTT	TTCTCCTTTG	TGCGCTCTAT	7800
	AATGCAGTCT	CTTGATAACT	TTTTGCACTG	TAGGTCCGTT	AAGGTTAGAA	GAAGGCTACT	7860
	TTGGTGTCTA	TTTTCTCTTC	САТАААААА	GCCTGACTCC	ACTTCCCGCG	TTTACTGATT	7920
	actagcgaag	CTGCGGGTGC	ATTTTTTCAA	GATAAAGGCA	TCCCCGATTA	TATTCTATAC	7980
•	CGATGTGGAT	TGCGCATACT	TTGTGAACAG	AAAGTGATAG	CGTTGATGAT	TCTTCATTGG	8040
	TCAGAAAATT	ATGAACGGTT	TCTTCTATTT	TGTCTCTATA	TACTACGTAT	AGGAAATGTT	8100
	TACATTTTCG	TATTGTTTTC	GATTCACTCT	ATGAATAGTT	CTTACTACAA	TTTTTTTGTC	8160
	TAAAGAGTAA	TACTAGAGAT	AAACATAAAA	AATGTAGAGG	TCGAGTTTAG	ATGCAAGTTC	8220
	AAGGAGCGAA	AGGTGGATGG	GTAGGTTATA	TAGGGATATA	GCACAGAGAT	ATATAGCAAA	8280
	GAGATACTTT	TGAGCAATGT	TTGTGGAAGC	GGTATTCGCA	ATATTTTAGT	AGCTCGTTAC	8340
	AGTCCGGTGC	GTTTTTGGTT	TTTTGAAAGT	GCGTCTTCAG	AGCGCTTTTG	GTTTTCAAAA	8400
	GCGCTCTGAA	GTTCCTATAC	TTTCTAGAGA	ATAGGAACTT	CGGAATAGGA	ACTTCAAAGC	8460
	GTTTCCGAAA	ACGAGCGCTT	CCGAAAATGC	AACGCGAGCT	GCGCACATAC	AGCTCACTGT	8520
	TCACGTCGCA	CCTATATCTG	CGTGTTGCCT	GTATATATAT	ATACATGAGA	AGAACGGCAT	8580
	AGTGCGTGTT	TATGCTTAAA	TGCGTACTTA	TATGCGTCTA	TTTATGTAGG	ATGAAAGGTA	8640
	GTCTAGTACC	TCCTGTGATA	TTATCCCATT	CCATGCGGGG	TATCGTATGC	TTCCTTCAGC	8700
	ACTACCCTTT	AGCTGTTCTA	TATGCTGCCA	CTCCTCAATT	GGATTAGTCT	CATCCTTCAA	8760
	TGCTATCATT	TCCTTTGATA	TTGGATCATA	TTAAGAAACC	ATTATTATCA	TGACATTAAC	8820
	СТАТАААААТ	AGGCGTATCA	CGAGGCCCTT	TCGTCTCGCG	CGTTTCGGTG	ATGACGGTGA	8880
	AAACCTCTGA	CACATGCAGC	TCCCGGAGAC	GGTCACAGCT	TGTCTGTAAG	CGGATGCCGG	8940

GAGCAGACAA	GCCCGTCAGG	GCGCGTCAGC	GGGTGTTGGC	GGGTGTCGGG	GCTGGCTTAA	9000
CTATGCGGCA	TCAGAGCAGA	TTGTACTGAG	AGTGCACCAT	AGATCAACGA	CATTACTATA	9060
TATATAATAT	AGGAAGCATT	TAATAGACAG	CATCGTAATA	TATGTGTACT	TTGCAGTTAT	9120
GACGCCAGAT	GGCAGTAGTG	GAAGATATTC	TTTATTGAAA	AATAGCTTGT	CACCTTACGT	9180
ACAATCTTGA	TCCGGAGCTT	TTCTTTTTT	GCCGATTAAG	AATTAATTCG	GTCGAAAAAA	9240
GAAAAGGAGA	GGGCCAAGAG	GGAGGGCATT	GGTGACTATT	GAGCACGTGA	GTATACGTGA	9300
TTAAGCACAC	AAAGGCAGCT	TGGAGTATGT	CTGTTATTAA	TTTCACAGGT	AGTTCTGGTC	9360
CATTGGTGAA	AGTTTGCGGC	TTGCAGAGCA	CAGAGGCCGC	AGAATGTGCT	CTAGATTCCG	9420
ATGCTGACTT	GCTGGGTATT	ATATGTGTGC	CCAATAGAAA	GAGAACAATT	GACCCGGTTA	9480
TTGCAAGGAA	AATTTCAAGT	CTTGTAAAAG	CATATAAAAA	TAGTTCAGGC	ACTCCGAAAT	9540
ACTTGGTTGG	CGTGTTTCGT	AATCAACCTA	AGGAGGATGT	TTTGGCTCTG	GTCAATGATT	9600
ACGGCATTGA	TATCGTCCAA	CTGCATGGAG	ATGAGTCGTG	GCAAGAATAC	CAAGAGTTCC	9660
TCGGTTTGCC	AGTTATTAAA	AGACTCGTAT	TTCCAAAAGA	CTGCAACATA	CTACTCAGTG	9720
CAGCTTCACA	GAAACCTCAT	TCGTTTATTC	CCTTGTTTGA	TTCAGAAGCA	GGTGGGACAG	9780
GTGAACTTTT	GGATTGGAAC	TCGATTTCTG	ACTGGGTTGG	AAGGCAAGAG	AGCCCCGAAA	9840
GCTTACATTT	TATGTTAGCT	GGTGGACTGA	CGCCAGAAAA	TGTTGGTGAT	GCGCTTAGAT	9900
TAAATGGCGT	TATTGGTGTT	GATGTAAGCG	GAGGTGTGGA	GACAAATGGT	GTAAAAGACT	9960
CTAACAAAAT	AGCAAATTTC	GTCAAAAATG	CTAAGAAATA	GGTTATTACT	GAGTAGTATT	10020
TATTTAAGTA	TTGTTTGTGC	ACTTGCCGAT	CTATGCGGTG	TGAAATACCG	CACAGATGCG	10080
TAAGGAGAAA	ATACCGCATC	AGGAAATTGT	AAACGTTAAT	ATTTTGTTAA	AATTCGCGTT	10140
AAATTTTTGT	TAAATCAGCT	CATTTTTAA	CCAATAGGCC	GAAATCGGCA	AAATCCCTTA	10200
TAAATCAAAA	GAATAGACCG	AGATAGGGTT	GAGTGTTGTT	CCAGTTTGGA	ACAAGAGTCC	10260
ACTATTAAAG	AACGTGGACT	CCAACGTCAA	AGGGCGAAAA	ACCGTCTATC	AGGGCGATGG	10320
CCCACTACGT	GAACCATCAC	CCTAATCAAG	TTTTTTGGGG	TCGAGGTGCC	GTAAAGCACT	10380
AAATCGGAAC	CCTAAAGGGA	GCCCCGATT	TAGAGCTTGA	CGGGGAAAGC	CGGCGAACGT	10440
GGCGAGAAAG	GAAGGGAAGA	AAGCGAAAGG	AGCGGGCGCT	AGGGCGCTGG	CAAGTGTAGC	10500
GGTCACGCTG	CGCGTAACCA	CCACACCCGC	CGCGCTTAAT	GCGCCGCTAC	AGGGCGCGTC	10560
GCGCCATTCG	CCATTCAGGC	TGCGCAACTG	TTGGGAAGGG	CGATCGGTGC	GGGCCTCTTC	10620
					GGGTAACGCC	
					TTCGCGAGCT	
					TCAAGCAAGG	
TTTTCAGTAI	AATGTTACAT	GCGTACACGC	GTCTGTACAG	<b>, аааааааа</b>	AAAATTTGAA	10860

ATATAAATAA	CGTTCTTAAT	ACTAACATAA	СТАТААААА	ATAAATAGGG	ACCTAGACTT	10920
CAGGTTGTCT	AACTCCTTCC	TTTTCGGTTA	GAGCGGATGT	GGGGGGAGGG	CGTGAATGTA	10980
AGCGTGACAT	AACTAATTAC	ATGATATCGA	CAAAGGAAAA	GGGGCCTGTT	TACTCACAGG	11040
CTTTTTTCAA	GTAGGTAATT	AAGTCGTTTC	TGTCTTTTTC	CTTCTTCAAC	CCACCAAAGG	11100
CCATCTTGGT	ACTTTTTTT	TTTTTTTTT	TTTTTTTTT	TTTTTTTTT	TTTTTTTTT	11160
	TTTTTTTTT				•	11220
	GTTGAATTAG					11280
GCTTTTTGTT	GATGCGCTTA	AGCGATCAAT	TCAACAACAC	CACCAGCAGC	TCTGATTTTT	11340
TCTTCAGCCA	ACTTGGAGAC	GAATCTAGCT	TTGACGATAA	CTGGAACATT	TGGGATTCTA	11400
CCCTTACCCA	AGATCTTACC	GTAACCGGCT	GCCAAAGTGT	CAATAACTGG	AGCAGTTTCC	11460
TTAGAAGCAG	ATTTCAAGTA	TTGGTCTCTC	TTGTCTTCTG	GGATCAATGT	CCACAATTTG	11520
TCCAAGTTCA	AGACTGGCTT	CCAGAAATGA	GCTTGTTGCT	TGTGGAAGTA	TCTCATACCA	11580
ANCCTTACCG	AAATAACCTG	GATGGTÄTTT	ATCCATGTTA	ATTCTGTGGT	GATGTTGACC	11640
ACCGGCCATA	CCTCTACCAC	CGGGGTGCTT	TCTGTGCTTA	CCGATACGAC	CTTTACCGGC	11700
TGAGACGTGA	CCTCTGTGCT	TTCTAGTCTT	AGTGAATCTG	GAAGGCATTC	TTGATTAGTT	11760
GGATGATTGT	TCTGGGATTT	AATGCAAAAA	AATCACTAAG	AAGGAAAAA	ATCAACGGAG	11820
AAAGCAAACG	CCATCTTAAA	TATACGGGAT	ACAGATGAAA	GGTTTGAACC	TATCTGGGAA	11880
AATACGCATT	AAACAAGCGA	AAAACTGCGA	GGAAAATTGT	TTGCGTCTCT	GCGGGCTATT	11940
CACGCGCCAG	AGGAAAATAG	GAAAAATAAC	AGGGCATTAG	АААААТААТТ	TTGATTTTGG	12000
TAATGTGTGG	GTCCCTGGTG	TACAGATGTT	ACATTGGTTA	CAGTACTCTT	GTTTTTGCTG	12060
TGTTTTTCGA	TGAATCTCCA	AAATGGTTGT	TAGCACATGG	AAGAGTCACC	GATGCTAAGT	12120
TATCTCTATG	TAAGCTACGT	GGCGTGACTT	TTGATGAAGC	CGCACAAGAG	ATACAGGATT	12180
GGCAACTGCA	AATAGAATCT	GGGGATCTAG	ATATCCTTTT	GTTGTTTCCG	GGTGTACAAT	12240
ATGGACTTCC	TCTTTTCTGG	CAACCAAACC	CATACATCGG	GATTCCTATA	ATACCTTCGT	12300
TGGTCTCCCT	AACATGTAGG	TGGCGGAGGG	GAGATATACA	ATAGAACAGA	TACCAGACAA	12360
GACATAATGG	GCTAAACAAG	ACTACACCAA	TTACACTGCC	TCATTGATGG	TGGTACATAA	12420
CGAACTAATA	CTGTAGCCCT	AGACTTGATA	GCCATCATCA	TATCGAAGTT	TCACTACCCT	12480
TTTTCCATTT	GCCATCTATT	GAAGTAATAA	TAGGCGCATG	CAACTTCTTT	TCTTTTTTT	12540
TCTTTTCTCT	CTCCCCGTT	GTTGTCTCAC	CATATCCGCA	ATGACAAAAA	AAATGATGGA	12600
AGACACTAAA	GGAAAAAATT	AACGACAAAG	ACAGCACCAA	CAGATGTCGT	TGTTCCAGAG	12660
CTGATGAGGG	GTATCTTCGA	ACACACGAAA	CTTTTTCCTT	CCTTCATTCA	CGCACACTAC	12720
TCTCTAATGA	GCAACGGTAT	ACGGCCTTCC	TTCCAGTTAC	TTGAATTTGA	AAAAAAAAA	12780

139

GTTTGCCGCT	TTGCTATCAA	GTATAAATAG	ACCTGCAATT	ATTAATCTTT	TGTTTCCTCG	12840
TCATTGTTCT	CGTTCCCTTT	CTTCCTTGTT	TCTTTTTCTG	CACAATATTT	CAAGCTATAC	12900
CAAGCATACA	ATCAACTCCA	AGCTTGAAGC	AAGCCTCCTG	AAAGATGAAG	CTACTGTCTT	12960
CTATCGAACA	AGCATGCGAT	ATTTGCCGAC	TTAAAAAGCT	CAAGTGCTCC	AAAGAAAAAC	13020
CGAAGTGCGC	CAAGTGTCTG	AAGAACAACT	GGGAGTGTCG	CTACTCTCCC	ААААССАААА	13080
GGTCTCCGCT	GACTAGGGCA	CATCTGACAG	AAGTGGAATC	AAGGCTAGAA	AGACTGGAAC	13140
AGCTATTTCT	ACTGATTTTT	CCTCGAGAAG	ACCTTGACAT	GATTTTGAAA	ATGGATTCTT	13200
TACAGGATAT	AAAAGCATTG	TTAACAGGAT	TATTTGTACA	AGATAATGTG	aataaagatg	13260
CCGTCACAGA	TAGATTGGCT	TCAGTGGAGA	CTGATATGCC	TCTAACATTG	AGACAGCATA	13320
GAATAAGTGC	GACATCATCA	TCGGAAGAGA	GTAGTAACAA	AGGTCAAAGA	CAGTTGACTG	13380
TATCGCCGGA	ATTGCAATAC	CCAGCTTTGA	CTCA			13414

#### (2) INFORMATION FOR SEQ ID NO: 28:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 10288 base pairs
  - (B) TYPE: nucleic acid

  - (C) STRANDEDNESS: double (D) TOPOLOGY: circular
- (ii) MOLECULE TYPE: other nucleic acid (A) DESCRIPTION: /desc = "plasmid"
- (iii) HYPOTHETICAL: NO
- (ix) FEATURE:

  - (A) NAME/KEY: misc_feature
    (B) LOCATION:8456
    (D) OTHER INFORMATION:/note= "N is A,C,G, or T"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 28:

TATGCCATCA	ATTTCCGGAT	CTCAAGGAAC	TCTTGACAAC	ATTGATGTGA	TTGAGTTGAA	60
GCAAGAGCTC	AAAGAACGCG	ATAGTGCACT	TTACGAAGTC	CGCCTTGACA	ATCTGGATCG	120
TGCCCGCGAA	GTTGATGTTC	TGAGGGAGAC	AGTGAACAAG	TTGAAAACCG	AGAACAAGCA	180
ATTAAAGAAA	GAAGTGGACA	AACTCACCAA	CGGTCCAGCC	ACTCGTGCTT	CTTCCCGCGC	240
CTCAATTCCA	GTTATCTACG	ACGATGAGCA	TGTCTATGAT	GCAGCGTGTA	GCAGTACATC	300
AGCTAGTCAA	TCTTCGAAAC	GATCCTCTGG	CTGCAACTCA	ATCAAGGTTA	CTGTAAACGT	360
GGACATCGCT	GGAGAAATCA	GTTCGATCGT	TAACCCGGAC	AAAGAGATAA	TCGTAGGATA	420
TCTTGCCATG	TCAACCAGTC	AGTCATGCTG	GAAAGACATT	GATGTTTCTA	TTCTAGGACT	480
ATTTGAAGTC	TACCTATCCA	GAATTGATGT	GGAGCATCAA	CTTGGAATCG	ATGCTCGTGA	540

						500
TTCTATCCTT	GGCTATCAAA	TTGGTGAACT	TCGACGCGTC	ATTGGAGACT	CCACAACCAT	600
GATAACCAGC	CATCCAACTG	ACATTCTTAC	TTCCTCAACT	ACAATCCGAA	TGTTCATGCA	660
CGGTGCCGCA	CAGAGTCGCG	TAGACAGTCT	GGTCCTTGAT	ATGCTTCTTC	CAAAGCAAAT	720
GATTCTCCAA	CTCGTCAAGT	CAATTTTGAC	AGAGAGACGT	CTGGTGTTAG	CTGGAGCAAC	780
TGGAATTGGA	AAGAGCAAAC	TGGCGAAGAC	CCTGGCTGCT	TATGTATCTA	TTCGAACAAA	840
TCAATCCGAA	GATAGTATTG	TTAATATCAG	CATTCCTGAA	AACAATAAAG	AAGAATTGCT	900
TCAAGTGGAA	CGACGCCTGG	AAAAGATCTT	GAGAAGCAAA	GAATCATGCA	TCGTAATTCT	960
AGATAATATC	CCAAAGAATC	GAATTGCATT	TGTTGTATCC	GTTTTTGCAA	ATGTCCCACT	1020
TCAAAACAAC	GAAGGTCCAT	TTGTAGTATG	CACAGTCAAC	CGATATCAAA	TCCCTGAGCT	1080
TCAAATTCAC	CACAATTTCA	AAATGTCAGT	AATGTCGAAT	CGTCTCGAAG	GATTCATCCT	1140
ACGTTACCTC	CGACGACGGG	CGGTAGAGGA	TGAGTATCGT	CTAACTGTAC	AGATGCCATC	1200
AGAGCTCTTC	AAAATCATTG	ACTTCTTCCC	AATAGCTCTT	CAGGCCGTCA	ATAATTTTAT	1260
TGAGAAAACG	AATTCTGTTG	ATGTGACAGT	TGGTCCAAGA	GCATGCTTGA	ACTGTCCTCT	1320
AACTGTCGAT	GGATCCCGTG	AATGGTTCAT	TCGATTGTGG	AATGAGAACT	TCATTCCATA	1380
TTTGGAACGT	GTTGCTAGAG	ATGGCAAAAA	AACCTTCGGT	CGCTGCACTT	CCTTCGAGGA	1440
TCCCACCGAC	ATCGTCTCTA	AAAAATGGCC	GTGGTTCGAT	GGTGAAAACC	CGGAGAATGT	1500
GCTCAAACGT	CTTCAACTCC	AAGACCTCGT	CCCGTCACCT	GCCAACTCAT	CCCGACAACA	1560
CTTCAATCCC	CTCGAGTCGT	TGATCCAATT	GCATGCTACC	AAGCATCAGA	CCATCGACAA	1620
CATTTGAACA	GAAGACTCTA	ATCTTCTCTC	GCCTCTCCCC	CGCTTTCCTT	ATCTTCGTAC	1680
CGGTACCTGA	TGATTCCCCA	TTTTCCCCCT	TTTCCCCCCA	ATTTCCCAGA	ACCTCCTGTT	1740
CCCTTTGTTC	CTAGTCCTCC	CGGGTGCCGA	CGCCGAAGCG	ATTTAAAAAC	CTTTTTCTTT	1800
CCGAAACATT	TCCCATTGCT	CATTAATAGT	CAAATTGAAT	AAACAGTGTA	TGTACTTAAA	1860
ааааааааа	ААААААААА	AAAAGGCCTA	TGCGGCCGGG	CCATGGAGGC	CGAATTCCCG	1920
GGGATCCGTC	GACCTGCAGC	CAAGCTAATT	CCGGGCGAAT	TTCTTATGAT	TTATGATTTT	1980
TATTATTAAA	TAAGTTATAA	AAAAAATAAG	TGTATACAAA	TTTTAAAGTG	ACTCTTAGGT	2040
TTTAAAACGA	AAATTCTTGT	TCTTGAGTAA	CTCTTTCCTG	TAGGTCAGGT	TGCTTTCTCA	2100
GGTATAGCAT	GAGGTCGCTC	TTATTGACCA	CACCTCTACC	GGCATGCAAG	CTTGGCGTAA	2160
TCATGGTCAT	AGCTGTTTCC	TGTGTGAAAT	TGTTATCCGC	TCACAATTCC	ACACAACATA	2220
CGAGCCGGAA	GCATAAAGTG	TAAAGCCTGG	GGTGCCTAAT	GAGTGAGGTA	ACTCACATTA	2280
ATTGCGTTGC	GCTCACTGCC	CGCTTTCCAG	TCGGGAAACC	TGTCGTGCCA	GCTGGATTAA	2340
TGAATCGGCC	AACGCGCGGG	GAGAGGCGGT	TTGCGTATTG	GGCGCTCTTC	CGCTTCCTCG	2400
CTCACTGACT	CGCTGCGCTC	GGTCGTTCGG	CTGCGGCGAG	CGGTATCAGC	TCACTCAAAG	2460

141

GCGGTAATAC GGTTATCCAC AGAATCAGGG GATAACGCAG GAAAGAACAT GTGAGCAAAA 2520 GGCCAGCAAA AGGCCAGGAA CCGTAAAAAG GCCGCGTTGC TGGCGTTTTT CCATAGGCTC 2580 CGCCCCCTG ACGAGCATCA CAAAAATCGA CGCTCAAGTC AGAGGTGGCG AAACCCGACA 2640 GGACTATAAA GATACCAGGC GTTTCCCCCT GGAAGCTCCC TCGTGCGCTC TCCTGTTCCG 2700 ACCCTGCCGC TTACCGGATA CCTGTCCGCC TTTCTCCCTT CGGGAAGCGT GGCGCTTTCT 2760 CATAGCTCAC GCTGTAGGTA TCTCAGTTCG GTGTAGGTCG TTCGCTCCAA GCTGGGCTGT 2820 GTGCACGAAC CCCCGTTCA GCCCGACCGC TGCGCCTTAT CCGGTAACTA TCGTCTTGAG 2880 TCCAACCGG TAAGACACGA CTTATCGCCA CTGGCAGCAG CCACTGGTAA CAGGATTAGC 2940 AGAGCGAGGT ATGTAGGCGG TGCTACAGAG TTCTTGAAGT GGTGGCCTAA CTACGGCTAC 3000 ACTAGAAGGA CAGTATTTGG TATCTGCGCT CTGCTGAAGC CAGTTACCTT CGGAAAAAGA 3060 GTTGGTAGCT CTTGATCCGG CAAACAAACC ACCGCTGGTA GCGGTGGTTT TTTTGTTTGC 3120 AAGCAGCAGA TTACGCGCAG AAAAAAAGGA TCTCAAGAAG ATCCTTTGAT CTTTTCTACG 3180 GGGTCTGACG CTCAGTGGAA CGAAAACTCA CGTTAAGGGA TTTTGGTCAT GAGATTATCA 3240 AAAAGGATCT TCACCTAGAT CCTTTTAAAT TAAAAATGAA GTTTTAAATC AATCTAAAGT 3300 ATATATGAGT ARACTTGGTC TGACAGTTAC CARTGCTTAR TCAGTGAGGC ACCTATCTCA 3360 GCGATCTGTC TATTTCGTTC ATCCATAGTT GCCTGACTCC CCGTCGTGTA GATAACTACG 3420 ATACGGGAGG GCTTACCATC TGGCCCCAGT GCTGCAATGA TACCGCGAGA CCCACGCTCA 3480 CCGGCTCCAG ATTTATCAGC AATAAACCAG CCAGCCGGAA GGGCCGAGCG CAGAAGTGGT 3540 CCTGCAACTT TATCCGCCTC CATCCAGTCT ATTAATTGTT GCCGGGAAGC TAGAGTAAGT 3600 AGTTCGCCAG TTAATAGTTT GCGCAACGTT GTTGCCATTG CTACAGGCAT CGTGGTGTCA 3660 CGCTCGTCGT TTGGTATGGC TTCATTCAGC TCCGGTTCCC AACGATCAAG GCGAGTTACA 3720 TGATCCCCCA TGTTGTGCAA AAAAGCGGTT AGCTCCTTCG GTCCTCCGAT CGTTGTCAGA 3780 AGTAAGTTGG CCGCAGTGTT ATCACTCATG GTTATGGCAG CACTGCATAA TTCTCTTACT 3840 GTCATGCCAT CCGTAAGATG CTTTTCTGTG ACTGGTGAGT ACTCAACCAA GTCATTCTGA 3900 GAATAGTGTA TGCGGCGACC GAGTTGCTCT TGCCCGGCGT CAATACGGGA TAATACCGCG 3960 CCACATAGCA GAACTTTAAA AGTGCTCATC ATTGGAAAAC GTTCTTCGGG GCGAAAACTC 4020 TCAAGGATCT TACCGCTGTT GAGATCCAGT TCGATGTAAC CCACTCGTGC ACCCAACTGA 4080 TCTTCAGCAT CTTTTACTTT CACCAGCGTT TCTGGGTGAG CAAAAACAGG AAGGCAAAAT 4140 GCCGCAAAAA AGGGAATAAG GGCGACACGG AAATGTTGAA TACTCATACT CTTCCTTTTT 4200 CAATATTATT GAAGCATTTA TCAGGGTTAT TGTCTCATGA GCGGATACAT ATTTGAATGT 4260 ATTTAGAAAA ATAAACAAAT AGGGGTTCCG CGCACATTTC CCCGAAAAGT GCCACCTGAA 4320 CGAAGCATCT GTGCTTCATT TTGTAGAACA AAAATGCAAC GCGAGAGCGC TAATTTTTCA 4380

AACAAAGAAT CTGAGCTGCA	TTTTTACAGA	ACAGAAATGC	AACGCGAAAG	CGCTATTTTA	4440
CCAACGAAGA ATCTGTGCTT	CATTTTTGTA	AAACAAAAAT	GCAACGCGAG	AGCGCTAATT	4500
TTTCAAACAA AGAATCTGAG	CTGCATTTTT	ACAGAACAGA	AATGCAACGC	GAGAGCGCTA	4560
TTTTACCAAC AAAGAATCTA	TACTTCTTTT	TTGTTCTACA	AAAATGCATC	CCGAGAGCGC	4620
TATTTTCTA ACAAAGCATO	TTAGATTACT	TTTTTTCTCC	TTTGTGCGCT	CTATAATGCA	4680
GTCTCTTGAT AACTTTTTGC	ACTGTAGGTC	CGTTAAGGTT	AGAAGAAGGC	TACTTTGGTG	4740
TCTATTTCT CTTCCATAAA	AAAAGCCTGA	CTCCACTTCC	CGCGTTTACT	GATTACTAGC	4800
GAAGCTGCGG GTGCATTTTT	TCAAGATAAA	GGCATCCCCG	ATTATATTCT	ATACCGATGT	4860
GGATTGCGCA TACTTTGTGA	ACAGAAAGTG	ATAGCGTTGA	TGATTCTTCA	TTGGTCAGAA	4920
AATTATGAAC GGTTTCTTCT	ATTTTGTCTC	TATATACTAC	GTATAGGAAA	TGTTTACATT	4980
TTCGTATTGT TTTCGATTCA	CTCTATGAAT	AGTTCTTACT	ACAATTTTTT	TGTCTAAAGA	5040
GTAATACTAG AGATAAACAT	AAAAAATGTA	GAGGTCGAGT	TTAGATGCAA	GTTCAAGGAG	5100
CGAAAGGTGG ATGGGTAGGT	TATATAGGGA	TATAGCACAG	AGATATATAG	CAAAGAGATA	5160
CTTTTGAGCA ATGTTTGTGG	AAGCGGTATT	CGCAATATTT	TAGTAGCTCG	TTACAGTCCG	5220
GTGCGTTTTT GGTTTTTTGA	AAGTGCGTCT	TCAGAGCGCT	TTTGGTTTTC	AAAAGCGCTC	5280
TGAAGTTCCT ATACTTTCTA	GAGAATAGGA	ACTTCGGAAT	AGGAACTTCA	AAGCGTTTCC	5340
GAAAACGAGC GCTTCCGAAA	ATGCAACGCG	AGCTGCGCAC	ATACAGCTCA	CTGTTCACGT	5400.
GAAAACGAGC GCTTCCGAAA CGCACCTATA TCTGCGTGTT					5400. 5460
	GCCTGTATAT	ATATATACAT	GAGAAGAACG	GCATAGTGCG	
CGCACCTATA TCTGCGTGTT	GCCTGTATAT	ATATATACAT TCTATTTATG	GAGAAGAACG TAGGATGAAA	GCATAGTGCG GGTAGTCTAG	5460
CGCACCTATA TCTGCGTGTT TGTTTATGCT TAAATGCGTA	GCCTGTATAT CTTATATGCG CATTCCATGC	ATATATACAT TCTATTTATG GGGGTATCGT	GAGAAGAACG TAGGATGAAA ATGCTTCCTT	GCATAGTGCG GGTAGTCTAG CAGCACTACC	5460 5520
CGCACCTATA TCTGCGTGTT TGTTTATGCT TAAATGCGTA TACCTCCTGT GATATTATCC	GCCTGTATAT CTTATATGCG CATTCCATGC GCCACTCCTC	ATATATACAT TCTATTTATG GGGGTATCGT AATTGGATTA	GAGAAGAACG TAGGATGAAA ATGCTTCCTT GTCTCATCCT	GCATAGTGCG GGTAGTCTAG CAGCACTACC TCAATGCTAT	5460 5520 5580
CGCACCTATA TCTGCGTGTT TGTTTATGCT TAAATGCGTA TACCTCCTGT GATATTATCC CTTTAGCTGT TCTATATGCT	GCCTGTATAT CTTATATGCG CATTCCATGC GCCACTCCTC CATATTAAGA	ATATATACAT TCTATTTATG GGGGTATCGT AATTGGATTA AACCATTATT	GAGAAGAACG TAGGATGAAA ATGCTTCCTT GTCTCATCCT ATCATGACAT	GCATAGTGCG GGTAGTCTAG CAGCACTACC TCAATGCTAT TAACCTATAA	5460 5520 5580 5640
CGCACCTATA TCTGCGTGTT TGTTTATGCT TAAATGCGTA TACCTCCTGT GATATTATCC CTTTAGCTGT TCTATATGCT CATTTCCTTT GATATTGGAT	GCCTGTATAT CTTATATGCG CATTCCATGC GCCACTCCTC CATATTAAGA CCTTTCGTCT	ATATATACAT TCTATTTATG GGGGTATCGT AATTGGATTA AACCATTATT CGCGCGTTTC	GAGAAGAACG TAGGATGAAA ATGCTTCCTT GTCTCATCCT ATCATGACAT GGTGATGACG	GCATAGTGCG GGTAGTCTAG CAGCACTACC TCAATGCTAT TAACCTATAA GTGAAAACCT	5460 5520 5580 5640 5700
CGCACCTATA TCTGCGTGTT TGTTTATGCT TAAATGCGTA TACCTCCTGT GATATTATCC CTTTAGCTGT TCTATATGCT CATTTCCTTT GATATTGGAT AAATAGGCGT ATCACGAGGC	GCCTGTATAT CTTATATGCG CATTCCATGC GCCACTCCTC CATATTAAGA CCTTTCGTCT AGACGGTCAC	ATATATACAT TCTATTTATG GGGGTATCGT AATTGGATTA AACCATTATT CGCGCGTTTC AGCTTGTCTG	GAGAAGAACG TAGGATGAAA ATGCTTCCTT GTCTCATCCT ATCATGACAT GGTGATGACG TAAGCGGATG	GCATAGTGCG GGTAGTCTAG CAGCACTACC TCAATGCTAT TAACCTATAA GTGAAAACCT CCGGGAGCAG	5460 5520 5580 5640 5700 5760
CGCACCTATA TCTGCGTGTT TGTTTATGCT TAAATGCGTA TACCTCCTGT GATATTATCC CTTTAGCTGT TCTATATGCT CATTTCCTTT GATATTGGAT AAATAGGCGT ATCACGAGGC CTGACACATG CAGCTCCCGG	GCCTGTATAT CTTATATGCG CATTCCATGC GCCACTCCTC CATATTAAGA CCTTTCGTCT AGACGGTCAC CAGCGGGTGT	ATATATACAT TCTATTTATG GGGGTATCGT AATTGGATTA AACCATTATT CGCGCGTTTC AGCTTGTCTG TGGCGGGTGT	GAGAAGAACG TAGGATGAAA ATGCTTCCTT GTCTCATCCT ATCATGACAT GGTGATGACG TAAGCGGATG CGGGGCTGGC	GCATAGTGCG GGTAGTCTAG CAGCACTACC TCAATGCTAT TAACCTATAA GTGAAAACCT CCGGGAGCAG TTAACTATGC	5460 5520 5580 5640 5700 5760 5820
CGCACCTATA TCTGCGTGTT TGTTTATGCT TAAATGCGTA TACCTCCTGT GATATTATCC CTTTAGCTGT TCTATATGCT CATTTCCTTT GATATTGGAT AAATAGGCGT ATCACGAGGC CTGACACATG CAGCTCCCGG ACAAGCCCGT CAGGGCGCGTT	GCCTGTATAT CTTATATGCG CATTCCATGC GCCACTCCTC CATATTAAGA CCTTTCGTCT AGACGGTCAC CAGCGGGTGT TGAGAGTGCA	ATATATACAT TCTATTTATG GGGGTATCGT AATTGGATTA AACCATTATT CGCGCGTTTC AGCTTGTCTG TGGCGGGTGT CCATAGATCA	GAGAAGAACG TAGGATGAAA ATGCTTCCTT GTCTCATCCT ATCATGACAT GGTGATGACG TAAGCGGATG CGGGGCTGGC ACGACATTAC	GCATAGTGCG GGTAGTCTAG CAGCACTACC TCAATGCTAT TAACCTATAA GTGAAAACCT CCGGGAGCAG TTAACTATGC TATATATATA	5460 5520 5580 5640 5700 5760 5820 5880
CGCACCTATA TCTGCGTGTT TGTTTATGCT TAAATGCGTA TACCTCCTGT GATATTATCC CTTTAGCTGT TCTATATGCT CATTTCCTTT GATATTGGAT AAATAGGCGT ATCACGAGGC CTGACACATG CAGCTCCCGG ACAAGCCCGT CAGGGCGCGT GGCATCAGAG CAGATTGTAC	GCCTGTATAT CTTATATGCG CATTCCATGC GCCACTCCTC CATATTAAGA CCTTTCGTCT AGACGGTCAC CAGCGGGTGT TGAGAGTGCA ACAGCATCGT	ATATATACAT TCTATTTATG GGGGTATCGT AATTGGATTA AACCATTATT CGCGCGTTTC AGCTTGTCTG TGGCGGGTGT CCATAGATCA AATATATGTG	GAGAAGAACG TAGGATGAAA ATGCTTCCTT GTCTCATCCT ATCATGACAT GGTGATGACG TAAGCGGATG CGGGGCTGGC ACGACATTAC TACTTTGCAG	GCATAGTGCG GGTAGTCTAG CAGCACTACC TCAATGCTAT TAACCTATAA GTGAAAACCT CCGGGAGCAG TTAACTATGC TATATATATA TTATGACGCC	5460 5520 5580 5640 5700 5760 5820 5880 5940
CGCACCTATA TCTGCGTGTT TGTTTATGCT TAAATGCGTAT TACCTCCTGT GATATTATCC CTTTAGCTGT TCTATATGCT CATTTCCTTT GATATTGGAT AAATAGGCGT ATCACGAGGC CTGACACATG CAGCTCCCGG ACAAGCCCGT CAGGGCGCGTT GGCATCAGAG CAGATTGTAC ATATAGGAAG CATTTAATAG	GCCTGTATAT CTTATATGCG CATTCCATGC GCCACTCCTC CATATTAAGA CCTTTCGTCT AGACGGTCAC CAGCGGGTGT TGAGAGTGCA ACAGCATCGT ATTCTTTATT	ATATATACAT TCTATTTATG GGGGTATCGT AATTGGATTA AACCATTATT CGCGCGTTTC AGCTTGTCTG TGGCGGGTGT CCATAGATCA AATATATGTG GAAAAATAGC	GAGAAGAACG TAGGATGAAA ATGCTTCCTT GTCTCATCCT ATCATGACAT GGTGATGACG TAAGCGGATG CGGGGCTGGC ACGACATTAC TACTTTGCAG TTGTCACCTT	GCATAGTGCG GGTAGTCTAG CAGCACTACC TCAATGCTAT TAACCTATAA GTGAAAACCT CCGGGAGCAG TTAACTATGC TATATATATA TTATGACGCC ACGTACAATC	5460 5520 5580 5640 5700 5760 5820 5880 5940 6000
CGCACCTATA TCTGCGTGTT TGTTTATGCT TARATGCGTAT TACCTCCTGT GATATTATCC CTTTAGCTGT TCTATATGCT CATTTCCTTT GATATTGGAT AAATAGGCGT ATCACGAGGC CTGACACATG CAGCTCCCGG ACAAGCCCGT CAGGGCGCGT GGCATCAGAG CAGATTGTAC ATATAGGAAG CATTTAATAG AGATGGCAGT AGTGGAAGAT	GCCTGTATAT CTTATATGCG CATTCCATGC GCCACTCCTC CATATTAAGA CCTTTCGTCT AGACGGTCAC CAGCGGGTGT TGAGAGTGCA ACAGCATCGT ATTCTTTATT TTTTGCCGAT	ATATATACAT TCTATTTATG GGGGTATCGT AATTGGATTA AACCATTATT CGCGCGTTTC AGCTTGTCTG TGGCGGGTGT CCATAGATCA AATATATGTG GAAAAATAGC TAAGAATTAA	GAGAAGAACG TAGGATGAAA ATGCTTCCTT GTCTCATCCT ATCATGACAT GGTGATGACG TAAGCGGATG CGGGGCTGGC ACGACATTAC TACTTTGCAG TTGTCACCTT TTCGGTCGAA	GCATAGTGCG GGTAGTCTAG CAGCACTACC TCAATGCTAT TAACCTATAA GTGAAAACCT CCGGGAGCAG TTAACTATGC TATATATATA TTATGACGCC ACGTACAATC AAAAGAAAAG	5460 5520 5580 5640 5700 5760 5820 5880 5940 6000 6060
CGCACCTATA TCTGCGTGTT TGTTTATGCT TAAATGCGTAT TACCTCCTGT GATATTATCCT CTTTAGCTGT TCTATATGCT CATTTCCTTT GATATTGGAT AAATAGGCGT ATCACGAGGCC CTGACACATG CAGGTCCCGGG ACAAGCCCGT CAGGGCGCGTT GGCATCAGAG CAGATTGTACC ATATAGGAAG CATTTAATAG AGATGGCAGT AGTGGAAGAT TTGATCCGGA GCTTTTCTTT	GCCTGTATAT CTTATATGCG CATTCCATGC GCCACTCCTC CATATTAAGA CCTTTCGTCT AGACGGTCAC CAGCGGGTGT TGAGAGTGCA ACAGCATCGT ATTCTTTATT TTTTGCCGAT CATTGGTGAC	ATATATACAT TCTATTTATG GGGGTATCGT AATTGGATTA AACCATTATT CGCGCGTTTC AGCTTGTCTG TGGCGGGTGT CCATAGATCA AATATATGTG GAAAAATAGC TAAGAATTAA TATTGAGCAC	GAGAAGAACG TAGGATGAAA ATGCTTCCTT GTCTCATCCT ATCATGACAT GGTGATGACG TAAGCGGATG CGGGGCTGGC ACGACATTAC TACTTTGCAG TTGTCACCTT TTCGGTCGAA GTGAGTATAC	GCATAGTGCG GGTAGTCTAG CAGCACTACC TCAATGCTAT TAACCTATAA GTGAAAACCT CCGGGAGCAG TTAACTATGC TATATATATA TTATGACGCC ACGTACAATC AAAAGAAAAG	5460 5520 5580 5640 5700 5760 5820 5880 6000 6060 6120

ACTTGCTGGG TATTATATGT GTGCCCAATA GAAAGAGAAC AATTGACCCG GTTATTGCAA 6360 GGAAAATTC AAGTCTTGTA AAAGCATATA AAAATAGTTC AGGCACTCCG AAATACTTGG 6420 TTGGCGTGTT TCGTAATCAA CCTAAGGAGG ATGTTTTGGC TCTGGTCAAT GATTACGGCA 6480 TTGATATCGT CCAACTGCAT GGAGATGAGT CGTGGCAAGA ATACCAAGAG TTCCTCGGTT 6540 TGCCAGTTAT TAAAAGACTC GTATTTCCAA AAGACTGCAA CATACTACTC AGTGCAGCTT 6600 CACAGAAACC TCATTCGTTT ATTCCCTTGT TTGATTCAGA AGCAGGTGGG ACAGGTGAAC 6660 TTTTGGATTG GAACTCGATT TCTGACTGGG TTGGAAGGCA AGAGAGCCCC GAAAGCTTAC 6720 ATTTTATGTT AGCTGGTGGA CTGACGCCAG AAAATGTTGG TGATGCGCTT AGATTAAATG 6780 GCGTTATTGG TGTTGATGTA AGCGGAGGTG TGGAGACAAA TGGTGTAAAA GACTCTAACA 6840 AAATAGCAAA TTTCGTCAAA AATGCTAAGA AATAGGTTAT TACTGAGTAG TATTTATTTA 6900 AGTATTGTTT GTGCACTTGC CGATCTATGC GGTGTGAAAT ACCGCACAGA TGCGTAAGGA 6960 7020 GAAAATACCG CATCAGGAAA TTGTAAACGT TAATATTTTG TTAAAATTCG CGTTAAATTT 7080 TTGTTAAATC AGCTCATTTT TTAACCAATA GGCCGAAATC GGCAAAATCC CTTATAAATC AAAAGAATAG ACCGAGATAG GGTTGAGTGT TGTTCCAGTT TGGAACAAGA GTCCACTATT 7140 AAAGAACGTG GACTCCAACG TCAAAGGGCG AAAAACCGTC TATCAGGGCG ATGGCCCACT 7200 ACGTGAACCA TCACCCTAAT CAAGTTTTTT GGGGTCGAGG TGCCGTAAAG CACTAAATCG 7260 GAACCCTAAA GGGAGCCCCC GATTTAGAGC TTGACGGGGA AAGCCGGCGA ACGTGGCGAG 7320 AAAGGAAGGG AAGAAAGCGA AAGGAGCGGG CGCTAGGGCG CTGGCAAGTG TAGCGGTCAC 7380 GCTGCGCGTA ACCACCACAC CCGCCGCGCT TAATGCGCCG CTACAGGGCG CGTCGCGCCA 7440 TTCGCCATTC AGGCTGCGCA ACTGTTGGGA AGGGCGATCG GTGCGGGCCT CTTCGCTATT 7500 ACGCCAGCTG GCGAAAGGGG GATGTGCTGC AAGGCGATTA AGTTGGGTAA CGCCAGGGTT 7560 TTCCCAGTCA CGACGTTGTA AAACGACGGC CAGTCGTCCA AGCTTTCGCG AGCTCGAGAT 7620 CCCGAGCTTT GCAAATTAAA GCCTTCGAGC GTCCCAAAAC CTTCTCAAGC AAGGTTTTCA 7680 7740 GTATAATGTT ACATGCGTAC ACGCGTCTGT ACAGAAAAAA AAGAAAAATT TGAAATATAA ATAACGTTCT TAATACTAAC ATAACTATAA AAAAATAAAT AGGGACCTAG ACTTCAGGTT 7800 7860 GTCTAACTCC TTCCTTTTCG GTTAGAGCGG ATGTGGGGGG AGGGCGTGAA TGTAAGCGTG ACATAACTAA TTACATGATA TCGACAAAGG AAAAGGGGCC TGTTTACTCA CAGGCTTTTT 7920 TCAAGTAGGT AATTAAGTCG TTTCTGTCTT TTTCCTTCTT CAACCCACCA AAGGCCATCT 7980 8040 8100 8160 AGATGTTGAA TTAGATTAAA CTGAAGATAT ATAATTTATT GGAAAATACA TAGAGCTTTT 8220 TGTTGATGCG CTTAAGCGAT CAATTCAACA ACACCACCAG CAGCTCTGAT TTTTTCTTCA

GCCAACTTGG AGACGAATCT	AGCTTTGACG	ATAACTGGAA	CATTTGGGAT	TCTACCCTTA	8280
CCCAAGATCT TACCGTAACC	GGCTGCCAAA	GTGTCAATAA	CTGGAGCAGT	TTCCTTAGAA	8340
GCAGATTTCA AGTATTGGTC	TCTCTTGTCT	TCTGGGATCA	ATGTCCACAA	TTTGTCCAAG	8400
TTCAAGACTG GCTTCCAGAA	ATGAGCTTGT	TGCTTGTGGA	AGTATCTCAT	ACCAANCETT	8460
ACCGAAATAA CCTGGATGGT	ATTTATCCAT	GTTAATTCTG	TGGTGATGTT	GACCACCGGC	8520
CATACCTCTA CCACCGGGGT	GCTTTCTGTG	CTTACCGATA	CGACCTTTAC	CGGCTGAGAC	8580
GTGACCTCTG TGCTTTCTAG	TCTTAGTGAA	TCTGGAAGGC	ATTCTTGATT	AGTTGGATGA	8640
TTGTTCTGGG ATTTAATGCA	AAAAAATCAC	TAAGAAGGAA	AAAAATCAAC	GGAGAAAGCA	8700
AACGCCATCT TAAATATACG	GGATACAGAT	GAAAGGTTTG	AACCTATCTG	GGAAAATACG	8760
CATTAAACAA GCGAAAAACT	GCGAGGAAAA	TTGTTTGCGT	CTCTGCGGGC	TATTCACGCG	8820
CCAGAGGAAA ATAGGAAAAA	TAACAGGGCA	TTAGAAAAAT	AATTTTGATT	TTGGTAATGT	8880
GTGGGTCCCT GGTGTACAGA	TGTTACATTG	GTTACAGTAC	TCTTGTTTTT	GCTGTGTTTT	8940
TCGATGAATC TCCAAAATGG	TTGTTAGCAC	ATGGAAGAGT	CACCGATGCT	AAGTTATCTC	9000
TATGTAAGCT ACGTGGCGTG	ACTTTTGATG	AAGCCGCACA	AGAGATACAG	GATTGGCAAC	9060
TGCAAATAGA ATCTGGGGAT	CTAGATATCC	TTTTGTTGTT	TCCGGGTGTA	CAATATGGAC	9120
TTCCTCTTTT CTGGCAACCA	AACCCATACA	TCGGGATTCC	TATAATACCT	TCGTTGGTCT	9180
CCCTAACATG TAGGTGGCGG	AGGGGAGATA	TACAATAGAA	CAGATACCAG	ACAAGACATA	9240
ATGGGCTAAA CAAGACTACA	CCAATTACAC	TGCCTCATTG	ATGGTGGTAC	ATAACGAACT	9300
AATACTGTAG CCCTAGACTT	GATAGCCATC	ATCATATCGA	AGTTTCACTA	CCCTTTTTCC	9360
ATTTGCCATC TATTGAAGTA	ATAATAGGCG	CATGCAACTT	CTTTTCTTTT	TTTTTCTTTT	9420
CTCTCTCCCC CGTTGTTGTC	TCACCATATC	CGCAATGACA	AAAAAAATGA	TGGAAGACAC	9480
TAAAGGAAAA AATTAACGAC	AAAGACAGCA	CCAACAGATG	TCGTTGTTCC	AGAGCTGATG	9540
AGGGGTATCT TCGAACACAC	GAAACTTTTT	CCTTCCTTCA	TTCACGCACA	CTACTCTCTA	9600
ATGAGCAACG GTATACGGCC	TTCCTTCCAG	TTACTTGAAT	TTGAAATAAA	AAAAGTTTGC	9660
CGCTTTGCTA TCAAGTATAA	ATAGACCTGC	AATTATTAAT	CTTTTGTTTC	CTCGTCATTG	9720
TTCTCGTTCC CTTTCTTCCT	TGTTTCTTTT	TCTGCACAAT	ATTTCAAGCT	ATACCAAGCA	9780
TACAATCAAC TCCAAGCTTG	AAGCAAGCCT	CCTGAAAGAT	GAAGCTACTG	TCTTCTATCG	9840
AACAAGCATG CGATATTTGC	CGACTTAAAA	AGCTCAAGTG	CTCCAAAGAA	AAACCGAAGT	9900
GCGCCAAGTG TCTGAAGAAC	AACTGGGAGT	GTCGCTACTC	TCCCAAAACC	AAAAGGTCTC	9960
CGCTGACTAG GGCACATCTG	ACAGAAGTGG	AATCAAGGCT	AGAAAGACTG	GAACAGCTAT	10020
TTCTACTGAT TTTTCCTCGA	GAAGACCTTG	ACATGATTTT	GAAAATGGAT	TCTTTACAGG	10080
ATATAAAAGC ATTGTTAACA	GGATTATTTG	TACAAGATAA	TGTGAATAAA	GATGCCGTCA	10140

145

CAGATAGATT	GGCTTCAGTG	GAGACTGATA	TGCCTCTAAC	ATTGAGACAG	CATAGAATAA	10200
GTGCGACATC	ATCATCGGAA	GAGAGTAGTA	ACAAAGGTCA	AAGACAGTTG	ACTGTATCGC	10260
CGGAATTGCA	ATACCCAGCT	TTGACTCA				10288

### (2) INFORMATION FOR SEQ ID NO: 29:

- (i) SEQUENCE CHARACTERISTICS:
  (A) LENGTH: 7625 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double (D) TOPOLOGY: circular
- (ii) MOLECULE TYPE: other nucleic acid (A) DESCRIPTION: /desc = "plasmid"
- (iii) HYPOTHETICAL: NO

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 29:

GCTTGCATGC AACTTCTTTT CTTTTTTTT CTTTTCTC	CTC TCCCCGTTG TTGTCTCACC 60
ATATCCGCAA TGACAAAAA AATGATGGAA GACACTAA	AAG GAAAAATTA ACGACAAAGA 120
CAGCACCAAC AGATGTCGTT GTTCCAGAGC TGATGAGG	GGG TATCTTCGAA CACACGAAAC 180
TTTTTCCTTC CTTCATTCAC GCACACTACT CTCTAATC	GAG CAACGGTATA CGGCCTTCCT 240
TCCAGTTACT TGAATTTGAA ATAAAAAAG TTTGCCGG	CTT TGCTATCAAG TATAAATAGA 300
CCTGCAATTA TTAATCTTTT GTTTCCTCGT CATTGTTC	CTC GTTCCCTTTC TTCCTTGTTT 360
CTTTTTCTGC ACASTATTTC AAGCTATACC AAGCATAC	CAA TCAACTCCAA GCTTTGCAAA 420
GATGGATAAA GCGGAATTAA TTCCCGAGCC TCCAAAAA	AAG AAGAGAAAGG TCGAATTGGG 480
TACCGCCGCC AATTTTAATC AAAGTGGGAA TATTGCTC	SAT AGCTCATTGT CCTTCACTTT 540
CACTARCAGT AGCARCGGTC CGRACCTCAT ARCARCTC	CAA ACAAATTCTC AAGCGCTTTC 600
ACAACCAATT GCCTCCTCTA ACGTTCATGA TAACTTCA	ATG AATAATGAAA TCACGGCTAG 660
TAAAATTGAT GATGGTAATA ATTCAAAACC ACTGTCAC	CCT GGTTGGACGG ACCAAACTGC 720
GTATAACGCG TTTGGAATCA CTACAGGGAT GTTTAATA	ACC ACTACAATGG ATGATGTATA 780
TAACTATCTA TTCGATGATG AAGATACCCC ACCAAACC	CCA AAAAAAGAGA TCGAATTCCC 840
GGGGATCCGC TCCTCACTCT CCAAGTTCAC CAAGAAGA	AAG AACAAGAACT ACGACGAAGC 900
ACATATGCCA TCAATTTCCG GATCTCAAGG AACTCTTG	FAC AACATTGATG TGATTGAGTT 960
GAAGCAAGAG CTCAAAGAAC GCGATAGTGC ACTTTACG	FAA GTCCGCCTTG ACAATCTGGA 1020
TCGTGCCCGC GAAGTTGATG TTCTGAGGGA GACAGTGA	AAC AAGTTGAAAA CCGAGAACAA 1080
GCAATTAAAG AAAGAAGTGG ACAAACTCAC CAACGGTC	CCA GCCACTCGTG CTTCTTCCCG 1140
CGCCTCAATT CCAGTTATCT ACGACGATGA GCATGTCT	PAT GATGCAGCGT GTAGCAGTAC 1200

ATCAGCTAGT CAAT	TCTTCGA AACGATC	CTC TGGCTGC	AC TCAATCAAGG	TTACTGTAAA	1260
CGTGGACATC GCTG	GGAGAAA TCAGTTC	EAT CGTTAACO	CG GACAAAGAGA	TAATCGTAGG	1320
ATATCTTGCC ATG	TCAACCA GTCAGTC	ATG CTGGAAAG	AC ATTGATGTTT	CTATTCTAGG	1380
ACTATTTGAA GTCT	TACCTAT CCAGAAT	rga tgtggago	AT CAACTTGGAA	TCGATGCTCG	1440
TGATTCTATC CTT	GGCTATC AAATTGG	rga acttcgac	GC GTCATTGGAG	ACTCCACAAC	1500
CATGATAACC AGC	CATCCAA CTGACAT	CT TACTTCC	CA ACTACAATCO	GAATGTTCAT	1560
GCACGGTGCC GCAC	CAGAGTC GCGTAGA	CAG TCTGGTC	TT GATATGCTTC	TTCCAAAGCA	1620
AATGATTCTC CAAC	CTCGTCA AGTCAAT	TTT GACAGAGA	GA CGTCTGGTGT	TAGCTGGAGC	1680
AACTGGAATT GGAA	AAGAGCA AACTGGC	GAA GACCCTGG	CT GCTTATGTAT	CTATTCGAAC	1740
AAATCAATCC GAAC	gatagta ttgttaa:	TAT CAGCATTO	CT GAAAACAATA	AAGAAGAATT	1800
GCTTCAAGTG GAAG	CGACGCC TGGAAAA	at Ctatgaat	CG TAGATACTGA	AAAACCCCGC	1860
AAGTTCACTT CAAC	CTGTGCA TCGTGCA	CCA TCTCAATI	TC TTTCATTTAT	ACATCGTTTT	1920
GCCTTCTTTT ATG	TAACTAT ACTCCTC	raa GTTTCAAT	CT TGGCCATGTA	ACCTCTGATC	1980
TATAGAATTT TTT	AAATGAC TAGAATT	AAT GCCCATCI	TT TTTTTGGACC	TAAATTCTTC	2040
ATGAAAATAT ATT	Acgaggg cttattc:	AGA AGCTTTGG	AC TTCTTCGCCA	GAGGTTTGGT	2100
CAAGTCTCCA ATC	AAGGTTG TCGGCTT	STC TACCTTGO	CA GAAATTTACG	AAAAGATGGA	2160
AAAGGGTCAA ATC	GTTGGTA GATACGT	GT TGACACTI	CT AAATAAGCGA	ATTTCTTATG	2220
ATTTATGATT TTT	TTATTA ATTATTA	AAAAAAA TAT	TA AGTGTATACA	AATTTTAAAG	2280
TGACTCTTAG GTT	TTAAAAC GAAAATT	CTT GTTCTTG#	GT AACTCTTTCC	TGTAGGTCAG	2340
GTTGCTTTCT CAG	GTATAGC ATGAGGT	CGC TCTTATTO	AC CACACCTCTA	CCGGCATGCC	2400
CGAAATTCCC CTAC	CCCTATG AACATAT	rcc attttgta	AT TTCGTGTCGT	TTCTATTATG	2460
AATTTCATTT ATA	aagttta tgtacaa	ата тсаталая	AA AGAGAATCTT	TTTAAGCAAG	2520
GATTTTCTTA ACT	rcttcgg cgacagci	ATC ACCGACTI	CG GTGGTACTGT	TGGAACCACC	2580
TAAATCACCA GTTC	CTGATAC CTGCATC	CAA AACCTTTI	TA ACTGCATCTT	CAATGGCCTT	2640
ACCTTCTTCA GGC	AAGTTCA ATGACAA	TTT CAACATCA	TT GCAGCAGACA	AGATAGTGGC	2700
GATAGGGTCA ACCT	TTATTCT TTGGCAA	ATC TGGAGCAG	AA CCGTGGCATG	GTTCGTACAA	2760
ACCAAATGCG GTGT	TTCTTGT CTGGCAA	AGA GGCCAAGG	AC GCAGATGGCA	ACAAACCCAA	2820
GGAACCTGGG ATA	ACGGAGG CTTCATC	GA GATGATAI	CA CCAAACATGT	TGCTGGTGAT	2880
TATAATACCA TTT	AGGTGGG TTGGGTT	CTT AACTAGGA	TC ATGGCGGCAG	AATCAATCAA	2940
TTGATGTTGA ACCT	ITCAATG TAGGAAA	TTC GTTCTTGA	TG GTTTCCTCCA	CAGTTTTTCT	3000
CCATAATCTT GAAG	GAGGCCA AAACATTI	AGC TTTATCCA	AG GACCAAATAG	GCAATGGTGG	30é0
CTCATGTTGT AGG	GCCATGA AAGCGGC	CAT TCTTGTGA	TT CTTTGCACTT	CTGGAACGGT	3120

147

GTATTGTTCA CTATCCCAAG CGACACCATC ACCATCGTCT TCCTTTCTCT TACCAAAGTA 3180 AATACCTCCC ACTAATTCTC TGACAACAAC GAAGTCAGTA CCTTTAGCAA ATTGTGGCTT 3240 GATTGGAGAT AAGTCTAAAA GAGAGTCGGA TGCAAAGTTA CATGGTCTTA AGTTGGCGTA 3300 CAATTGAAGT TCTTTACGGA TTTTTAGTAA ACCTTGTTCA GGTCTAACAC TACCTGTACC 3360 CCATTTAGGA CCACCCACAG CACCTAACAA AACGGCATCA ACCTTCTTGG AGGCTTCCAG 3420 CGCCTCATCT GGAAGTGGGA CACCTGTAGC ATCGATAGCA GCACCACCAA TTAAATGATT 3480 TTCGAAATCG AACTTGACAT TGGAACGAAC ATCAGAAATA GCTTTAAGAA CCTTAATGGC 3540 TTCGGCTGTG ATTTCTTGAC CAACGTGGTC ACCTGGCAAA ACGACGATCT TCTTAGGGGC 3600 3660 AGACATTAGA ATGGTATATC CTTGAAATAT ATATATATAT TGCTGAAATG TAAAAGGTAA GAAAAGTTAG AAAGTAAGAC GATTGCTAAC CACCTATTGG AAAAAACAAT AGGTCCTTAA 3720 ATAATATTGT CAACTTCAAG TATTGTGATG CAAGCATTTA GTCATGAACG CTTCTCTATT 3780 CTATATGAAA AGCCGGTTCC GGCCTCTCAC CTTTCCTTTT TCTCCCAATT TTTCAGTTGA 3840 AAAAGGTATA TGCGTCAGGC GACCTCTGAA ATTAACAAAA AATTTCCAGT CATCGAATTT 3900 GATTCTGTGC GATAGCGCCC CTGTGTGTTC TCGTTATGTT GAGGAAAAAA ATAATGGTTG 3960 CTAAGAGATT CGAACTCTTG CATCTTACGA TACCTGAGTA TTCCCACAGT TGGGGATCTC 4020 GACTCTAGCT AGAGGATCAA TTCGTAATCA TGGTCATAGC TGTTTCCTGT GTGAAATTGT 4080 4140 TATCCGCTCA CAATTCCACA CAACATACGA GCCGGAAGCA TAAAGTGTAA AGCCTGGGGT 4200 GCCTAATGAG TGAGGTAACT CACATTAATT GCGTTGCGCT CACTGCCCGC TTTCCAGTCG GGAAACCTGT CGTGCCAGCT GGATTAATGA ATCGGCCAAC GCGCGGGGAG AGGCGGTTTG 4260 CGTATTGGGC GCTCTTCCGC TTCCTCGCTC ACTGACTCGC TGCGCTCGGT CGTTCGGCTG 4320 CGGCGAGCGG TATCAGCTCA CTCAAAGGCG GTAATACGGT TATCCACAGA ATCAGGGGAT 4380 AACGCAGGAA AGAACATGTG AGCAAAAGGC CAGCAAAAGG CCAGGAACCG TAAAAAAGGCC 4440 GCGTTGCTGG CGTTTTTCCA TAGGCTCCGC CCCCCTGACG AGCATCACAA AAATCGACGC 4500 4560 TCAAGTCAGA GGTGGCGAAA CCCGACAGGA CTATAAAGAT ACCAGGCGTT TCCCCCTGGA 4620 AGCTCCCTCG TGCGCTCTCC TGTTCCGACC CTGCCGCTTA CCGGATACCT GTCCGCCTTT CTCCCTTCGG GAAGCGTGGC GCTTTCTCAT AGCTCACGCT GTAGGTATCT CAGTTCGGTG 4680 4740 TAGGTCGTTC GCTCCAAGCT GGGCTGTGTG CACGAACCCC CCGTTCAGCC CGACCGCTGC GCCTTATCCG GTAACTATCG TCTTGAGTCC AACCCGGTAA GACACGACTT ATCGCCACTG 4800 GCAGCAGCCA CTGGTAACAG GATTAGCAGA GCGAGGTATG TAGGCGGTGC TACAGAGTTC 4860 4920 TTGAAGTGGT GGCCTAACTA CGGCTACACT AGAAGGACAG TATTTGGTAT CTGCGCTCTG CTGAAGCCAG TTACCTTCGG AAAAAGAGTT GGTAGCTCTT GATCCGGCAA ACAAACCACC 4980 GCTGGTAGCG GTGGTTTTTT TGTTTGCAAG CAGCAGATTA CGCGCAGAAA AAAAGGATCT 5040

CAAGAAGATC	CTTTGATCTT	TTCTACGGGG	TCTGACGCTC	AGTGGAACGA	AAACTCACGT	5100
TAAGGGATTT	TGGTCATGAG	ATTATCAAAA	AGGATCTTCA	CCTAGATCCT	TTTAAATTAA	5160
AAATGAAGTT	TTAAATCAAT	CTAAAGTATA	TATGAGTAAA	CTTGGTCTGA	CAGTTACCAA	5220
TGCTTAATCA	GTGAGGCACC	TATCTCAGCG	ATCTGTCTAT	TTCGTTCATC	CATAGTTGCC	5280
TGACTCCCCG	TCGTGTAGAT	AACTACGATA	CGGGAGGGCT	TACCATCTGG	CCCCAGTGCT	5340
GCAATGATAC	CGCGAGACCC	ACGCTCACCG	GCTCCAGATT	TATCAGCAAT	AAACCAGCCA	5400
GCCGGAAGGG	CCGAGCGCAG	AAGTGGTCCT	GCAACTTTAT	CCGCCTCCAT	CCAGTCTATT	5460
AATTGTTGCC	GGGAAGCTAG	agtaagtagt	TCGCCAGTTA	ATAGTTTGCG	CAACGTTGTT	5520
GCCATTGCTA	CAGGCATCGT	GGTGTCACGC	TCGTCGTTTG	GTATGGCTTC	ATTCAGCTCC	5580
GGTTCCCAAC	GATCAAGGCG	AGTTACATGA	TCCCCCATGT	TGTGCAAAAA	AGCGGTTAGC	5640
TCCTTCGGTC	CTCCGATCGT	TGTCAGAAGT	AAGTTGGCCG	CAGTGTTATC	ACTCATGGTT	5700
ATGGCAGCAC	TGCATAATTC	TCTTACTGTC	ATGCCATCCG	TAAGATGCTT	TTCTGTGACT	5760
GGTGAGTACT	CAACCAAGTC	ATTCTGAGAA	TAGTGTATGC	GGCGACCGAG	TTGCTCTTGC	5820
CCGGCGTCAA	TACGGGATAA	TACCGCGCCA	CATAGCAGAA	CTTTAAAAGT	GCTCATCATT	5880
GGAAAACGTT	CTTCGGGGCG	AAAACTCTCA	AGGATCTTAC	CGCTGTTGAG	ATCCAGTTCG	5940
ATGTAACCCA	CTCGTGCACC	CAACTGATCT	TCAGCATCTT	TTACTTTCAC	CAGCGTTTCT	6000
GGGTGAGCAA	AAACAGGAAG	GCAAAATGCC	GCAAAAAAGG	GAATAAGGGC	GACACGGAAA	6060
TGTTGAATAC	TCATACTCTT	CCTTTTTCAA	TATTATTGAA	GCATTTATCA	GGGTTATTGT	6120
CTCATGAGCG	GATACATATT	TGAATGTATT	TAGAAAAATA	AACAAATAGG	GGTTCCGCGC	6180
ACATTTCCCC	GAAAAGTGCC	ACCTGACGTC	TAAGAAACCA	TTATTATCAT	GACATTAACC	6240
TATAAAAATA	GGCGTATCAC	GAGGCCCTTT	CGTCTCGCGC	GTTTCGGTGA	TGACGGTGAA	6300
AACCTCTGAC	ACATGCAGCT	CCCGGAGACG	GTCACAGCTT	GTCTGTAAGC	GGATGCCGGG	6360
AGCAGACAAG	CCCGTCAGGG	CGCGTCAGCG	GGTGTTGGCG	GGTGTCGGGG	CTGGCTTAAC	6420
TATGCGGCAT	CAGAGCAGAT	TGTACTGAGA	GTGCACCATA	ACGCATTTAA	GCATAAACAC	6480
GCACTATGCC	GTTCTTCTCA	TGTATATATA	TATACAGGCA	ACACGCAGAT	ATAGGTGCGA	6540
CGTGAACAGT	GAGCTGTATG	TGCGCAGCTC	GCGTTGCATT	TTCGGAAGCG	CTCGTTTTCG	6600
GAAACGCTTT	GAAGTTCCTA	TTCCGAAGTT	CCTATTCTCT	AGCTAGAAAG	TATAGGAACT	6660
TCAGAGCGCT	TTTGAAAACC	AAAAGCGCTC	TGAAGACGCA	CTTTCAAAAA	ACCAAAAACG	6720
CACCGGACTG	TAACGAGCTA	CTAAAATATT	GCGAATACCG	CTTCCACAAA	CATTGCTCAA	6780
AAGTATCTCT	TTGCTATATA	TCTCTGTGCT	ATATCCCTAT	ATAACCTACC	CATCCACCTT	6840
TCGCTCCTTG	AACTTGCATC	TAAACTCGAC	CTCTACATTT	TTTATGTTTA	TCTCTAGTAT	6900
TACTCTTTAG	ACAAAAAAAT	TGTAGTAAGA	ACTATTCATA	GAGTGAATCG	AAAACAATAC	6960

149

GAAAATGTAA	ACATTTCCTA	TACGTAGTAT	ATAGAGACAA	AATAGAAGAA	ACCGTTCATA	7020
ATTTTCTGAC	CAATGAAGAA	TCATCAACGC	TATCACTTTC	TGTTCACAAA	GTATGCGCAA	7080
TCCACATCGG	TATAGAATAT	AATCGGGGAT	GCCTTTATCT	TGAAAAAATG	CACCCGCAGC	7140
TTCGCTAGTA	ATCAGTAAAC	GCGGGAAGTG	GAGTCAGGCT	TTTTTTATGG	AAGAGAAAAT	7200
agacaccaaa	GTAGCCTTCT	TCTAACCTTA	ACGGACCTAC	AGTGCAAAAA	GTTATCAAGA	7260
GACTGCATTA	TAGAGCGCAC	AAAGGAGAAA	AAAAGTAATC	TAAGATGCTT	TGTTAGAAAA	7320
ATAGCGCTCT	CGGGATGCAT	TTTTGTAGAA	CAAAAAAGAA	GTATAGATTC	TTTGTTGGTA	7380
AAATAGCGCT	CTCGCGTTGC	ATTTCTGTTC	TGTAAAAATG	CAGCTCAGAT	TCTTTGTTTG	7440
AAAAATTAGC	GCTCTCGCGT	TGCATTTTTG	TTTTACAAAA	ATGAAGCACA	GATTCTTCGT	7500
TGGTAAAATA	GCGCTTTCGC	GTTGCATTTC	TGTTCTGTAA	AAATGCAGCT	CAGATTCTTT	7560
GTTTGAAAAA	TTAGCGCTCT	CGCGTTGCAT	TTTTGTTCTA	CAAAATGAAG	CACAGATGCT	7620
TCGTT						7625

### (2) INFORMATION FOR SEQ ID NO: 30:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 9642 base pairs
    (B) TYPE: nucleic acid
    (C) STRANDEDNESS: double

    - (D) TOPOLOGY: circular
- (iii) HYPOTHETICAL: NO
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 30:

ATGACCATGA	TTACGCCAAG	CTTGTCTTCT	TCTAAATTCC	CATAAAATCC	CGAAACTCCT	60
TCCCTCTATC	TTCTTTTTCT	TCTCGTTTTC	AAATGTTTCT	CTCTATCCCA	TTCTCTCATC	120
aattgagtgg	GATGAGGCTA	TCTCTGCCTC	TCTTCTGAAT	CTCTGAACCA	TCTTACATTA	180
CACTGTGGAT	GACGAGCCCC	ACAGGCTCCC	TTGCATCAGA	TACTGCCATT	GGGGATGGCA	240
aagaagagag	AAGGTATTGT	GAGGATATAT	TTTTCTAAGA	AAAAACGTTT	GAAGAAAGA	300
AGATGAAGAA	GATCTGCTTG	ATTCATTGCA	CAAGTTAGAA	GTAACAGGGG	TCTATATTTC	360
GAAGAACTTA	AAGGGAATGC	AACTGAACAT	AAAATTAAAC	AAAGGGATTG	AATCCTGCAG	420
TGAGTATTTT	CGGTTTTTCA	CTGGTTCTCT	GTAAAAAGAG	TAATGCAAAG	GGCAAGTTAA	480
CTTAGGTCGT	AAATGTATTG	AATTTGCTTA	AAATCTGAAG	ATCTAGTGGT	GAACCGTGGA	540
AGATTATCAA	GAGGAGGCTG	AAGATCTGTT	TAAGAACCAT	TAATCAAACT	GGTATTCTAT	6 <b>0</b> 0
TTTCACTGGT	TGTATGTAAA	CATTCTATCT	TATTCCTTTT	ATCACTGTTC	TGCACTTTCC	660

TATAAAAAA GTTGACCGAC	CGTACTCTCT	GAATTCATTT	TTCCCGATCT	TACCAACTCC	720
CGATCTATCT CTATCCCTGG	TTTTTTCTTC	GTGCTCCAAT	GGAATTCTTG	AGACTTCCAC	780
TATCTTCTCT GGCACCCTCC	ACTACGCGTA	GGCGTCTCTC	GCTTCGTGTA	TTCCCGGGAA	840
GCCGGTTCCC GTCTCTCCCG	CCGCTGCCGC	TGCCGCACAC	AGCTTTACAC	CTCGTAGAAT	900
CCCCAAAGAG GGGCGTGGCT	TGCGGGTGCC	AACATCCTCC	TGCCGAGGAA	GAAGCAGGCA	960
CTCATCACTC GCATCATCAA	CCTCGGGATT	GGCCAAAGGA	CCCAAAGGTA	TGTTTCGAAT	1020
GATACTAACA TAACATAGAA	CATTTTCAGG	AGGACCCTTG	GCTAGAACTA	GTGGATCCGA	1080
GCTCTCCCAT ATGACGACGT	CAAATGTAGA	ATTGATACCA	ATCTACACGG	ATTGGGCCAA	1140
TCGGCACCTT TCGAAGGGCA	GCTTATCAAA	GTCGATTAGG	GATATTTCCA	ATGATTTTCG	1200
CGACTATCGA CTGGTTTCTC	AGCTTATTAA	TGTGATCGTT	CCGATCAACG	AATTCTCGCC	1260
TGCATTCACG AAACGTTTGG	CAAAAATCAC	ATCGAACCTG	GATGGCCTCG	AAACGTGTCT	1320
CGACTACCTG AAAAATCTGG	GTCTCGACTG	CTCGAAACTC	ACCAAAACCG	ATATCGACAG	1380
CGGAAACTTG GGTGCAGTTC	TCCAGCTGCT	CTTCCTGCTC	TCCACCTACA	AGCAGAAGCT	1440
TCGGCAACTG AAAAAAGATC	AGAAGAAATT	GGAGCAACTA	CCCACATCCA	TTATGCCACC	1500
CGCGGTTTCT AAATTACCCT	CGCCACGTGT	CGCCACGTCA	GCAACCGCTT	CAGCAACTAA	1560
CCCAAATTCC AACTTTCCAC	AAATGTCAAC	ATCCAGGCTT	CAGACTCCAC	AGTCAAGAAT	1620
ATCGAAAATT GATTCATCAA	AGATTGGTAT	CAAGCCAAAG	ACGTCTGGAC	TTAAACCACC	1680
CTCATCATCA ACCACTTCAT	CAAATAATAC	AAATTCATTC	CGTCCGTCGA	GCCGTTCGAG	1740
TGGCAATAAT AATGTTGGCT	CGACGATATC	CACATCTGCG	AAGAGCTTAG	AATCATCATC	1800
AACGTACAGC TCTATTTCGA	ATCTAAACCG	ACCTACCTCC	CAACTCCAAA	AACCTTCTAG	1860
ACCACAAACC CAGCTAGTTC	GTGTTGCTAC	AACTACAAAA	ATCGGAAGCT	CAAAGCTAGC	1920
CGCTCCGAAA GCCGTGAGCA	CCCCAAAACT	TGCTTCTGTG	AAGACTATTG	GAGÇAAAACA	1980
AGAGCCCGAT AACAGCGGTG	GTGGTGGTGG	TGGAATGCTG	AAATTAAAGT	TATTCAGTAG	2040
CAAAAACCCA TCTTCCTCAT	CGAATAGCCC	ACAACCTACG	AGAAAGGCGG	CGGCGGTGCC	2100
TCAACAACAA ACTTTGTCGA	AAATCGCTGC	CCCAGTGAAA	AGTGGCCTGA	AGCCGCCGAC	2160
CAGTAAGCTG GGAAGTGCCA	CGTCTATGTC	GAAGCTTTGT	ACGCCAAAAG	TTTCCTACCG	2220
TAAAACGGAC GCCCCAATCA	TATCTCAACA	AGACTCGAAA	CGATGCTCAA	AGAGCAGTGA	2280
AGAAGAGTCC GGATACGCTG	GATTCAACAG	CACGTCGCCA	ACGTCATCAT	CGACGGAAGG	2340
TTCCCTAAGC ATGCATTCCA	CATCTTCCAA	GAGTTCAACG	TCAGACGAAA	AGTCTCCGTC	2400
ATCAGACGAT CTTACTCTTA	ACGCCTCCAT	CGTGACAGCT	ATCAGACAGC	CGATAGCCGC	2460
AACACCGGTT TCTCCAAATA	TTATCAACAA	GCCTGTTGAG	GAAAAACCAA	CACTGGCAGT	2520
GAAAGGAGTG AAAAGCACAG	CGAAAAAAGA	TCCACCTCCA	GCTGTTCCGC	CACGTGACAC	2580

CCAGCCAACA ATCGGAGTTG TTAGTCCAAT TATGGCACAT AAGAAGTTGA CAAATGACCC 2640 CGTGATATCT GAAAAACCAG AACCTGAAAA GCTCCAATCA ATGAGCATCG ACACGACGGA 2700 2760 CGTTCCACCG CTTCCACCTC TAAAATCAGT TGTTCCACTT AAAATGACTT CAATCCGACA ACCACCARCG TACGATGTTC TTCTAARACA AGGARARATC ACATCGCCTG TCAAGTCGTT 2820 2880 TGGATATGAG CAGTCGTCCG CGTCTGAAGA CTCCATTGTG GCTCATGCGT CGGCTCAGGT GACTCCGCCG ACAAAAACTT CTGGTAATCA TTCGCTGGAG AGAAGGATGG GAAAGAATAA 2940 GACATCAGAA TCCAGCGGCT ACACCTCTGA CGCCGGTGTT GCGATGTGCG CCAAAATGAG 3000 GGAGAAGCTG AAAGAATACG ATGACATGAC TCGTCGAGCA CAGAACGGCT ATCCTGACAA 3060 CTTCGAAGAC AGTTCCTCCT TGTCGTCTGG AATATCCGAT AACAACGAGC TCGACGACAT ATCCACGGAC GATTTGTCCG GAGTAGACAT GGCAACAGTC GCCTCCAAAC ATAGCGACTA 3180 TTCCCACTTT GTTCGCCATC CCACGTCTTC TTCCTCAAAG CCCCGAGTCC CCAGTCGGTC 3240 CTCCACATCA GTCGATTCTC GATCTCGAGC AGAACAGGAG AATGTGTACA AACTTCTGTC 3300 CCAGTGCCGA ACGAGCCAAC GTGGCGCCGC TGCCACCTCA ACCTTCGGAC AACATTCGCT 3360 AAGATCCCCG GGATACTCAT CCTATTCTCC ACACTTATCA GTGTCAGCTG ATAAGGACAC 3420 ARTGTCTATG CACTCACAGA CTAGTCGACG ACCTTCTTCA CAAAAACCAA GCTATTCAGG 3480 CCAATTTCAT TCACTTGATC GTAAATGCCA CCTTCAAGAG TTCACATCCA CCGAGCACAG 3540 AATGGCGGCT CTCTTGAGCC CGAGACGGGT GCCGAACTCG ATGTCGAAAT ATGATTCTTC 3600 3660 AGGATCCTAC TCGGCGCGTT CCCGAGGTGG AAGCTCTACT GGTATCTATG GAGAGACGTT 3720 CCAACTGCAC AGACTATCCG ATGAAAAATC CCCCGCACAT TCTGCCAAAA GTGAGATGGG ATCCCAACTA TCACTGGCTA GCACGACAGC ATATGGATCT CTCAATGAGA AGTACGAACA 3780 TGCTATTCGG GACATGGCAC GTGACTTGGA GTGTTACAAG AACACTGTCG ACTCACTAAC 3840 CAAGAAACAG GAGAACTATG GAGCATTGTT TGATCTTTTT GAGCAAAAGC TTAGAAAACT 3900 CACTCAACAC ATTGATCGAT CCAACTTGAA GCCTGAAGAG GCAATACGAT TCAGGCAGGA 3960 CATTGCTCAT TTGAGGGATA TTAGCAATCA TCTTGCATCC AACTCAGCTC ATGCTAACGA 4020 AGGCGCTGGT GAGCTTCTTC GTCAACCATC TCTGGAATCA GTTGCATCCC ATCGATCATC 4080 GATGTCATCG TCGTCGAAAA GCAGCAAGCA GGAGAAGATC AGCTTGAGCT CGTTTGGCAA 4140 GAACAAGAAG AGCTGGATCC GCTCCTCACT CTCCAAGTTC ACCAAGAAGA AGAACAAGAA 4200 CTACGACGAA GCACATATGC CATCAATTTC CGGATCTCAA GGAACTCTTG ACAACATTGA 4260 TGTGATTGAG TTGAAGCAAG AGCTCAAAGA ACGCGATAGT GCACTTTACG AAGTCCGCCT 4320 4380 TGACAATCTG GATCGTGCCC GCGAAGTTGA TGTTCTGAGG GAGACAGTGA ACAAGTTGAA AACCGAGAAC AAGCAATTAA AGAAAGAAGT GGACAAACTC ACCAACGGTC CAGCCACTCG 4440 TGCTTCTTCC CGCGCCTCAA TTCCAGTTAT CTACGACGAT GAGCATGTCT ATGATGCAGC 4500

GTGTAGCAGT ACATCAGCTA	GTCAATCTTC	GAAACGATCC	TCTGGCTGCA	ACTCAATCAA	4560
GGTTACTGTA AACGTGGACA	TCGCTGGAGA	AATCAGTTCG	ATCGTTAACC	CGGACAAAGA	462 Q
GATAATCGTA GGATATCTTG	CCATGTCAAC	CAGTCAGTCA	TGCTGGAAAG	ACATTGATGT	4680
TTCTATTCTA GGACTATTTG	AAGTCTACCT	ATCCAGAATT	GATGTGGAGC	ATCAACTTGG	4740
AATCGATGCT CGTGATTCTA	TCCTTGGCTA	TCAAATTGGT	GAACTTCGAC	GCGTCATTGG	4800
AGACTCCACA ACCATGATAA	CCAGCCATCC	AACTGACATT	CTTACTTCCT	CAACTACAAT	4860
CCGAATGTTC ATGCACGGTG	CCGCACAGAG	TCGCGTAGAC	AGTCTGGTCC	TTGATATGCT	4920
TCTTCCAAAG CAAATGATTC	TCCAACTCGT	CAAGTCAATT	TTGACAGAGA	GACGTCTGGT	4980
GTTAGCTGGA GCAACTGGAA	TTGGAAAGAG	CAAACTGGCG	AAGACCCTGG	CTGCTTATGT	5040
ATCTATTCGA ACAAATCAAT	CCGAAGATAG	TATTGTTAAT	ATCAGCATTC	CTGAAAACAA	5100
TAAAGAAGAA TTGCTTCAAG	TGGAACGACG	CCTGGAAAAG	ATCTTGAGAA	GCAAAGAATC	5160
ATGCATCGTA ATTCTAGATA	ATATCCCAAA	GAATCGAATT	GCATTTGTTG	TATCCGTTTT	5220
TGCAAATGTC CCACTTCAAA	ACAACGAAGG	TCCATTTGTA	GTATGCACAG	TCAACCGATA	5280
TCAAATCCCT GAGCTTCAAA	TTCACCACAA	TTTCAAAATG	TCAGTAATGT	CGAATCGTCT	<b>5340</b> ,
CGAAGGATTC ATCCTACGTT	ACCTCCGACG	ACGGGCGGTA	GAGGATGAGT	ATCGTCTAAC	5400
TGTACAGATG CCATCAGAGC	TCTTCAAAAT	CATTGACTTC	TTCCCAATAG	CTCTTCAGGC	5460
CGTCAATAAT TTTATTGAGA	AAACGAATTC	TGTTGATGTG	ACAGTTGGTC	CAAGAGCATG	5520
CTTGAACTGT CCTCTAACTG	TCGATGGATC	CCGTGAATGG	TTCATTCGAT	TGTGGAATGA	5580
GAACTTCATT CCATATTTGG	AACGTGTTGC	TAGAGATGGC	ааааааасст	TCGGTCGCTG	5640
CACTTCCTTC GAGGATCCCA	CCGACATCGT	CTCTAAAAAA	TGGCCGTGGT	TCGATGGTGA	5700
AAACCCGGAG AATGTGCTCA	AACGTCTTCA	ACTCCAAGAC	CTCGTCCCGT	CACCTGCCAA	5760
CTCATCCCGA CAACACTTCA	ATCCCCTCGA	GTCGTTGATC	CAATTGCATG	CTACCAAGCA	5820
TCAGACCATC GACAACATTT	GAACAGAAGA	CTCTAATCTT	CTCTCGCCTC	TCCCCCGCTT	5880
TCCTTATCTT CGTACCGGTA	CCATGGTATT	GATATCTGAG	CTCCGCATCG	GCCGCTGTCA	5940
TCAGATCGCC ATCTCGCGCC	CGTGCCTCTG	ACTTCTAAGT	CCAATTACTC	TTCAACATCC	6000
CTACATGCTC TTTCTCCCTG	TGCTCCCACC	CCCTATTTTT	GTTATTATCA	AAAAAACTTC	6060
TTCTTAATTT CTTTGTTTTT	TAGCTTCTTT	TAAGTCACCT	CTAACAATGA	AATTGTGTAG	6120
ATTCAAAAAT AGAATTAATT	CGTAATAAAA	AGTCGAAAAA	AATTGTGCTC	CCTCCCCCCA	6180
TTAATAATAA TTCTATCCCA	AAATCTACAC	AATGTTCTGT	GTACACTTCT	TATGTTTTTT	6240
TTACTTCTGA TAAATTTTTT	TTGAAACATC	ATAGAAAAAA	CCGCACACAA	AATACCTTAT	6300
CATATGTTAC GTTTCAGTTT	ATGACCGCAA	TTTTTATTTC	TTCGCACGTC	TGGGCCTCTC	6360
ATGACGTCAA ATCATGCTCA	TCGTGAAAAA	GTTTTGGAGT	ATTTTTGGAA	TTTTTCAATC	6420

AAGTGAAAGT TTATGAAATT AATTTTCCTG CTTTTGCTTT TTGGGGGTTT CCCCTATTGT 6480 TTGTCAAGAG TTTCGAGGAC GGCGTTTTTC TTGCTAAAAT CACAAGTATT GATGAGCACG 6540 ATGCAAGAAA GATCGGAAGA AGGTTTGGGT TTGAGGCTCA GTGGAAGGTG AGTAGAAGTT 6600 GATAATTIGA AAGTGGAGTA GTGTCTATGG GGTTTTTGCC TTAAATGACA GAATACATTC 6660 CCAATATACC AAACATAACT GTTTAAAATT AAACATTTTT CTAAATTTTA TATGATTTCT 6720 TTTAAATTTG CAAAAATTAC TTAAATTTGA ATTCCCGCGC AAATGAGTGA CTTCATTTTC 6780 TGCATTATTG TGTTTTCCGG CTATATTAAT AGGTATTTGT TTGTGTTTTT CTTTATTTTA 6840 TGATTCGAAC TCCAATTTGT AAATTTTCGA ACATATTTCC CTAAAGAAAA AATATGATTA 6900 ATCTGGAAAA ATTGGAAAAT TATTTTTCAA ATAAAAACA AAGAAAAAAA TGAAGAAAAA 6960 CCTATTAGTT TGGCCATAAA ACGCAAAAAT GTCGAAAATG ACGTCACTCA TCTGCGCGGG 7020 AAATCAAGAA TAATTCGGCC TTTTTTATTT TTTTGGAAAA TCGTAAAACA TTTAGAAAAA 7080 7140 TTTTTTAATA GTTATAGTGG GACTGTATTC TGTCATTTAG GGCAAAAGCC AGAGACGCTA CTCCACCGTT GGGGGATCCA CTAGTCGGCC GTACGGGCCC TTTCGTCTCG CGCGTTTCGG 7200 TGATGACGGT GAAAACCTCT GACACATGCA GCTCCCGGAG ACGGTCACAG CTTGTCTGTA 7260 AGCGGATGCC GGGAGCAGAC AAGCCCGTCA GGGCGCGTCA GCGGGTGTTG GCGGGTGTCG 7320 GGGCTGGCTT AACTATGCGG CATCAGAGCA GATTGTACTG AGAGTGCACC ATATGCGGTG 7380 TGAAATACCG CACAGATGCG TAAGGAGAAA ATACCGCATC AGGCGGCCTT AAGGGCCTCG 7440 TGATACGCCT ATTTTTATAG GTTAATGTCA TGATAATAAT GGTTTCTTAG ACGTCAGGTG 7500 GCACTTTTCG GGGAAATGTG CGCGGAACCC CTATTTGTTT ATTTTTCTAA ATACATTCAA 7560 ATATGTATCC GCTCATGAGA CAATAACCCT GATAAATGCT TCAATAATAT TGAAAAAGGA 7620 AGAGTATGAG TATTCAACAT TTCCGTGTCG CCCTTATTCC CTTTTTTGCG GCATTTTGCC 7680 TTCCTGTTTT TGCTCACCCA GAAACGCTGG TGAAAGTAAA AGATGCTGAA GATCAGTTGG 7740 GTGCACGAGT GGGTTACATC GAACTGGATC TCAACAGCGG TAAGATCCTT GAGAGTTTTC 7800 GCCCGAAGA ACGTTTCCA ATGATGAGCA CTTTTAAAGT TCTGCTATGT GGCGCGGTAT 7860 TATCCCGTAT TGACGCCGGG CAAGAGCAAC TCGGTCGCCG CATACACTAT TCTCAGAATG 7920 ACTTGGTTGA GTACTCACCA GTCACAGAAA AGCATCTTAC GGATGGCATG ACAGTAAGAG 7980 AATTATGCAG TGCTGCCATA ACCATGAGTG ATAACACTGC GGCCAACTTA CTTCTGACAA 8040 CGATCGGAGG ACCGAAGGAG CTAACCGCTT TTTTGCACAA CATGGGGGAT CATGTAACTC 8100 GCCTTGATCG TTGGGAACCG GAGCTGAATG AAGCCATACC AAACGACGAG CGTGACACCA 8160 CGATGCCTGT AGCAATGGCA ACAACGTTGC GCAAACTATT AACTGGCGAA CTACTTACTC 8220 TAGCTTCCCG GCAACAATTA ATAGACTGGA TGGAGGCGGA TAAAGTTGCA GGACCACTTC 8280 TGCGCTCGGC CCTTCCGGCT GGCTGGTTTA TTGCTGATAA ATCTGGAGCC GGTGAGCGTG 8340

PCT/EP96/02311

154

GGTCTCGCGG	TATCATTGCA	GCACTGGGGC	CAGATGGTAA	GCCCTCCCGT	ATCGTAGTTA	8400
TCTACACGAC	GGGGAGTCAG	GCAACTATGG	ATGAACGAAA	TAGACAGATC	GCTGAGATAG	8460
GTGCCTCACT	GATTAAGCAT	TGGTAACTGT	CAGACCAAGT	TTACTCATAT	ATACTTTAGA	8520
TTGATTTAAA	ACTTCATTTT	TAATTTAAAA	GGATCTAGGT	GAAGATCCTT	TTTGATAATC	8580
TCATGACCAA	AATCCCTTAA	CGTGAGTTTT	CGTTCCACTG	AGCGTCAGAC	CCCGTAGAAA	8640
<b>AGATCAAA</b> GG	ATCTTCTTGA	GATCCTTTTT	TTCTGCGCGT	AATCTGCTGC	TTGCAAACAA	8700
AAAAACCACC	GCTACCAGCG	GTGGTTTGTT	TGCCGGATCA	AGAGCTACCA	ACTCTTTTTC	8760
CGAAGGTAAC	TGGCTTCAGC	AGAGCGCAGA	TACCAAATAC	TGTCCTTCTA	GTGTAGCCGT	8820
agttaggcca	CCACTTCAAG	AACTCTGTAG	CACCGCCTAC	ATACCTCGCT	CTGCTAATCC	8880
T <b>GTT</b> ACCAGT	GCTGCTGCC	AGTGGCGATA	AGTCGTGTCT	TACCGGGTTG	GACTCAAGAC	8940
GATAGTTACC	GGATAAGGCG	CAGCGGTCGG	GCTGAACGGG	GGGTTCGTGC	ACACAGCCCA	9000
GCTTGGAGCG	AACGACCTAC	ACCGAACTGA	GATACCTACA	GCGTGAGCAT	TGAGAAAGCG	9060
CCACGCTTCC	CGAAGGGAGA	AAGGCGGACA	GGTATCCGGT	AAGCGGCAGG	GTCGGAACAG	9120
GAGAGCGCAC	GAGGGAGCTT	CCAGGGGGAA	ACGCCTGGTA	TCTTTATAGT	CCTGTCGGGT	9180
TTCGCCACCT	CTGACTTGAG	CGTCGATTTT	TGTGATGCTC	GTCAGGGGG	CGGAGCCTAT	9240
GGAAAAACGC	CAGCAACGCG	GCCTTTTTAC	GGTTCCTGGC	CTTTTGCTGG	CCTTTTGCTC	9300
ACATGTTCTT	TCCTGCGTTA	TCCCCTGATT	CTGTGGATAA	CCGTATTACC	GCCTTTGAGT	9360
Gagctgatac	CGCTCGCCGC	AGCCGAACGA	CCGAGCGCAG	CGAGTCAGTG	AGCGAGGAAG	9420
CGGAAGAGCG	CCCAATACGC	AAACCGCCTC	TCCCCGCGCG	TTGGCCGATT	CATTAATGCA	9480
SCTGGCACGA	CAGGTTTCCC	GACTGGAAAG	CGGGCAGTGA	GCGCAACGCA	ATTAATGTGA	9540
STTAGCTCAC	TCATTAGGCA	CCCCAGGCTT	TACACTTTAT	GCTTCCGGCT	CGTATGTTGT	9600
マヤムこみみかからか	CACCCCATAA	СВВФФФСВСВ	CDGGDDDCDG	ርጥ		9642

## (2) INFORMATION FOR SEQ ID NO: 31:

WO 96/38555

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 110 amino acids

  - (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: unknown
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 31:

Met Thr Thr Ser Asn Val Glu Leu Ile Pro Ile Tyr Thr Asp Trp Ala

Asn Arg His Leu Ser Lys Gly Ser Leu Ser Lys Ser Ile Arg Asp Ile

155

Ser Asn Asp Phe Arg Asp Tyr Arg Leu Val Ser Gln Leu Ile Asn Val

Ile Val Pro Ile Asn Glu Phe Ser Pro Ala Phe Thr Lys Arg Leu Ala

Lys Ile Thr Ser Asn Leu Asp Gly Leu Glu Thr Cys Leu Asp Tyr Leu

Lys Asn Leu Gly Leu Asp Cys Ser Lys Leu Thr Lys Thr Asp Ile Asp

Ser Gly Asn Leu Gly Ala Val Leu Gln Leu Leu Phe Leu Leu 105 100

- (2) INFORMATION FOR SEQ ID NO: 32:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 20 amino acids
    - (B) TYPE: amino acid (C) STRANDEDNESS:

    - (D) TOPOLOGY: unknown
  - (ii) MOLECULE TYPE: peptide
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 32:

Lys Gln Lys Leu Arg Gln Leu Lys Lys Asp Gln Lys Lys Leu Glu Gln

Leu Pro Thr Ser

- (2) INFORMATION FOR SEQ ID NO: 33:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 9 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: unknown
  - (ii) MOLECULE TYPE: peptide
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 33:

Asp Pro Pro Pro Ala Val Pro Pro Arg

- (2) INFORMATION FOR SEQ ID NO: 34:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 9 amino acids
    - (B) TYPE: amino acid

    - (C) STRANDEDNESS:
      (D) TOPOLOGY: unknown
  - (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 34:
Asp Val Pro Pro Leu Pro Pro Leu Lys

- (2) INFORMATION FOR SEQ ID NO: 35:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 5 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: unknown
  - (ii) MOLECULE TYPE: peptide
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 35:

Lys Lys Lys Asn Lys

- (2) INFORMATION FOR SEQ ID NO: 36:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 20 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: unknown
  - (ii) MOLECULE TYPE: peptide
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 36:

Lys Thr Glu Asn Lys Gln Leu Lys Lys Glu Val Asp Lys Leu Thr Asn 1 10 15

Gly Pro Ala Thr

- (2) INFORMATION FOR SEQ ID NO: 37:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 8 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: unknown
  - (ii) MOLECULE TYPE: peptide
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 37:

Gly Ala Thr Gly Ile Gly Lys Ser

WO 96/38555

157

(2) INFORMATION FOR SEQ ID NO: 38:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 58 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: unknown
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 38:

Met Ser Glu Glu Pro Thr Pro Val Ser Gly Asn Asp Lys Gln Leu Leu

Asn Lys Ala Trp Glu Ile Thr Gln Lys Lys Thr Phe Thr Ala Trp Cys

Asn Ser His Leu Arg Lys Leu Gly Ser Ser Ile Glu Gln Ile Asp Thr

Asp Phe Thr Asp Gly Ile Lys Leu Ala Gln

- (2) INFORMATION FOR SEQ ID NO: 39:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 44 amino acids
    - (B) TYPE: amino acid

    - (C) STRANDEDNESS:
      (D) TOPOLOGY: unknown
  - (ii) MOLECULE TYPE: peptide
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 39:

Met Thr Thr Ser Asn Val Glu Leu Ile Pro Ile Tyr Thr Asp Trp Ala

Asn Arg His Leu Ser Lys Gly Ser Leu Ser Lys Ser Ile Arg Asp Ile

Ser Asn Asp Phe Arg Asp Tyr Arg Leu Val Ser Gln

- (2) INFORMATION FOR SEQ ID NO: 40:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 51 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: unknown
  - (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 40:

Phe Glu Arg Ser Arg Ile Lys Ala Leu Ala Asp Glu Arg Glu Val Val 1 5 15

Gln Lys Lys Thr Phe Thr Lys Trp Val Asn Ser His Leu Ala Arg Val 20 25 30

Ser Cys Arg Ile Thr Asp Leu Tyr Lys Asp Leu Arg Asp Gly Arg Met 35 40 45

Leu Ile Lys 50

#### (2) INFORMATION FOR SEQ ID NO: 41:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 59 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
    (D) TOPOLOGY: unknown
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 41:

Leu Leu Glu Val Ile Ser Asn Asp Pro Val Phe Lys Val Asn Lys Thr 1 5 10 15

Pro Lys Leu Arg Arg Ile His Asn Ile Gln Asn Val Gly Leu Cys Leu 20 25 30

Lys His Ile Glu Ser His Gly Val Lys Leu Val Gly Ile Gly Ala Glu 35 40

Glu Leu Val Asp Lys Asn Leu Lys Met Thr Leu 50 55

### (2) INFORMATION FOR SEQ ID NO: 42:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 60 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: unknown
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 42:

Leu Ile Asn Val Ile Val Pro Ile Asn Glu Phe Ser Pro Ala Phe Thr

Lys Arg Leu Ala Lys Ile Thr Ser Asn Leu Asp Gly Leu Glu Thr Cys 20 25 30

Leu Asp Tyr Leu Lys Asn Leu Gly Leu Asp Cys Ser Lys Leu Thr Lys
35 40 45

Thr Asp Ile Asp Ser Gly Asn Leu Gly Ala Val Leu 50 55 60

159

- (2) INFORMATION FOR SEQ ID NO: 43:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 57 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
      (D) TOPOLOGY: unknown
  - (ii) MOLECULE TYPE: peptide
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 43:

Leu Leu Glu Val Leu Ser Gly Glu Met Leu Pro Lys Pro Thr Lys Gly

Lys Met Arg Ile His Cys Leu Glu Asn Val Asp Lys Ala Leu Gln Phe

Leu Lys Glu Gln Arg Val His Leu Glu Asn Met Gly Ser His Asp Ile 40

Val Asp Gly Asn His Arg Leu Val Leu

- (2) INFORMATION FOR SEQ ID NO: 44:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 42 amino acids
    - (B) TYPE: amino acid

    - (C) STRANDEDNESS:
      (D) TOPOLOGY: unknown
  - (ii) MOLECULE TYPE: peptide
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 44:

Gly Met Ile Trp Thr Ile Ile Leu Arg Phe Ala Ile Gln Asp Ile Ser

Ile Glu Glu Leu Ser Ala Lys Glu Ala Leu Leu Leu Trp Cys Gln Arg

Lys Thr Glu Gly Tyr Asp Arg Val Lys Val 35

- (2) INFORMATION FOR SEQ ID NO: 45:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 46 amino acids
      (B) TYPE: amino acid

    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: unknown

(ii)	MOLECULE	TYPE:	peptide
------	----------	-------	---------

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 45:
- Gln Leu Leu Phe Leu Leu Ser Thr Tyr Lys Gln Lys Leu Arg Gln Leu
- Lys Lys Asp Gln Lys Lys Leu Glu Gln Leu Pro Thr Ser Ile Met Pro
- Pro Ala Val Ser Lys Leu Pro Ser Pro Arg Val Ala Thr Ser
- (2) INFORMATION FOR SEQ ID NO: 46:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 48 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: unknown
  - (ii) MOLECULE TYPE: peptide
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 46:
  - Gly Leu Ile Trp Thr Ile Ile Leu Arg Phe Gln Ile Gln Asp Ile Val
  - Val Gln Thr Gln Glu Gly Arg Glu Thr Arg Ser Ala Lys Asp Ala Leu 25
  - Leu Gln Phe Leu Lys Glu Gln Arg Val His Leu Glu Asn Met Gly Ser 40
- (2) INFORMATION FOR SEQ ID NO: 47:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 100 base pairs

    - (B) TYPE: nucleic acid(C) STRANDEDNESS: single (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: cosmid DNA
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 47:

GATCAGAAGA AATTGGAGCA ACTACCCACA TCCATTATGC CACCCGCGGT TTCTAAGTGA

GTTTAATTTT GAGTTTACGA CTACAAAAAT GTGTTCTTTA

96/02311

(2) INFORMATION FOR SEQ ID NO: 48:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 91 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cosmid DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 48:	
CCGCCTTCTG ACTTCGTGAC GACAGTCTCG ACACGTGGGG TTGCAGGTAG GAGTGGATGA	60
GTCGAAACTG ATAAGATAGT CATTTGAGAT C	91

PCT/EP96/02311

5

### CLAIMS:

- 1. A cDNA encoding an UNC-53 protein of <u>C. elegans</u> or a functional equivalent derivative fragment or bioprecursor of said protein, which cDNA comprises at least from nucleotide position 431 to nucleotide position 4647 of the sequence shown in Figure 1.
- A cDNA as claimed in claim 1 comprising at least
   from nucleotide position 431 to the 3' end of the sequence shown in Figure 1.
- A cDNA as claimed in Claim 1 comprising at least from nucleotide position 64 to nucleotide position
   4647 of the sequence as shown in Figure 1.
  - 4. A cDNA as claimed in claim 3 comprising at least from nucleotide position 64 to the 3' end of the sequence shown in Figure 1.

20

- 5. A cDNA as claimed in Claims 1 to 4 comprising the nucleotide sequence shown in Figure 1.
- 6. A cDNA encoding an UNC-53 protein of <u>C. elegans</u>
  or a functional equivalent, derivative, fragment or
  bioprecursor of said protein, which cDNA comprises at
  least from nucleotide position 431 to nucleotide
  position 4812 of the 7A variant of the sequence shown
  in Figure 2.

30

A cDNA as claimed in claim 6 comprising at least

from nucleotide position 431 to the 3' end of the 7A variant of the sequences shown in figure 2.

- A cDNA as claimed in Claim 6 comprising at least
   from nucleotide position 64 to nucleotide position
   4812 of the sequence shown in Figure 2.
- 9. A cDNA as claimed in claim 8 comprising at least from nucleotide position 64 to the 3' end of the 7A10 variant of the sequence shown in figure 2.
  - 10. A cDNA as claimed in any of claims 6 to 9 comprising the nucleotide sequence of the 7A variant of the sequence shown in Figure 2.

15.

- 11. A DNA expression vector which comprises a cDNA as claimed in any one of Claims 1 to 10.
- 12. A host cell transformed or transfected with the20 vector of Claim 11.
  - 13. A host cell as claimed in Claim 12 which is a bacterial, an animal, a plant or an insect cell.
- 25
  14. A transgenic cell comprising a transgene capable of expressing UNC-53 protein of <u>C. elegans</u> or a functional equivalent, derivative, fragment or bioprecursor of said protein.
- 30 15. A transgenic cell as claimed in Claim 14 which

cell is a <u>C. elegans</u> cell, an N4 neuroblastoma cell or an MCF-7 breast carcinoma cell.

- 16. A transgenic organism comprising a transgene capable of expressing UNC-53 protein of <u>C. elegans</u> or a functional equivalent, derivative, fragment or bioprecursor of said protein.
- 17. A transgenic organism as claimed in Claim 1610 wherein said organism is <u>C. elegans</u>.
  - 18. A transgenic organism as claimed in Claim 16 wherein said organism is an insect, a non-human mammal or a plant.

15 -

19. A mutant of <u>C. elegans</u> which comprises an induced mutation in the wild-type unc-53 gene, which mutation affects the regulation of cell motility or the shape or direction of cell migration.

20

20. An UNC-53 protein encoded by the cDNA of Claim 1 and which protein has the amino acid sequence shown in Figure 4 from amino acid position 135 to amino acid position 1528.

- 21. An UNC-53 protein encoded by the cDNA sequence of any of Claims 2 to 5 and which protein has the amino acid sequence shown in Figure 4.
- 30 22. An UNC-53 protein encoded by the cDNA sequence of Claim 6 and which protein has the amino acid

25

sequence shown in Figure 6 from amino acid position 135 to amino acid position 1583.

- 23. An UNC-53 protein encoded by the cDNA sequence according to any of Claims 7 to 10 and which protein has the amino acid sequence shown in Figure 6.
- 24. An UNC-53 protein of <u>C. elegans</u>, or a functional equivalent, derivative, fragment or bioprecursor of said protein, for use as a medicament to promote neuronal regeneration, revascularisation or wound healing, or for treatment of chronic neurodegenerative diseases or acute traumatic injuries.
- 25. An UNC-53 protein as claimed in any one of Claims 20 to 23 for use as a medicament to promote neuronal regeneration, revascularisation or wound healing, or for treatment of chronic neurodegenerative diseases or acute traumatic injuries.
  - 26. Use of an UNC-53 protein of <u>C. elegans</u>, or a functional equivalent, derivative, fragment or bioprecursor of said protein in the manufacture of a medicament for promoting neuronal regeneration, revascularisation or wound healing, or for treatment of chronic neuro-degenerative diseases or acute traumatic injuries.
- 27. Use of an UNC-53 protein as claimed in any one
  of Claims 20 to 23 in the manufacture of a medicament
  for promoting neuronal regeneration, revascularisation
  or wound healing, or for treatment of chronic neurodegenerative or acute traumatic injuries.

- 166 -

- A pharmaceutical composition comprising an UNC-53 protein of <u>C. elegans</u>, a functional equivalent, derivative, bioprecursor or fragment of said protein and an acceptable carrier, diluent or excipient therefor.
- A pharmaceutical composition as claimed in Claim 28 which comprises an UNC-53 protein as claimed in any one of Claims 20 to 23.

10

15

- A nucleic acid sequence encoding an UNC-53 30. protein of <u>C. elegans</u> or a functional fragment, equivalent, derivative or bioprecursor of said protein, for use as a medicament to promote neuronal regeneration, vascularisation or wound healing, or for treatment of chronic neuro-degenerative diseases or acute traumatic injuries.
- 31. A nucleic acid sequence for use as claimed in Claim 27 wherein said sequence is a cDNA sequence as 20 claimed in any one of Claims 1 to 10 or a functional fragment of said nucleic acid sequence.
- Use of a nucleic acid sequence encoding and UNC-53 protein of <u>C. elegans</u> or a functional equivalent 25 fragment, derivative or bioprecursor of said protein, in the manufacture of a medicament to promote neuronal regeneration, vascularization or wound healing, or for treatment of chronic neuro-degenerative diseases or acute traumatic injuries. 30
  - Use of a nucleic acid sequence as claimed in Claim 32 wherein said sequence is a cDNA sequence as

claimed in any one of Claims 1 to 10 or a functional fragment of said nucleic acid sequence.

- 34. A pharmaceutical composition comprising a nucleic sequence acid encoding an UNC-53 protein of <a href="C. elegans">C. elegans</a> or a functional equivalent, derivative fragment or bioprecursor of said protein and an acceptable carrier, diluent, or excipient therefor.
- 10 35. A pharmaceutical composition as claimed in Claim 34 wherein said nucleic acid sequence is a cDNA sequence as claimed in any one of Claims 1 to 10.
- 36. A method of determining whether a compound is an inhibitor or an enhancer of the regulation of cell shape or motility or the direction of cell migration, which method comprises contacting said compound with a transgenic cell as claimed in Claims 14 or 15 and screening for a phenotypic change in said cell.

20

25

- 37. A method as claimed in Claim 36 wherein said compound is an inhibitor or an enhancer of a protein of the signal transduction pathway of said transgenic cell of which pathway UNC-53 protein or a functional equivalent, fragment or bioprecursor thereof is a component or said compound is an inhibitor or an enhancer of a parallel or redundant signal transduction pathway in said cell.
- 38. A method as claimed in Claim 36 or 37 wherein said protein is UNC-53 protein or a functional equivalent, fragment, derivative or bioprecursor thereof.

- 39. A method as claimed in any of Claims 36 to 38 wherein said phenotypic change to be screened is a change in cell shape or a change in cell motility.
- 5 40. A method as claimed in any of claims 36 to 38 wherein said phenotypic change to be screened is a change in filipodia outgrowth, ruffling behaviour, cell adhesion or the length of neurite growth.
- 10 41. A method as claimed in any of Claims 36 to 40 wherein said transgenic cell is an N4 neuroblastoma cell and the phenotypic change to be screened is the length of neurite growth.
- 15 42. A method as claimed in any of Claims 36 to 40 wherein said transgenic cell is an MCF-7 breast carcinoma cell and the phenotypic change to be screened is the extent of phagokinesis.
- 43. A method of determining whether a compound is an inhibitor or an enhancer of the regulation of cell shape or motility or of the direction of cell migration which method comprises administering said compound to a transgenic organism as claimed in any one of Claims 16 to 20, or a mutant organism as claimed in Claim 19, and screening for a phenotypic change in said organism.
- 44. A method as claimed in Claim 43 wherein said compound is an inhibitor or enhancer of a protein of the signal transduction pathway of said transgenic or mutant organisms, of which pathway UNC-53 protein or a functional equivalent, derivative or bioprecursor

thereof is a component or said compound is an inhibitor or an enhancer of a parallel or redundant signal transduction pathway in said cell.

- 5 45. A method as claimed in Claim 44 wherein said protein of the signal transduction pathway is UNC-53 protein itself or a functional equivalent, fragment, derivative or bioprecursor of said protein.
- 46. A compound which is identifiable by the method according to any one of Claims 36 to 45 as an enhancer of the regulation of cell shape or motility or the direction of cell migration for use as a medicament for promoting neuronal regeneration, revascularisation or wound healing, or for treatment of chronic neurodegenerative diseases or acute traumatic injuries.
- 47. Use of a compound identifiable by the method of any one of Claims 36 to 45 as an enhancer of the regulation of cell shape or motility or the direction of cell migration in <u>C. elegans</u> in the manufacture of a medicament for promoting neuronal regeneration, revascularisation or wound healing, or for treatment of chronic neuro-degenerative diseases or acute traumatic injuries.
  - 48. A pharmaceutical composition comprising the compound as claimed in Claim 46 and an acceptable carrier, diluent or excipient therefor.

30

49. A compound which is identifiable by the method according to any one of Claims 36 to 45 as an inhibitor of the regulation of cell motility or shape

or the direction of cell migration of C. elegans for use as a medicament for alleviating the spread of disease inducing cells or metastasis.

- Use of a compound identifiable by the method 50. according to any one of Claims 36 to 45 in the manufacture of a medicament for alleviating the spread of disease inducing cells or metastasis.
- 10 51. A pharmaceutical composition comprising the compound as claimed in Claim 49 and an acceptable carrier diluent or excipient therefor.
- A transgenic cell which has been constructed to 15 comprise a promoter sequence of an unc-53 gene of C. elegans fused to a nucleic acid sequence encoding a reporter molecule.
- A transgenic cell as claimed in Claim 52 wherein 20 said reporter molecule is green fluorescent protein (GFP).
- A method of determining whether a compound is an inhibitor or an enhancer of transcription of an unc-53 25 gene in C. elegans or a functional fragment of said gene, which method comprises the steps of (a) contacting said compound with a transgenic cell according to Claim 52 and (b) monitoring of said reporter molecule and comparing the results obtained 30 from said monitoring step with a control comprising a transgenic cell as claimed in Claim 48, which cell has not been contacted with said compound.

- 171 -

55. A method as claimed in Claim 54 wherein said reporter molecule detected is mRNA.

- 56. A method as claimed in Claim 54 wherein said reporter molecule detected is green fluorescent protein (GFP).
- 57. A compound which is identifiable by the method according to any one of Claims 54 to 56, as an enhancer of transcription of an unc-53 gene of C. elegans or a functional fragment of said gene for use in promoting neuronal regeneration, revascularisation or wound healing, or for treatment of chronic neuro-degenerative diseases or acute traumatic injuries.
- 58. Use of a compound which is identifiable by the method of any one of Claims 54 to 56 as an enhancer of transcription of an unc-53 gene of <u>C. elegans</u> or a functional fragment of said gene in the manufacture of a medicament for promoting neuronal regeneration, revascularisation or wound healing, or for treatment of chronic neuro-degenerative diseases or acute traumatic injuries.

- 59. A pharmaceutical composition which comprises the compound of Claim 57 and an acceptable carrier, diluent or excipient therefor.
- 30 60. A compound which is identifiable by the method of any one of Claims 54 to 56 as an inhibitor of transcription of an unc-53 gene of <u>C. elegans</u> or a functional fragment of said gene for use in

- 172 -

alleviating the spread of disease inducing cells or metastasis.

61. Use of a compound which is identifiable by the method of any one of Claims 54 to 56 as an inhibitor of transcription of an unc-53 gene of <u>C. elegans</u> or a functional fragment of said gene in the manufacture of a medicament for alleviating spread of disease inducing cells or metastasis.

10

- 62. A pharmaceutical composition which comprises the compound of Claim 60 and an acceptable carrier, diluent or excipient therefor.
- 15 63. A kit for determining whether a compound is an enhancer or an inhibitor of the regulation of cell motility or shape or the direction of cell migration which kit comprises at least a plurality of transgenic cells as claimed in any one of Claims 14 or 15 and a plurality of wild-type cells of the same cell or cellline.
- 64. A kit for determining whether a compound is an inhibitor or an enhancer of transcription of an unc-53 gene of <u>C. elegans</u> or a functional fragment of said gene which kit comprises at least a plurality of transgenic cells as claimed in Claims 52 or 53 and means for monitoring the reporter molecule.
- 30 65. A kit for determining whether a compound is an enhancer or an inhibitor of the activity of UNC-53 protein or a functional equivalent, derivative, fragment or bioprecusor of said protein, which kit

- 173 -

comprises at least, one mutant organism of <u>C. elegans</u> as claimed in claim 10 or a transgenic organism as claimed in any of claims 16 to 18 and a wild type organism of <u>C. elegans</u>.

5

66. An oligonucleotide probe which comprises the carboxy-terminal 1.5 kb of the coding nucleic acid sequence shown in Figure 1 or a fragment thereof comprising between 18 and 24 base pairs.

10

- 67. An oligonucleotide probe comprising a nucleic acid sequence encoding the amino acid sequence as numbered 1 to 110, 114 to 133, 487 to 495, 537 to 545, 1032 to 1037, 1097 to 1116 or 1300 to 1307 shown in Figure 3 or a fragment thereof.
- 68. A probe as claimed in Claim 66 or 67 which is labelled for detection.
- 20 69. A method of identifying homologues of a

  C. elegans unc-53 gene or a functional fragment
  thereof which method comprises hybridizing to a C.
  elegans DNA library an oligonucleotide probe as
  claimed in any one of Claims 66 to 68 under
  appropriate conditions of stringency to identify genes
  having statistically significant homology with the
  cDNA of any one of Claims 1 to 10.
- 70. A method of identifying a protein which is
  30 active in the signal transduction pathway of a cell of
  which an UNC-53 protein or a functional equivalent,
  fragment or bioprecursor of said UNC-53 protein is a
  component, which method comprises:

### component, which method comprises:

5、

10

15

20

- (a) contacting an extract of said c ll with an antibody to the UNC-53 protein of C.elegans or a functional equivalent, fragment, derivative or bioprecursor of said protein,
- (b) identifying the antibody/UNC-53 complex, and
- (c) analysing the complex to identify any protein bound to the UNC-53 protein other than the antibody.
- 71. A method of identifying a further protein which is active in the signal transduction pathway of a cell of which an UNC-53 protein or a functional equivalent, fragment or bioprecursor of said UNC-53 protein is a component which method comprises:
  - (a) forming an antibody to the identified protein bound to the UNC-53 protein in Claim 65,
- (b) contacting a cell extract with said antibody and identifying the antibody/protein complex,
  - (c) analysing the complex to identify any further protein bound to the first protein other than the antibody, and
- 25 (d) optionally repeating steps (a) to (c) to identify further proteins in said pathway.
  - 72. A method of identifying a protein which is active in the signal transduction pathway of a cell of which an UNC-53 protein or a functional equivalent, fragment or bioprecursor of said UNC-53 protein is a component, which method comprises

- (a) contacting an extract of said cell with UNC-53 protein of <u>C. elegans</u> or a functional equivalent, derivative or bioprecursor of said UNC-53 protein
- 5 (b) identifying UNC-53 protein/protein complex formed and
  - (c) analysing the complex to identify any protein bound to the UNC-53 protein other than another UNC-53 protein.

15

25

- 73. A method according to claim 72 which further comprises contacting a cell extract with any protein identified from step (c) not being UNC-53 protein and repeating steps (b) and (c) so as to identify any further protein involved in the signal transduction pathway of said cell.
- 74. A method of identifying a protein involved in the signal transduction pathway of <u>C. elegans</u> which20 method comprises:
  - (a) constructing at least two nucleotide vectors, the first of which comprises a nucleotide segment encoding for a DNA binding domain of GAL4 protein fused to a sequence encoding UNC-53 protein of <u>C. elegans</u> or a functional equivalent, derivative, fragment or bioprecursor thereof, the second vector comprising a nucleotide sequence encoding a protein binding domain of GAL4 protein fused to a nucleotide sequence encoding a protein to be tested,
  - (b) co-transforming each of said vectors into a yeast cell being deficient for transcription of genes encoding galactose metabolites, wherein

- 176 -

interaction between said test protein and said UNC-53 protein leads to transcription of said galactose metabolite genes.

75. A protein identified by the method, of any one of claims 70 to 74 for use as a medicament to promote neuronal regeneration, revascularisation or wound healing, or for treatment of chronic neurodegeroactive diseases or acute traumatic injuries.

10

- 76. Use of a protein identified by the methods of any one of claims 70 to 74 in the manufacture of a medicament for promoting neuronal regeneration, revasculerisation or wound healing, or for treatment of chronic neurodegenerative diseases or acute traumatic injuries.
- 77. A pharmaceutical composition comprising a protein identified by the methods of any one of Claims
  70 to 74 and an acceptable carrier diluent, or excipient therefor.
- 78. A process for producing an UNC-53 protein of C. elegans or a functional equivalent fragment,
  25 derivative or bioprecursor of said UNC-53 protein which process comprises culturing the transfected or transformed cells of Claim 12 or Claim 13 and recovering the expressed UNC-53 protein.
- 79. A process for producing an UNC-53 protein of C. elegans or a functional equivalent fragment, derivative or bioprecursor of said protein which process comprises culturing an insect cell transfected

with a recombinant Baculovirus vector, said vector comprising a DNA insert encoding said UNC-53 protein or a functional equivalent, fragment or bioprecursor thereof, downstream of the Baculovirus polyhedrin promoter, and recovering the expressed UNC-53 protein.

- 80. A hybridoma cell line deposited under the LMBP Accession No. 1383CB.
- 10 81. Monoclonal antibody 16-48-2 obtainable from the hybridoma deposited under the LMBP Accession No. 1383CB.

5

- 82. Plasmid pTB54 deposited under the LMBP Accession No. 3296.
  - 83. Plasmid pBT112 deposited under the Accession No. 3295.
- 20 84. Plasmid pTB72 deposited under the LMBP Accession No. 3486.
- 85. Transgenic cell-line of <u>C.elegans</u> designated TB4EX25 and deposited under the LMBP Accession No. 1384CB.
  - 86. Transgenic cell-line of <u>C. elegans</u> designated TBAIn76 and deposited under the Accession No. 1385CB.
- 30 87. A transgenic cell-line of MCF-7 breast carcinoma

cells deposited under the LMBP Accession No. 1550CB.

88. A transgenic cell-line of N4 neuroblastoma cells deposited under LMBP Accession No. 1549CB.

1/99 FIG. TB6 & TB3 BSP1286 30 40 50 OUT OF FRAME ATG TTHIIII IIAHA. .. AATII AAAATGACGACGTCAAATGTAGAATTGATACCAATCTACACGGATTGGGCCAATCGGC AC 70 80 90 100 110 120 M T T S N V E L I P I Y T D W A N R H ATG1 ASUII BBVI CTTTCGAAGGGCAGCTTATCAAAGTCGATTAGGGATATTTCCAATGATTTTCGCGACT AT 130 140 150 160 170 180 S K G S L S K S I R D I S N D F R D Y TB1B ECORI CGACTGGTTTCTCAGCTTATTAATGTGATCGTTCCGATCAACGAATTCTCGCCTGCAT TC TB16 BSTNI AFLIII ACGAAACGTTTGGCAAAAATCACATCGAACCTGGATGGCCTCGAAACGTGTCTCGACT AC 250 260 270 280 290 300 T K R L A K I T S N L D G L E T C L D Y HPHI IECORV NSPBII CTGAAAAATCTGGGTCTCGACTGCTCGAAACTCACCAAAACCGATATCGACAGCGGAA AC 310 320 330 340 350 360 L K N L G L D C S K L T K T D I D S G N RRVT MBOII . NSPBII PVUII HINDIII TTGGGTGCAGTTCTCCAGCTGCTCTTCCTGCTCTCCACCTACAAGCAGAAGCTTCGGC AA 370 380 390 400 410 420 LGAVLQLLFLLSTYKQKLRQ 420 FOKI . MBOII CTGAAAAAGATCAGAAGAAATTGGAGCAACTACCCACATCCATTATGCCACCCGCGG TT 430 440 450 460 470 L K K D Q K K L E Q L P T S I M P I M P P A V ATG 2 AFLIII TCTAAATTACCCTCGCCACGTGTCGCCACGTCAGCAACCGCTTCAGCAACTAACCCAA AT 490 500 510 520 530 540 S K L P S P R V A T S A T A S A T N P N HINCII BSTNI TCCAACTTTCCACAAATGTCAACATCCAGGCTTCAGACTCCACAGTCAAGAATATCGA AA

#### **SUBSTITUTE SHEET (RULE 26)**

550 560 570 580 590 600 F P Q M S T S R L Q T P Q S R I S K

FIG. 1 CONTINUED. 2/99

```
AHAII
    TB6B
                                  . AATII
ATTGATTCATCAAAGATTGGTATCAAGCCAAAGACGTCTGGACTTAAACCACCCTCAT CA
 610 620 630 640 650 660
I D S S K I G I K P K T S G L K P P S S
670 680 690 700 710 720
STTSSNNTNSFRPSSRSSGN
                                           MBOII
                   ECORV
AATAATGTTGGCTCGACGATATCCACATCTGCGAAGAGCTTAGAATCATCATCAACGT AC
 730 740 750 760 770 780
N N V G S T I S T S A K S L E S S S T Y
         ASUII
AGCTCTATTTCGAATCTAAACCGACCTACCTCCCAACTCCAAAAACCTTCTAGACCAC AA
 790 800 810 820 830 840
S S I S N L N R P T S Q L Q K P S R P Q
ACCCAGCTAGTTCGTGTTGCTACAACTACAAAAATCGGAAGCTCAAAGCTAGCCGCTC CG
 850 860 870 880 890 900
T Q L V R V A T T T K I G S S K L A A P
            BSP1286
                                           MBOII
            HGIAI
AAAGCCGTGAGCACCCCAAAACTTGCTTCTGTGAAGACTATTGGAGCAAAACAAGAGC CC
 910 920 930 940 950 960
KAVSTPKLASVKTIGAKQEP
       NSPBII
                              BSMI
GATAACAGCGGTGGTGGTGGTGGAATGCTGAAATTAAAGTTATTCAGTAGCAAAA AC
 970 980 990 1000 1010 1020
D N S G G G G G M L K L K L F S S K N
                        ATG4
                                              BANI
CCATCTTCCTCATCGAATAGCCCACAACCTACGAGAAAGGCGGCGGCGGCGGTGCCTCAAC AA
 1030 1040 1050 1060 1070 1080 P S S S S N S P Q P T R K A A A V P Q Q
CAAACTTTGTCGAAAATCGCTGCCCCAGTGAAAAGTGGCCTGAAGCCGCCGACCAGTA AG
 1090 1100 1110 1120 1130 1140
Q T L S K I A A P V K S G L K P P T S K
                       HINDIII
CTGGGAAGTGCCACGTCTATGTCGAAGCTTTGTACGCCAAAAGTTTCCTACCGTAAAA CG
1150 1160 1170 1180 1190 1200
L G S A T S M S K L C T P K V S Y R K T
                                         SFANI
GACGCCCAATCATATCTCAACAAGACTCGAAACGATGCTCAAAGAGCAGTGAAGAAG AG
1210 1220 1230 1240 1250 1260
D A P I I S Q Q D S K R C S K S S E E E
```

FIG. 1 CONTINUED. 3/99 MBOII .BSPMII .. MBOII TCCGGATACGCTGGATTCAACAGCACGTCGCCAACGTCATCATCGACGGAAGGTTCCC TA 1270 1280 1290 1300 1310 1320 S G Y A G F N S T S P T S S S T E G S L BSMI SPHI . MBOII . NSII AGCATGCATTCCACATCTTCCAAGAGTTCAACGTCAGACGAAAAGTCTCCGTCATCAG AC 1330 1340 1350 1360 1370 1380 S M H S T S S K S S T S D E K S P S S D GATCTTACTCTTAACGCCTCCATCGTGACAGCTATCAGACAGCCGATAGCCGCAACAC CG 1390 1400 1410 1420 1430 1440 D L T L N A S I V T A I R Q P I A A T P GTTTCTCCAAATATTATCAACAAGCCTGTTGAGGAAAAACCAACACTGGCAGTGAAAG GA 1450 1460 1470 1480 1490 1500 V S P N I I N K P V E E K P T L A V K G BINI XHOII NSPBIT PVUII GTGAAAAGCACAGCGAAAAAAGATCCACCTCCAGCTGTTCCGCCACGTGACACCCAGC CA 1510 1520 1530 1540 1550 1560 V K S T A K K D P P P A V P P R D T Q P 1560 HINCII ACAATCGGAGTTGTTAGTCCAATTATGGCACATAAGAAGTTGACAAATGACCCCGTGA TA 1570 1580 1590 1600 1610 1620 T I G V V S P I M A H K K L T N D P V I SFANI 1630 1640 1650 1660 1670 1680 E K P E P E K L Q S M S I D T T D V P CCGCTTCCACCTCTAAAATCAGTTGTTCCACTTAAAATGACTTCAATCCGACAACCAC CA 1690 1700 1710 1720 1730 1740 P L P P L K S V V P L K M T S I R Q P P ACGTACGATGTTCTTCTAAAACAAGGAAAAATCACATCGCCTGTCAAGTCGTTTGGAT AT 1750 1760 1770 1780 1790 1800 T Y D V L L K Q G K I T S P V K S F G Y HGAI . MBOII GAGCAGTCGTCCGCGTCTGAAGACTCCATTGTGGCTCATGCGTCGGCTCAGGTGACTC CG 1810 1820 1830 1840 1850 1860 E Q S S A S E D S I V A H A S A Q V T P CCGACAAAAACTTCTGGTAATCATTCGCTGGAGAGAAGGATGGGAAAGAATAAGACAT CA 1870 1880 1890 1900 1910 1920 P T K T S G N H S L E R R M G K N K T S HGAI AHAII NSPBII

#### **SUBSTITUTE SHEET (RULE 26)**

GAATCCAGCGGCTACACCTCTGACGCCGGTGTTGCGATGTGCGCCAAAATGAGGGAGA AG

FIG. 1 CONTINUED. 4/99

```
AHAII HGAI
        NSPBII
GAATCCAGCGGCTACACCTCTGACGCCGGTGTTGCGATGTGCGCCAAAATGAGGGAGAAG
1930 1940 1950 1960 1970 1980
E S S G Y T S D A G V A M C A K M R E K
                                 BSP1286
                                 RGIAI
CTGAAAGAATACGATGACATGACTCGTCGAGCACAGAACGGCTATCCTGACAACTTCGAA
 1990 2000 2010 2020 2030 2040
L K E Y D D M T R R A Q N G Y P D N F E
                                            BANII
          MBOII
                                            BSP1286
                                             EGIAI
                                            SACI
GACAGTTCCTCCTTGTCGTCTGGAATATCCGATAACAACGAGCTCGACGACATATCCACG
 2050 2060 2070 2080 2090 2100
D S S S L S S G I S D N N E L D D I S T
              BSPMII
              . ACCI
GACGATTTGTCCGGAGTAGACATGGCAACAGTCGCCTCCAAACATAGCGACTATTCCCAC
 2110 2120 2130 2140 2150 2160
D D L S G V D M A T V A S K E S D Y S E
          MBOII
                                   AVAI
           . MBOII
TTTGTTCGCCATCCCACGTCTTCTTCCTCAAAGCCCCGAGTCCCCAGTCGGTCCTCCACA
 2170 2180 2190 2200 2210 2220
FVREPTSSSKPRVPSRSST
                 AVAI
                 IOHX
TCAGTCGATTCTCGAGCAGCAGAACAGGAGAATGTGTACAAACTTCTGTCCCAGTGC
 2230 2240 2250 2260 2270 2280
S V D S R S R A E Q E N V Y K L L S Q C
         BBVI BGLI
              . BANI
              . .AHAII
              . .NARI
             ... HAEII
                                                  BINI XHOII
              . .. . NSPBII
CGAACGAGCCAACGTGGCGCCGCTGCCACCTCAACCTTCGGACAACATTCGCTAAGATCC
 2290 2300 2310 2320 2330 2340
R T S Q R G A A T S T F G Q E S L R S
AVAI
.NCII
..NCII
                                         NSPRII
CCGGGATACTCATCCTATTCTCCACACTTATCAGTGTCAGCTGATAAGGACACAATGTCT
 2350 2360 2370 2380 2390 2400
PGYSSYSPELSVSADKDTMS
```

5/99

FIG. 1 CONTINUED.

SPEI

SALI

.ACCI

..HINCII

...MBOII

ATGCACTCACAGACTAGTCGACGACCTTCTTCACAAAAACCAAGCTATTCAGGCCAAT TT 2410 2420 2430 2440 2450 2460 M H S Q T S R R P S S Q K P S Y S G Q F

FOKI

BSP1286

CATTCACTTGATCGTAAATGCCACCTTCAAGAGTTCACATCCACCGAGCACAGAATGG CG 2470 2480 2490 2500 2510 2520 H S L D R K C H L Q E F T S T E H R M A

.BANII .BSP1286 BANI

MBOII BINI BAMHI

GCTCTCTTGAGCCCGAGACGGGTGCCGAACTCGATGTCGAAATATGATTCTTCAGGAT CC 2530 2540 2550 2560 2570 2580 A L L S P R R V P N S M S K Y D S S G S

AVAI

TACTCGGCGCGTTCCCGAGGTGGAAGCTCTACTGGTATCTATGGAGAGACGTTCCAAC TG 2590 2600 2610 2620 2630 2640 Y S A R S R G G S S T G I Y G E T F Q L

BINI BAMHI

CACAGACTATCCGATGAAAAATCCCCCGCACATTCTGCCAAAAGTGAGATGGGATCCC AA 2650 2660 2670 2680 2690 2700 H R L S D E K S P A H S A K S E M G S Q

NHEI

NDEI

XHOII BINI CTATCACTGGCTAGCACGACAGCATATGGATCTCTCAATGAGAAGTACGAACATGCTA TT 2710 2720 2730 2740 2750 2760 L S L A S T T A Y G S L N E K Y E H A I

..HINCII

CGGGACATGGCACGTGACTTGGAGTGTTACAAGAACACTGTCGACTCACTAACCAAGA AA 2770 2780 2790 2800 2810 2820 R D M A R D L E C Y K N T V D S L T K K

HINDIII

2830 2840 2850 2860 2870 2880 QENYGALFDLFEQKLRKLTQ

CLAI MBOII

2890 2900 2910 2920 2930 2940 H I D R S N L K P E E A I R F R Q D I A

6/99

FIG. 1 CONTINUED.

FOKI . SFANI CATTTGAGGGATATTAGCAATCATCTTGCATCCAACTCAGCTCATGCTAACGAAGGCG CT 2950 2960 2970 2980 2990 3000 H L R D I S N H L A S N S A H A N E G A MBOII HPHI . HINCII FOKI . SFANI CLAI CLAI GGTGAGCTTCTTCGTCAACCATCTCTGGAATCAGTTGCATCCCATCGATCATCGATGT CA 3010 3020 3030 3040 3050 3060 G E L L R Q P S L E S V A S H R S S M S ECOB BBVI MBOII . BANII BSP1286 TCGTCGTCGAAAAGCAGCAAGCAGGAGAAGATCAGCTTGAGCTCGTTTGGCAAGAACA AG 3070 3080 3090 3100 3110 3120 S S S K S S K Q E K I S L S S F G K N K BINI BAMHI . XHOII . MBOII . . BINI HPHI . MBOII AAGAGCTGGATCCGCTCCTCACTCTCCAAGTTCACCAAGAAGAAGAACAAGAACTACG AC 3130 3140 3150 3160 3170 3180 K S W I R S S L S K F T K K K N K N Y D NDEI XHOII .BSPMII BINI GAAGCACATATGCCATCAATTTCCGGATCTCAAGGAACTCTTGACAACATTGATGTGA TT 3190 3200 3210 3220 3230 3240 E A H M P S I S G S Q G T L D N I D V I BANII BSP1286 HGIAI SACI ECOK APALI . . BSP1286 GAGTTGAAGCAAGAGCTCAAAGAACGCGATAGTGCACTTTACGAAGTCCGCCTTGACA AT 3250 3260 3270 3280 3290 3300 E L K Q E L K E R D S A L Y E V R L D N BINI .BSP1286 CTGGATCGTGCCCGCGAAGTTGATGTTCTGAGGGAGACAGTGAACAAGTTGAAAACCG AG 3310 3320 3330 3340 3350 3360 L D R A R E V D V L R E T V N K L K T E HPHI AVAII MBOII

SUBSTITUTE SHEET (RULE 26)

AACAAGCAATTAAAGAAAGTAGAAGTGACAAACTCACCAACGGTCCAGCCACTCGTGCTT CT 3370 3380 3390 3400 3410 3420 N K Q L K K E V D K L T N G P A T R A S

7/99 F/G. 1 CONTINUED.

```
TCCCGCGCCTCAATTCCAGTTATCTACGACGATGAGCATGTCTATGATGCAGCGTGTA GC
   3430 3440 3450 3460 3470 3480
RASIPVIYDDEHVYDAACS
 BBVI MBOII
                     ASUII
                     .BINI
                     .. BBVI
3490 3500 3510 3520 3530 3540
S T S A S Q S S K R S S G C N S I K V T
                                  PVUI
                                     HINCII
                                     HPAI
GTAAACGTGGACATCGCTGGAGAAATCAGTTCGATCGTTAACCCGGACAAAGAGATAA TC
 3550 3560 3570 3580 3590 3600
V N V D I A G E I S S I V N P D K E I I
      ECORV
                  HINCII
GTAGGATATCTTGCCATGTCAACCAGTCAGTCATGCTGGAAAGACATTGATGTTTCTA TT
 3610 3620 3630 3640 3650 3660
V G Y L A M S T S Q S C W K D I D V S I
                ACCI
                              SFANI
CTAGGACTATTTGAAGTCTACCTATCCAGAATTGATGTGGAGCATCAACTTGGAATCG AT
 3670 3680 3690 3700 3710 3720
L G L F E V Y L S R I D V E H Q L G I D
      SFANI STYI
                               HGAI
                                        AFLIII
                                        MLUI
                                        .HPHI
                                               HGAI
GCTCGTGATTCTATCCTTGGCTATCAAATTGGTGAACTTCGACGCGTCATTGGAGACT CC
 3730 3740 3750 3760 3770 3780
A R D S I L G Y Q I G E L R R V I G D S
     FOKI
ACAACCATGATAACCAGCCATCCAACTGACATTCTTACTTCCTCAACTACAATCCGAA TG
 3790 3800 3810 3820 3830 3840
T T M I T S H P T D I L T S S T T I R M
                           ACCI
                                    AVAII MBOII
         BANI
TTCATGCACGGTGCCGCACAGAGTCGCGTAGACAGTCTGGTCCTTGATATGCTTCTTC CA
 3850 3860 3870 3880 3890 3900
FMHGAAQSRVDSLVLDMLLP
                                           AHAII
                                             AATII
AAGCAAATGATTCTCCAACTCGTCAAGTCAATTTTGACAGAGAGACGTCTGGTGTTAG CT
 3910 3920 3930 3940 3950 3960
KQMILQLVKSILTERRLVLA
                            BBVI
                                    BSTNI
                                       . MBOII
GGAGCAACTGGAATTGGAAAGAGCAAACTGGCGAAGACCCTGGCTGCTTATGTATCTA TT
 3970 3980 3990 4000 4010 4020
G A T G I G K S K L A K T L A A Y V S I
```

FIG. 1 CONTINUED. 8/99

MBOII CGAACAATCAATCCGAAGATAGTATTGTTAATATCAGCATTCCTGAAAACAATAAAG AA 4030 4040 4050 4060 4070 4080 R T N Q S E D S I V N I S I P E N N K E XMNI MBOII AHAII . BSTNI . HGAI . BGLII SFANI GAATTGCTTCAAGTGGAACGACGCCTGGAAAAGATCTTGAGAAGCAAAGAATCATGCA TC 4090 4100 4110 4120 4130 4140 E L L Q V E R R L E K I L R S K E S C I GTAATTCTAGATAATATCCCAAAGAATCGAATTGCATTTGTTGTATCCGTTTTTGCAA AT 4150 4160 4170 4180 4190 4200 V I L D N I P K N R I A F V V S V F A N AVAII HINCII ECORV GTCCCACTTCAAAACAACGAAGGTCCATTTGTAGTATGCACAGTCAACCGATATCAAA TC 4210 4220 4230 4240 4250 4260 V P L Q N N E G P F V V C T V N R Y Q I CCTGAGCTTCAAATTCACCACAATTTCAAAATGTCAGTAATGTCGAATCGTCTCGAAG GA 4270 4280 4290 4300 4310 4320 P E L Q I H H N F K M S V M S N R L E G FOKI TTCATCCTACGTTACCTCCGACGACGGGGGGGGGAGAGGATGAGTATCGTCTAACTGTAC AG 4330 4340 4350 4360 4370 4380 F I L R Y L R R R A V E D E Y R L T V Q 4380 MBOII . SFANI . BANII . BSP1286 HGIAI MBOII SACI MBOII ATGCCATCAGAGCTCTTCAAAATCATTGACTTCTTCCCAATAGCTCTTCAGGCCGTCA AT 4390 4400 4410 4420 4430 4440 M P S E L F K I I D F F P I A L Q A V N ECORI AVAII AATTTTATTGAGAAAACGAATTCTGTTGATGTGACAGTTGGTCCAAGAGCATGCTTGA AC 4450 4460 4470 4480 4490 4500 N F I E K T N S V D V T V G P R A C L N BINI BAMHI XHOII BINI TGTCCTCTAACTGTCGATGGATCCCGTGAATGGTTCATTCGATTGTGGAATGAGAACT TC 4510 4520 4530 4540 4550 4560 C P L T V D G S R E W F I R L W N E N F AFLIII BBVI 

FIG. 1 CONTINUED.

5050

5060

9/99

BINI BAMHI . XHOII BINI TTHIIII EAEI CTTCGAGGATCCCACCGACATCGTCTCTAAAAAATGGCCGTGGTTCGATGGTGAAAAC CC 4630 4640 4650 4660 4670 4680 L R G S H R H R L HPHI. MBOII .BSP1286 .HGIAI TTHIIII .HPHI FOKI BSPMI GGAGAATGTGCTCAAACGTCTTCAACTCCAAGACCTCGTCCCGTCACCTGCCAACTCA TC 4700 4690 4710 4720 4730 AVAI XHOI BINI . SPHI CCGACAACACTTCAATCCCCTCGAGTCGTTGATCCAATTGCATGCTACCAAGCATCAG AC 4750 4760 4770 4780 4790 MBOII MBOII MBOII CATCGACAACATTTGAACAGAAGACTCTAATCTTCTCTCGCCTCTCCCCCGCTTTCCT TA 4810 4820 4830 4840 4850 4860 BANI KPNI TCTTCGTACCGGTACCTGATGATTCCCCCATTTTCCCCCCCAATTTCCCAG AA 4880 4890 4900 4910 4920 AVAI .NCII ..NCII ..SMAI ... BANI AHAII HGAI DRAI CCTCCTGTTCCCTTGTTCCTAGTCCTCCCGGGTGCCGACGCCGAAGCGATTTAAAAA CC 4930 4940 4950 4960 4970 XMNI TTTTTCTTTCCGAAACATTTCCCATTGCTCATTAATAGTCAAATTGAATAAACAGTGT AT 5010 5020 5000 5030 **GTACTTAAAAAAAAAAAAAAAAAAAAA** 

5070

```
10/99 F/G. 2.
COMPARISON OF 7A VS 8A CLONE
                     TB6 & TB3
                                                    BSP1286
<u>GGTTTAATTACCCAAGTTTGAG</u>ACATCAATTCCATCGAACGAAATGTTGGTGCTCCGAAT
                 20 30 40 50 60
        TTHILL
        IIAHA.
         .. AATII
AAAATGACGACGTCAAATGTAGAATTGATACCAATCTACACGGATTGGGCCAATCGGCAC
    70 80 90 100 110 120
M T T S N V E L I P I Y T D W A N R H
                    BBVI
CTTTCGAAGGGCAGCTTATCAAAGTCGATTAGGGATATTTCCAATGATTTTCGCGACTAT
  130 140 150 160 170 180
S K G S L S K S I R D I S N D F R D Y
                             TB1B
                                        ECORI
CGACTGGTTTCTCAGCTTATTAATGTGATCGTTCCGATCAACGAATTCTCGCCTGCATTC
 190 200 210 220 230 240
R L V S Q L I N V I V P I N E F S P A F
                             TB16
                                         POKI
                             BSTNI
                                           AFLIII
ACGAAACGTTTGGCAAAAATCACATCGAACCTGGATGGCCTCGAAACGTGTCTCGACTAC
 250 260 270 280 290 300
T K R L A K I T S N L D G L E T C L D Y
                                          TB1
                      HPHI
                                         ECORV NSPBII
CTGAAAAATCTGGGTCTCGACTGCTCGAAACTCACCAAAACCGATATCGACAGCGGAAAC
 310 320 330 340 350 360
L K N L G L D C S K L T K T D I D S G N
     BBVI MBOII . NSPBII
               . PVUII
TTGGGTGCAGTTCTCCAGCTGCTCTTCCTGCTCTCCACCTACAAGCAGAAGCTTCGGCAA
 370 380 390 400 410 420
L G A V L Q L L F L L S T Y K Q K L R Q
                      FORI
                       . MBOII
CTGAAAAAGATCAGAAGAAATTGGAGCAACTACCCACATCCATTATGCCACCCGGGGTT
 430 440 450 460 470 480
L K K D Q K K L E Q L P T S I M P P A V
                 AFLIII
TCTAAATTACCCTCGCCACGTGTCGCCACGTCAGCAACCGCTTCAGCAACTAACCCAAAT
 490 500 510 520 530 540
S K L P S P R V A T S A T A S A T N P N
         FOKI BINCII BSTNI
TCCAACTTTCCACAAATGTCAACATCCAGGCTTCAGACTCCACAGTCAAGAATATCGAAA
 550 560 570 580 590 600
SNFPQMSTSRLQTPQSRISK
```

FIG. 2 CONTINUED.

11/99

```
AHAII
   TB6B
                                AATII
ATTGATTCATCAAAGATTGGTATCAAGCCAAAGACGTCTGGACTTAAACCACCCTCATCA
610 620 630 640 650 660
IDSSKIGIKPKTSGLKPPSS
670 680 690 700 710 720
S T T S S N N T N S F R P S S R S S G N
                  ECORV
AATAATGTTGGCTCGACGATATCCACATCTGCGAAGAGCTTAGAATCATCAACGTAC
 730 740 750 760 770 780
N N V G S T I S T S A K S L E S S S T Y
                                             XBAI
AGCTCTATTTCGAATCTAAACCGACCTACCTCCCAACTCCAAAAACCTTCTAGACCACAA
 790 800 810 820 830 840
S S I S N L N R P T S Q L Q K P S R P Q
                                            NREI
ACCCAGCTAGTTCGTGTTGCTACAACTACAAAAATCGGAAGCTCAAAGCTAGCCGCTCCG
 850 860 870 880 890 900
T Q L V R V A T T T K I G S S K L A A P
            BSP1286
            EGIAI
AAAGCCGTGAGCACCCCAAAACTTGCTTCTGTGAAGACTATTGGAGCAAAACAAGAGCCC
 910 920 930 940 950 960
KAVSTPKLASVKTIGAKQEP
                              BSMI
       NSPBII
GATAACAGCGGTGGTGGTGGTGGAAATGCTGAAATTAAAGTTATTCAGTAGCAAAAAC
 970 980 990 1000 1010 1020
DNSGGGGGG<u>M</u>LKLKLFSSKN
                                            BANI
CCATCTTCCTCATCGAATAGCCCACAACCTACGAGAAAGGCCGGCGGCGGTGCCTCAACAA
 1030 1040 1050 1060 1070 1080
PSSSSNSPQ·PTRKAAAVPQQ
CAAACTTTGTCGAAAATCGCTGCCCCAGTGAAAAGTGGCCTGAAGCCGCCGACCAGTAAG
 1090 1100 1110 1120 1130 1140
Q T L S K I A A P V K S G L K P P T S K
                                  TB22
                        BINDIII
BSTXI
 CTGGGAAGTGCCACGTCTATGTCGAAGCTTTGTACGCCAAAAGTTTCCTACCGTAAAACG
 1150 1160 1170 1180 1190 1200
L G S A T S M S K L C T P K V S Y R K T
                                         SFANI
  AHAII HGAI
 GACGCCCCAATCATATCTCAACAAGACTCGAAACGATGCTCAAAGAGCAGTGAAGAAGAG
  1210 1220 1230 1240 1250 1260
DAPIISQQDSKRCSKSSEEE
```

FIG. 2 CONTINUED. 12/99 MBOII .BSPMII .. MBOII TCCGGATACGCTGGATTCAACAGCACGTCGCCAACGTCATCATCGACGGAAGGTTCCCTA 1270 1280 1290 1300 1310 1320 S G Y A G F N S T S P T S S S T E G S L SPHI . MBOII START CE7 . NSII AGCATGCATTCCACATCTTCCAAGAGTTCAACGTCAGACGAAAAGTCTCCGTCATCAGAC 1330 1340 1350 1360 1370 1380 S M H S T S S K S S T S D E K S P S S D GATCTTACTCTTAACGCCTCCATCGTGACAGCTATCAGACAGCCGATAGCCGCAACACCG 1390 1400 1410 1420 1430 1440 D L T L N A S I V T A I R Q P I A A T P GTTTCTCCAAATATTATCAACAAGCCTGTTGAGGAAAAACCAACACTGGCAGTGAAAGGA 1450 1460 1470 1480 1490 1500 V S P N I I N K P V E E K P T L A V K G NSPBII BINI XBOII PVUII GTGARARGCACAGCGARARARGATCCACCTCCAGCTGTTCCGCCACGTGACACCCAGCCA 1510 1520 1530 1540 1550 1560 V K S T A K K D P P P A V P P R D T Q P BINCII ACAATCGGAGTTGTTAGTCCAATTATGGCACATAAGAAGTTGACAAATGACCCCGTGATA 1570 1580 1590 1600 1610 1620 TIGVVSPIMAEKKLTNDPVI SFANI 1630 1640 1650 1660 1670 1680 SEKPEPEKLQSMSIDTTDVP CCGCTTCCACCTCTAAAATCAGTTGTTCCACTTAAAATGACTTCAATCCGACAACCACCA 1690 1700 1710 1720 1730 1740 P L P P L K S V V P L K M T S I R Q P P MROTI ACGTACGATGTTCTTCTAAAACAAGGAAAAATCACATCGCCTGTCAAGTCGTTTGGATAT 1750 1760 1770 1780 1790 1800 TYDVLLKQGKITSPVKSFGY HGAI HGAI . MBOII GAGCAGTCGTCCGCGTCTGAAGACTCCATTGTGGCTCATGCGTCGGCTCAGGTGACTCCG 1810 1820 1830 1840 1850 1860 E Q S S A S E D S I V A H A S A Q V T P FOKI CCGACAAAAACTTCTGGTAATCATTCGCTGGAGAGAAGGATGGGAAAGAATAAGACATCA 1870 1880 1890 1900 1910 1920 PTKTSGNHSLERRMGKNKTS



### FIG. 2 CONTINUED.

13/99

```
AHAII HGAI
       NSPBII
GAATCCAGCGGCTACACCTCTGACGCCGGTGTTGCGATGTGCGCCAAAATGAGGGAGAAG
   1930 1940 1950 1960 1970 1980
S S G Y T S D A G V A M C A K M R E K
                                  BSP1286
                                  HGIAI
CTGAAAGAATACGATGACATGACTCGTCGAGCACAGAACGGCTATCCTGACAACTTCGAA
   1990 2000 2010 2020 2030 2040
KEYDDMTRRAQNGYPDNFE
                                              BANII
          MBOIT
                                              BSP1286
                                              SACI
GACAGTTCCTCCTTGTCGTCTGGAATATCCGATAACAACGAGCTCGACGACATATCCACG
 2050 2060 2070 2080 2090 2100
D S S S L S S G I S D N N E L D D I S T
              BSPMII
               . ACCI
GACGATTTGTCCGGAGTAGACATGGCAACAGTCGCCTCCAAACATAGCGACTATTCCCAC
 2110 2120 2130 2140 2150 2160
D D L S G V D M A T V A S K H S D Y S H
           MBOII
                                    AVAI
            . MBOII
TTTGTTCGCCATCCCACGTCTTCTTCCTCAAAGCCCCGAGTCCCCAGTCGGTCCTCCACA
 2170 2180 2190 2200 2210 2220
F V R H P T S S S S K P R V P S R S S T
                  AVAI
                  XHOI
TCAGTCGATTCTCGATCTCGAGCAGAACAGGAGAATGTGTACAAACTTCTGTCCCAGTGC
 2230 2240 2250 2260 2270 2280
S V D S R S R A E Q E N V Y K L L S Q C
         BBVI BGLI
              . BANI
               . .ABAII
              . .NARI
              . .. HAEII
                                                    BINI XHOII
              . .. . NSPBII
                                                          . FOKI
CGAACGAGCCAACGTGGCGCCGCTGCCACCTCAACCTTCGGACAACATTCGCTAAGATCC
 2290 2300 2310 2320 2330 2340
R T S Q R G A A A T S T F G Q H S L R S
AVAI
.NCII
..NCII
                                          NSPBII
..SMAI
                                          PVUII
CCGGGATACTCATCCTATTCTCCACACTTATCAGTGTCAGCTGATAAGGACACAATGTCT
 2350 2360 2370 2380 2390 2400
P G Y S S Y S P H L S V S A D K D T M S
```

FIG. 2 CONTINUED.

14/99

```
SPEI
            . SALI
               .ACCI
                ..HINCII
                ...MBOII
{\tt ATGCACTCACAGACTAGTCGACGACCTTCTTCACAAAAACCAAGCTATTCAGGCCAATTT}
2410 2420 2430 2440 2450 2460
M E S Q T S R R P S S Q K P S Y S G Q F
                                              BSP1286
                      FOKI
CATTCACTTGATCGTAAATGCCACCTTCAAGAGTTCACATCCACCGAGCACAGAATGGCG
 2470 2480 2490 2500 2510 2520
H S L D R K C H L Q E F T S T E H R M A
           AVAI
           .BANII
                                     MBOII BINI BAMBI
           .BSP1286 BANI
GCTCTCTTGAGCCCGAGACGGGTGCCGAACTCGATGTCGAAATATGATTCTTCAGGATCC
 2530 2540 2550 2560 2570 2580
A L L S P R R V P N S M S K Y D S S G S
             AVAI
TACTCGGCGCGTTCCCGAGGTGGAAGCTCTACTGGTATCTATGGAGAGACGTTCCAACTG
 2590 2600 2610 2620 2630 2640
Y S A R S R G G S S T G I Y G E T F Q L
                                            BINI BAMBI
CACAGACTATCCGATGAAAAATCCCCCGCACATTCTGCCAAAAGTGAGATGGGATCCCAA
 2650 2660 2670 2680 2690 2700
HRLSDEKSPAHSAKSEMGSQ
BINI NHEI
                      . XHOII BINI
CTATCACTGGCTAGCACGACAGCATATGGATCTCTCAATGAGAAGTACGAACATGCTATT
 2710 2720 2730 2740 2750 2760
L S L A S T T A Y G S L N E K Y E H A I
                                      .ACCI
                                      ..BINCII
 CGGGACATGGCACGTGACTTGGAGTGTTACAAGAACACTGTCGACTCACTAACCAAGAAA
 2770 2780 2790 2800 2810 2820
R D M A R D L E C Y K N T V D S L T K K
                                     HINDIII
 2830 2840 2850 2860 2870 2880
QENYGALFDLFEQKLRKLTQ
     BINI
      . CLAI
 2890 2900 2910 2920 2930 2940
H I D R S N L K P E E A I R F R Q D I A
```

FIG. 2 CONTINUED.

15/99

```
. SFANI
CATTTGAGGGATATTAGCAATCATCTTGCATCCAACTCAGCTCATGCTAACGAAGGCGCT
 2950 2960 2970 2980 2990 3000
H L R D I S N H L A S N S A H A N E G A
           HPHI
 MROTI
            . BINCII FOKI
                                           CLAI CLAI
                     . SFANI
GGTGAGCTTCTTCGTCAACCATCTCTGGAATCAGTTGCATCCCATCGATCATCGATGTCA
 3010 3020 3030 3040 3050 3060
GELLRQPSLESVASERSSMS
                                      MBOII
                   ECOB BBVI
                                      . BANII
                          •
                                       BSP1286
                                          HGIAI
                                          SACI
TCGTCGTCGAAAAGCAGCAAGCAGGAGAAGATCAGCTTGAGCTCGTTTGGCAAGAACAAG
 3070 3080 3090 3100 3110 3120
S S S K S S K Q E K I S L S S F G K N K
   BINI BAMBI
   . XHOII
        . MBOII
                                                  MBOII
        . . BINI
                      HPHI
AAGAGCTGGATCCGCTCCTCACTCTCCAAGTTCACCAAGAAGAAGAACAAGAACTACGAC
 3130 3140 3150 3160 3170 3180
KSWIRSSLSKFTKKKNKNYD
                         XHOII
        NDEI
                         .BSPMII BINI
GAAGCACATATGCCATCAATTTCCGGATCTCAAGGAACTCTTGACAACATTGATGTGATT
 3190 3200 3210 3220 3230 3240
E A H M P S I S G S Q G T L D N I D V I
                 BANII
                 BSP1286
                 HGIAI
                  SACI ECOK
                               APALI
                                . BSP1286
                 . .
                                   EGIAI
 GAGTTGAAGCAAGAGCTCAAAGAACGCGATAGTGCACTTTACGAAGTCCGCCTTGACAAT
  3250 3260 3270 3280 3290 3300
E L K Q E L K E R D S A L Y E V R L D N
           RINI
            .BSP1286
 CTGGATCGTGCCCGCGAAGTTGATGTTCTGAGGGAGACAGTGAACAAGTTGAAAACCGAG
  3310 3320 3330 3340 3350 3360
L D R A R E V D V L R E T V N K L K T E
                                        AVAII
                        HPHI
 AACAAGCAATTAAAGAAAGAAGTGGACAAACTCACCAACGGTCCAGCCACTCGTGCTTCT
  3370 3380 3390 3400 3410 3420
N K Q L K R E V D K L T N G P A T R A S
                                             3410 3420
```

FIG. 2 CONTINUED.

16/99

```
TCCCGCGCCTCAATTCCAGTTATCTACGACGATGAGCATGTCTATGATGCAGCGTGTAGC
  3430 3440 3450 3460 3470 3480
R A S I P V I Y D D E B V Y D A A C S
BBVI MBOII ASUII
                     .BINI
                      .. BBVI
3490 3500 3510 3520 3530 3540
S T S A S Q S S K R S S G C N S I K V T
                                   PVUI
                                      BINCII
                                     HPAI
                                      . NCII
GTAAACGTGGACATCGCTGGAGAAATCAGTTCGATCGTTAACCCGGACAAAGAGATAATC
 3550 3560 3570 3580 3590 3600
V N V D I A G E I S S I V N P D K E I I
                   HINCII
      ECORV
GTAGGATATCTTGCCATGTCAACCAGTCAGTCATGCTGGAAAGACATTGATGTTTCTATT
 3610 3620 3630 3640 3650 3660
V G Y L A M S T S Q S C W K D I D V S I
                               SFANI
                ACCI
CTAGGACTATTTGAAGTCTACCTATCCAGAATTGATGTGGAGCATCAACTTGGAATCGAT
3670 3680 3690 3700 3710 3720
LGLFEVYLSRIDVEHQLGID
                                         AFLIII
       SFANI STYI
                                HGAI
                                          .HPHI BGAI
GCTCGTGATTCTATCCTTGGCTATCAAATTGGTGAACTTCGACGCGTCATTGGAGACTCC
 3730 3740 3750 3760 3770 3780
A R D S I L G Y Q I G E L R R V I G D S
ACAACCATGATAACCAGCCATCCAACTGACATTCTTACTTCCTCAACTACAATCCGAATG
 3790 3800 3810 3820 3830 3840
T T M I T S B P T D I L T S S T T I R M
                                     AVAII MBOII
                            ACCI
         BANI
TTCATGCACGGTGCCGCACAGAGTCGCGTAGACAGTCTGGTCCTTGATATGCTTCTTCCA
 3850 3860 3870 3880 3890 3900
F M E G A A Q S R V D S L V L D M L L P
                                             . AATII
{\tt AAGCAAATGATTCTCCAACTCGTCAAGTCAATTTTGACAGAGAGACGTCTGGTGTTAGCT}
 3910 3920 3930 3940 3950 3960
K Q M I L Q L V K S I L T E R R L V L A
                              BBVI
                                       BSTNI
                                            MBOII
GGAGCAACTGGAATTGGAAAGAGCAAAACTGGCGAAGACCCTGGCTGCTTATGTATCTATT
 3970 3980 3990 4000 4010 4020
G A T G I G K S K L A K T L A A Y V S I
```

PCT/EP96/02311 WO 96/38555

FIG. 2 CONTINUED. ASUII CE6 MBOII BSMI CGAACAARTCAATCCGAAGATAGTATTGTTAATATCAGCATTCCTGAAAACAATAAAGAA 4030 4040 4050 4060 4070 4080 R T N Q S E D S I V N I S I P E N N K E XMNI MBOII AHAII . BSTNI . EGAI . . BGLII SFANI GAATTGCTTCAAGTGGAACGACGCCTGGAAAAGATCTTGAGAAGCAAAGAATCATGCATC 4090 4100 4110 4120 4130 4140 E L L Q V E R R L E K I L R S K E S C I GTARTTCTAGATARTRTCCCAAAGAATCGAATTGCATTTGTTGTATCCGTTTTTGCAAAT 4150 4160 4170 4180 4190 4200 VILDNIPKNRIAFVVSVFAN HINCII ECORV IIAVA GTCCCACTTCAAACAACGAAGGTCCATTTGTAGTATGCACAGTCAACCGATATCAAATC 4210 4220 4230 4240 4250 4260 V P L Q N N E G P F V V C T V N R Y Q I FOKI CCTGAGCTTCAAATTCACCACAATTTCAAAATGTCAGTAATGTCGAATCGTCTCGAAGGA 4270 4280 4290 4300 4310 4320 PELQIBENFKMSVMSNRLEG TTCATCCTACGTTACCTCCGACGACGGCGGCGGTAGAGGATGAGTATCGTCTAACTGTACAG 4330 4340 4350 4360 4370 4380 FILRYLRRRAVEDEYRLTVQ MBOII . SFANI BANII BSP1286 **HGIAI** MBOII MBOII SACI ATGCCATCAGAGCTCTTCAAAATCATTGACTTCTTCCCAATAGCTCTTCAGGCCGTCAAT 4390 4400 4410 4420 4430 4440 M P S E L F K I I D F F P I A L Q A V N ECOR1 USED FOR EXPRESSION AVATI ECORI AATTTTATTGAGAAAACGAATTCTGTTGATGTGACAGTTGGTCCAAGAGCATGCTTGAAC 4450 4460 4470 4480 4490 4500 FIEKTNS V D V T V G P R A C L N 4490 4500 BINI BAMHI IIOHX BINI TGTCCTCTAACTGTCGATGGATCCCGTGAATGGTTCATTCGATTGTGGAATGAGAACTTC 4510 4520 4530 4540 4550 4560 C P L T V D G S R E W F I R L W N E N F RRVI AFLIII **ATTCCATATTTGGAACGTGTTGCTAGAGATGGCAAAAAAACCTTCGGTCGCTGCACTTC** 4600 4590

TFGRCTS

I PYLERVARDGKKNLRSLEF

4580

# 18/99 FIG. 2 CONTINUED.

BINI BAMHI . XHOII BINI TTHIIII EAEI NCII CTTCGAGGATCCCACCGACATCGTCTCTAAAAAATGGCCGTGGTTCGATGGTGAAAAACCC 4630 4640 4650 4660 4670 LRGSBRBRL * 4680 FEDPTDIVSEKWPWFDGENP HPHI MBOII .BSP1286 TTHIIII .HGIAI .HPHI FOKI BSPMI GGAGAATGTGCTCAAACGTCTTCAACTCCAAGACCTCGTCCCGTCACCTGCCAACTCATC 4740 4690 4700 4710 4720 4730 ENVLKRLQLQDLVPSPANSS IAVA XHOI BINI SFANI . SPHI CCGACAACACTTCAATCCCCTCGAGTCGTTGATCCAATTGCATGCTACCAAGCATCAGAC 4750 4760 4770 4780 4790 4800 R Q H F N P L E S L I Q L.H A T K H Q T MBOII MBOII MBOII 4780 4790 CATCGACAACATTTGAACAGAAGACTCTAATCTTCTCTCGCCTCTCCCCCGCTTTCCTTA 4820 4830 4840 4850 4860 4810 I D N I * BANI . KPNI TCTTCGTACCGGTACCTGATGATTCCCCCATTTTCCCCCCTTTTCCCCCCAATTTCCCCAGAA 4880 4890 4900 4910 4920 4870 AVAI .NCII ..NCII ..SMAI ... BANI AHAII HGAI DRAI CCTCCTGTTCCCTTGTTCCTAGTCCTCCCGGGTGCCGACGCCGAAGCGATTTAAAAACC 4930 4940 4950 4960 4970 4980 XMNI TTTTTCTTTCCGAAACATTTCCCATTGCTCATTAATAGTCAAATTGAATAAACAGTGTAT 5010 5020 5030 4990 5000 *GTACTTAAAAAAAAAAAAAAAAAAAAAA* 

5050 5060 5070

F16.3.

19/99

Sequences of low complexity in UNC-53 TB3-M5 identified with the FILTER and SEG algorithms of the BLAST sequence homology package.

MTTSNVELIPIYTDWANRHLSKGSLSKSIRDISNDFRDYRLVSQLINVIVPINEFSPAFT KRLAKITSNLDGLETCLDYLKNLGLDCSKLTKTDIDSGNLGAVLQLLFLLSTYXXXXXXX XXXXXXXXXPTSIMPPAVSKLXXXXXXXXXXXXXXXXXXXFPQMSTSRLQTPQXXXXXX XXXNLNRPTSQLQKPSRPQTQLVRVATTTKIGSSKLAAPKAVSTPKLASVKTIGAKQEPD NSXXXXXXXXXXXXXXXXXXXXXXXOPTRKAAAVPQQQTLSK1AAPVKSGLKPPTSKL GSATSMSKLCTPKVSYRKTDAPIISQQDSKRCSKXXXXXXGYAGFNXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXDDLTLNASIVTAIRQPIAATPVSPNIINKPVEEKPTLAVKGV KSTAKKDPPPAVPPRDTQPTIGVVSPIMAHKKLTNDPVISEKPEPEKLQSMSIDTTDXXX XXXXXXXXXXXTSIRQPPTYDVLLKQGKITSPVKSFGYEQSSASEDSIVAHASAQVTPP TKTSGNHSLERRMGKNKTSESSGYTSDAGVAMCAKMREKLKEYDDMTRRAQNGYPDNFED XXXXXXXXDNNELDDISTDDLSGVDMATVASKHSDYSHFVRHPXXXXXXXXXXXXXXXXXX XXXXXXAEQENVYKLLSQCRTSQRGAAATSTFGQHSLRSPGYSSYSPHLSVSADKDTMSM **HSQTSRRPSSQKPSYSGQFHSLDRKCHLQEFTSTEHRMAALLSPRRVPNXXXXXXXXXX** XXXXXXXXXXIYGETFQLHRLSDEKSPAHSAKSEMGSQLSLASTTAYGSLNEKYEHAIR DMARDLECYKNTVDSLTKKQENYGALFDLFEQKLRKLTQHIDRSNLKPEEAIRFRQDIAH SWIRSSLSKFTKKKNKNYDEAHMPSISGSQGTLDNIDVIELKQELKERDSALYEVRLDNL DRAREVDVLRETVNKLKTENKQLKKEVDKLTNGPATRASSRASIPVIYDDEHVYDXXXXX **GLFEVYLSRIDVEHQLGIDARDSILGYQIGELRRVIGDSTTMITSHPTDILTSSTTIRMF** MHGAAQSRVDSLVLDMLLPKQMILQLVKSILTERRLVLAGATGIGKSKLAKTLAAYVSIR TNQSEDSIVNISIPENNKEELLQVERRLEKILRSKESCIVILDNIPKNRIAFVVSVFANV PLQNNEGPFVVCTVNRYQIPELQIHHNFKMSVMSNRLEGFILRYLRRRAVEDEYRLTVOM PSELFKIIDFFPIALQAVNNFIEKTNSVDVTVGPRACLNCPLTVDGSREWFIRLWNENFI PYLERVARDGKKNLRSLHFLRGSHRHRL

MTTSNVELIPIYTDWANRHLSKGSLSKSIRDISNDFRDYRLVSOLINVIVPINEFSPAFT  $\tt KRLAKITSNLDGLETCLDYLKNLGLDCSKLTKTDIDSGNLGAVLQLLFLLSTY\underline{KOKLROL}$ KKDOKKLEOLPTSIMPPAVSKLPSPRVATSATASATNPNSNFPQMSTSRLQTPOSRISKI **DSSKIGIKPKTSGLKPPSSSTTSSNNTNSFRPSSRSSGNNNVGSTISTSAKSLESSSTYS** SISNLNRPTSQLQKPSRPQTQLVRVATTTKIGSSKLAAPKAVSTPKLASVKTIGAKQEPD NS<u>GGGGGGMLKLKLFSSKNPSSSSNSPQ</u>PTRKAAAVPQQQTLSKIAAPVKSGLKPPTSKL GSATSMSKLCTPKVSYRKTDAPIISQQDSKRCSK<u>SSEEES</u>GYAGFN<u>STSPTSSSTEGSLS</u> <u>MHSTSSKSSTSDEKSPSS</u>DDLTLNASIVTAIRQPIAATPVSPNIINKPVEEKPTLAVKGV KSTAKKDPPPAVPPRDTQPTIGVVSPIMAHKKLTNDPVISEKPEPEKLQSMSIDTTD<u>VPP</u> <u>LPPLKSVVPLK</u>MTSIRQPPTYDVLLKQGKITSPVKSFGYEQSSASEDSIVAHASAQVTPP TKTSGNHSLERRMGKNKTSESSGYTSDAGVAMCAKMREKLKEYDDMTRRAQNGYPDNFED <u>SSSLSSGIS</u>DNNELDDISTDDLSGVDMATVASKHSDYSHFVRHPTSSSSKPRVPSRSSTS <u>VDSRSR</u>AEQENVYKLLSQCRTSQRGAAATSTFGQHSLRSPGYSSYSPHLSVSADKDTMSM HSQTSRRPSSQKPSYSGQFHSLDRKCHLQEFTSTEHRMAALLSPRRVPNSMSKYDSSGSY <u>SARSRGGSSTG</u>IYGETFQLHRLSDEKSPAHSAKSEMGSQLSLASTTAYGSLNEKYEHAIR DMARDLECYKNTVDSLTKKQENYGALFDLFEQKLRKLTQHIDRSNLKPEEAIRFRQDIAH LRDISNHLASNSAHANEGAGELLRQPSLESVASHRSSMSSSSKSSKQEKISLSSFGKNKK SWIRSSLSKFTKKKNKNYDEAHMPSISGSQGTLDNIDVIELKQELKERDSALYEVRLDNL DRAREVDVLRETVNKLKTENKOLKKEVDKLTNGPATRASSRASIPVIYDDEHVYDAACSS

20/99

FIG. 3 CONTINUED.

TSASOSSKRSSGCNSIKVTVNVDIAGEISSIVNPDKEIIVGYLAMSTSQSCWKDIDVSIL GLFEVYLSRIDVEHQLGIDARDSILGYQIGELRRVIGDSTTMITSHPTDILTSSTTIRMF MHGAAQSRVDSLVLDMLLPKQMILQLVKSILTERRLVLAGATGIGKSKLAKTLAAYVSIR TNQSEDSIVNISIPENNKEELLQVERRLEKILRSKESCIVILDNIPKNRIAFVVSVFANV PLQNNEGPFVVCTVNRYQIPELQIHHNFKMSVMSNRLEGFILRYLRRRAVEDEYRLTVQM PSELFKIIDFFPIALQAVNNFIEKTNSVDVTVGPRACLNCPLTVDGSREWFIRLWNENFI PYLERVARDGKKNLRSLHFLRGSHRHRL

F1G.4.

21/99

Length of tb3-m5.pro from cDNA pTB54 : 1528 aa; +1 at: 1; Listed (Ordinary) from: 1 to: 1528; din, 23 apr 1996 11:49 Met Thr Thr Ser Asn Val Glu Leu Ile Pro Ile Tyr Thr Asp Trp 15 Ala Asn Arg His Leu Ser Lys Gly Ser Leu Ser Lys Ser Ile Arg 30 Asp Ile Ser Asn Asp Phe Arg Asp Tyr Arg Leu Val Ser Gln Leu 45 Ile Asn Val Ile Val Pro Ile Asn Glu Phe Ser Pro Ala Phe Thr 60 Lys Arg Leu Ala Lys Ile Thr Ser Asn Leu Asp Gly Leu Glu Thr 75 Cys Leu Asp Tyr Leu Lys Asn Leu Gly Leu Asp Cys Ser Lys Leu 90 Thr Lys Thr Asp Ile Asp Ser Gly Asn Leu Gly Ala Val Leu Gln 105 Leu Leu Phe Leu Leu Ser Thr Tyr Lys Gln Lys Leu Arg Gln Leu 120 Lys Lys Asp Gln Lys Lys Leu Glu Gln Leu Pro Thr Ser Ile Met 135 Pro Pro Ala Val Ser Lys Leu Pro Ser Pro Arg Val Ala Thr Ser 150 Ala Thr Ala Ser Ala Thr Asn Pro Asn Ser Asn Phe Pro Gln Met 165 Ser Thr Ser Arg Leu Gln Thr Pro Gln Ser Arg Ile Ser Lys Ile 180 Asp Ser Ser Lys Ile Gly Ile Lys Pro Lys Thr Ser Gly Leu Lys 195 Pro Pro Ser Ser Ser Thr Thr Ser Ser Asn Asn Thr Asn Ser Phe 210 Arg Pro Ser Ser Arg Ser Ser Gly Asn Asn Asn Val Gly Ser Thr 225 Ile Ser Thr Ser Ala Lys Ser Leu Glu Ser Ser Ser Thr Tyr Ser 240 Ser Ile Ser Asn Leu Asn Arg Pro Thr Ser Gln Leu Gln Lys Pro 255 Ser Arg Pro Gln Thr Gln Leu Val Arg Val Ala Thr Thr Lys 270 Ile Gly Ser Ser Lys Leu Ala Ala Pro Lys Ala Val Ser Thr Pro 285 Lys Leu Ala Ser Val Lys Thr Ile Gly Ala Lys Gln Glu Pro Asp 300 Asn Ser Gly Gly Gly Gly Gly Met Leu Lys Leu Lys Leu Phe 315 Ser Ser Lys Asn Pro Ser Ser Ser Ser Asn Ser Pro Gln Pro Thr 330 Arg Lys Ala Ala Ala Val Pro Gln Gln Gln Thr Leu Ser Lys Ile 345 Ala Ala Pro Val Lys Ser Gly Leu Lys Pro Pro Thr Ser Lys Leu 360 Gly Ser Ala Thr Ser Met Ser Lys Leu Cys Thr Pro Lys Val Ser 375 Tyr Arg Lys Thr Asp Ala Pro Ile Ile Ser Gln Gln Asp Ser Lys 390

# FIG. 4 CONTINUED.

## 22/99

Arg	Cys	Ser	Lys	Ser	Ser	Glu	Glu	Glu	Ser	Gly	, Tyr	Ala	Gly	Phe	405
Asn	Ser	Thr	Ser	Pro	Thr	Ser	Ser	Ser	Thr	Glu	Gly	Ser	Leu	Ser	420
Met	His	Ser	Thr	Ser	Ser	Lys	Ser	Ser	Thr	Ser	Asp	Glu	Lys	Ser	435
Pro	Ser	Ser	Asp	Asp	Leu	Thr	Leu	Asn	Ala	Ser	Ile	Val	Thr	Ala	450
Ile	Arg	Gln	Pro	Ile	Ala	Ala	Thr	Pro	Val	Ser	Pro	Asn	Ile	Ile	465
Asn	Lys	Pro	Val	Glu	Glu	Lys	Pro	Thr	Leu	Ala	Val	Lys	Gly	Val	480
Lys	Ser	Thr	Ala	Lys	Lys	Asp	Pro	Pro	Pro	Ala	Val	Pro	Pro	Arg	495
Asp	Thr	Gln	Pro	Thr	Ile	Gly	Val	Val	Ser	Pro	Ile	Met	Ala	His	510
Lys	Lys	Leu	Thr	Asn	Asp	Pro	Val	Ile	Ser	Glu	Lys	Pro	Glu	Pro	525
Glu	Lys	Leu	Gln	Ser	Met	Ser	Ile	Asp	Thr	Thr	Asp	Val	Pro	Pro	540
Leu	Pro	Pro	Leu	Lys	Ser	Val	Val	Pro	Leu	Lys	Met	Thr	Ser	Ile	555
Arg	Gln	Pro	Pro	Thr	Tyr	Asp	Val	Leu	Leu	Lys	Gln	Gly	Lys	Ile	570
Thr	Ser	Pro	Val	Lys	Ser	Phe	Gly	Tyr	Glu	Gln	Ser	Ser	Ala	Ser	585
Glu	Asp	Ser	Ile	Val	Ala	His	Ala	Ser	Ala	Gln	Val	Thr	Pro	Pro	600
Thr	Lys	Thr	Ser	Gly	Asn	His	Ser	Leu	Glu	Arg	Arg	Met	Gly	Lys	615
Asn	Lys	Thr	Ser	Glu	Ser	Ser	Gly	Tyr	Thr	Ser	Asp	Ala	Gly	Val	<b>63</b> 0
Ala	Met	Cys	Ala	Lys	Met	Arg	Glu	Lys	Leu	Lys	Glu	Tyr	Asp	Asp	645
Met	Thr	Arg	Arg	Ala	Gln	Asn	Gly	Tyr	Pro	Asp	Asn	Phe	Glu	Asp	660
Ser	Ser	Ser	Leu	Ser	Ser	Gly	Ile	Ser	Asp	Asn	Asn	Glu	Leu	Asp	675
Asp	Ile	Ser	Thr	Asp	Asp	Leu	Ser	Gly	Val	Asp	Met	Ala	Thr	Val	690
Ala	Ser	Lys	His	Ser	Asp	Tyr	Ser	His	Phe	Val	Arg	His	Pro	Thr	705
Ser	Ser	Ser	Ser	Lys	Pro	Arg	Val	Pro	Ser	Arg	Ser	Ser	Thr	Ser	720
Val	Asp	Ser	Arg	Ser	Arg	Ala	Glu	Gln	Glu	Asn	Val	Tyr	Lys	Leu	735
Leu	Ser	Gln	Cys	Arg	Thr	Ser	Gln	Arg	Gly	Ala	Ala	Ala	Thr	Ser	750
Thr	Phe	Gly	Gln	His	Ser	Leu	Arg	Ser	Pro	Gly	Tyr	Ser	Ser	Tyr	765

# FIG. 4 CONTINUED. 23/99

Ser	Pro	His	Leu	Ser	Val	Ser	Ala	Asp	Lys	Asp	Thr	Met	Ser	Met	<b>78</b> 0
His	Ser	Gln	Thr	Ser	Arg	Arg	Pro	Ser	Ser	Gln	Lys	Pro	Ser	Tyr	795
Ser	Gly	Gln	Phe	His	Ser	Leu	Asp	Arg	Lys	Cys	His	Leu	Gln	Glu	810
Phe	Thr	Ser	Thr	Glu	His	Arg	Met	Ala	Ala	Leu	Leu	Ser	Pro	Arg ·	825
Arg	Val	Pro	Asn	Ser	Met	Ser	Lys	Tyr	Asp	Ser	Ser	Gly	Ser	Tyr	840
Ser	Ala	Arg	Ser	Arg	Gly	Gly	Ser	Ser	Thr	Gly	Ile	Tyr	Gly	Glu	855
Thr	Phe	Gln	Leu	His	Arg	Leu	Ser	Asp	Glu	Lys	Ser	Pro	Ala	His	870
Ser	Ala	Lys	Ser	Glu	Met	Gly	Ser	Gln	Leu	Ser	Leu	Ala	Ser	Thr	885
Thr	Ala	Tyr	Gly	Ser	Leu	Asn	Glu	Lys	Tyr	Glu	His	Ala	Ile	Arg	900
Asp	Met	Ala	Arg	Asp	Leu	Glu	Cys	Tyr	Lys	Asn	Thr	Val	Asp	Ser	915
Leu	Thr	Lys	Lys	Gln	Glu	Asn	Tyr	Gly	Ala	Leu	Phe	Asp	Leu	Phe	930
Glu	Gln	Lys	Leu	Arg	Lys	Leu	Thr	Gln	His	Ile	Asp	Arg	Ser	Asn	945
Leu	Lys	Pro	Glu	Glu	Ala	Ile	Arg	Phe	Arg	Gln	Asp	Ile	Ala	His	960
Leu	Arg	Asp	Ile	Ser	Asn	His	Leu	Ala	Ser	Asn	Ser	Ala	His	Ala	975
Asn	Glu	Gly	Ala	Gly	Glu	Leu	Leu	Arg	Gln	Pro	Ser	Leu	Glu	Ser	990
Val	Ala	Ser	His	Arg	Ser	Ser	Met	Ser	Ser	Ser	Ser	Lys	Ser	Ser	1005
Lys	Gln	Glu	Lys	Ile	Ser	Leu	Ser	Ser	Phe	Gly	Lys	Asn	Lys	Lys	1020
Ser	Trp	Ile	Arg	Ser	Ser	Leu	Ser	Lys	Phe	Thr	Lys	Lys	Lys	Asn	1035
Lys	Asn	Tyr	Asp	Glu	Ala	His	Met	Pro	Ser	Ile	Ser	Gly	Ser	Gln	1050
Gly	Thr	Ĺeu	Asp	Asn	Ile	Asp	Val	Ile	Glu	Leu	Lys	Gln	Glu	Leu	1065
Lys	Glu	Arg	Asp	Ser	Ala	Leu	Tyr	Glu	Val	Arg	Leu	Asp	Asn	Leu	1080
Asp	Arg	Ala	Arg	Glu	Val	Asp	Val	Leu	Arg	Glu	Thr	Val	Asn	Lys	1095
Leu	Lys	Thr	Glu	Asn	Lys	Gln	Leu	Lys	Lys	Glu	Val	Asp	Lys	Leu	. 1110
Thr	Asn	Gly	Pro	Ala	Thr	Arg	Ala	Ser	Ser	Arg	Ala	Ser	Ile	Pro	1125
Val	Ile	Tyr	Asp	Asp	Glu	His	Val	Tyr	Asp	Ala	Ala	Cys	Ser	Ser	1140

FIG. 4 CONTINUED.

24/99

Thr	Ser	Ala	Ser	Gln	Ser	Ser	Lys	Arg	Ser	Ser	Gly	Cys	Asn	Ser	1155
Ile	Lys	Val	Thr	Val	Asn	Val	Asp	Ile	Ala	Gly	Glu	Ile	Ser	Ser	1170
Ile	Val	Asn	Pro	Asp	Lys	Glu	Ile	Ile	Val	Gly	Tyr	Leu	Ala	Met	1185
Ser	Thr	Ser	Gln	Ser	Cys	Trp	Lys	Asp	Ile	Asp	Val	Ser	Ile	Leu	1200
Gly	Leu	Phe	Glu	Val	Tyr	Leu	Ser	Arg	Ile	Asp	Val	Glu	His	Gln	1215
Leu	Gly	Ile	Asp	Ala	Arg	Asp	Ser	Ile	Leu	Gly	Tyr	Gln	Ile	Gly	1230
Glu	Leu	Arg	Arg	Val	Ile	Gly	Asp	Ser	Thr	Thr	Met	Ile	Thr	Ser	1245
His	Pro	Thr	Asp	Ile	Leu	Thr	Ser	Ser	Thr	Thr	Ile	Arg	Met	Phe	1260
Met	His	Gly	Ala	Ala	Gln	Ser	Arg	Val	Asp	Ser	Leu	Val	Leu	Asp	1275
Met	Leu	Leu	Pro	Lys	Gln	Met	Ile	Leu	Gln	Leu	Val	Lys	Ser	Ile	1290
Leu	Thr	Glu	Arg	Arg	Leu	Val	Leu	Ala	Gly	Ala	Thr	Gly	Ile	Gly	1305
Lys	Ser	Lys	Leu	Ala	Lys	Thr	Leu	Ala	Ala	Tyr	Val	Ser	Ile	Arg	1320
Thr	Asn	Gln	Ser	Glu	Asp	Ser	Ile	Val	Asn	Ile	Ser	Ile	Pro	Glu	1335
Asn	Asn	Lys	Glu	Glu	Leu	Leu	Gln	Val	Glu	Arg	Arg	Leu	Glu	Lys	1350
Ile	Leu	Arg	Ser	Lys	Glu	Ser	Cys	Ile	Val	Ile	Leu	Asp	Asn	Ile	1365
Pro	Lys	Asn	Arg	Ile	Ala	Phe	Val	Val	Ser	Val	Phe	Ala	Asn	Val	1380
Pro	Leu	Gln	Asn	Asn	Glu	Gly	Pro	Phe	Val	Val	Cys	Thr	Val	Asn	1395
Arg	Tyr	Gln	Ile	Pro	Glu	Leu	Gln	Ile	His	His	Asn	Phe	Lys	Met	1410
Ser	Val	Met	Ser	Asn	Arg	Leu	Glu	Gly	Phe	Ile	Leu	Arg	Tyr	Leu	1425
Arg	Arg	Arg	Ala	Val	Glu	Asp	Glu	Tyr	Arg	Leu	Thr	Val	Gln	Met	1440
Pro	Ser	Glu	Leu	Phe	Lys	Ile	Ile	Asp	Phe	Phe	Pro	Ile	Ala	Leu	1455
Gln	Ala	Val	Asn	Asn	Phe	Ile	Glu	Lys	Thr	Asn	Ser	Val	Asp	Val	1470
Thr	Val	Gly	Pro	Arg	Ala	Cys	Leu	Asn	Cys	Pro	Leu	Thr	Val	Asp	1485
Gly	Ser	Arg	Glu	Trp	Phe	Ile	Arg	Leu	Trp	Asn	Glu	Asn	Phe	Ile	1500
Pro	Tyr	Leu	Glu	Arg	Val	Ala	Arg	Asp	Gly	Lys	Lys	Asn'	Leu	Arg	1515
Ser	Leu	His	Phe	Leu	Arg	Gly	Ser	His	Arg	His	Arg	Leu			

FIG. 5.

25/99

#### Annotated sequence of 7A variant of UNC-53

10					
MTTSNVELIP	IYTDWANRHL	SKGSLSKSIR	DISNDFRDYR	LVSOLINVIV	PINEFSPAFT
start tb6	and tb3 sim	ilarity to	amino-termi	ni of alfa-	actinin,
70		00	. 100	110	· 120
			· 100	GAVLOLLFLL	
beta-spect	rin. dvstro	sphin, fimb	rin, filami	n actin-bin	ding site 1
		-p	,		(114 - 133)
130					
	PTS IMPPAVS	KLPSPRVATS	ATASATNPNS	NEPOMSTSRL	OLBÖZKIZKI
Start S	q poss.	Start thin	e coe e coi	lamda clon	5
190	200	210	220	230	240
				NVGSTISTSA	KSLESSSTYS
250	260	270	280		300
SISNLNRPTS	QLQKPSRPQT	QLVRVATTTK	IGSSKLAAPK	AVSTPKLASV	KTIGAKQEPD
310	320	330	340	350	360
	KLKLFSSKNP			TLSKIÄAPVK	
370	380	390			
GSATS <u>M</u> SKLC	TPKVSYRKTD	APIISQQDSK	RCSKSSEEES	GYAGFNSTSP	TSSSTEGSLS
430	440	450	460	470	480
MHSTSSKSST	SDEKSPSSDD	LTLNASIVTA	IROPIAATEV	SPNIINKPVE	
poss. star	t tb22				
490	500	510	520	530	540
		igvvspimah	KKLTNDPVIS	EKPEPEKLQS	MSIDTTDVPP
SH3-1	oinding 1				SH3-
550	560	570	580	590	600
				QSSASEDSIV	
binding 2					_
•					
610	620	630	640	650	660
TKTSGNHSLE	RRMGKNKTSE	SSGYTSDAGV	AMCAKMREKL	KEYDDMTRRA	QNGYPDNFED
670	680	690	700	710	720
		DLSGVDMATV		VRHPTSSSSK	
730	740	750	760	770	780
VDSRSRAEQE	NVYKLLSQCR	TSQRGAAATS	TFGQHSLRSP	GYSSYSPHLS	VSADKDTMSM
790	800	810	820	830	840
	OKPSYSCOFH	SLDRKCHLOE	FTSTEHRMAA	LLSPRRVPNS	
	2	Kohara Ex	on deleted	in cDNA YK2	5D6

## 26/99

60

# FIG. 5 CONTINUED.

	10	20	30	40	50	60	70
						cta ccmu	
<u>aalnas</u>	GMSR SMILLES	LSP RPPRRHO	SPA DSCIITAS	PS APRESHS	RG PTARIPL	SLA SSPVI	ANNAM
		lternative/	additional	to konara e	KOU CO DE	Tuserced	arcer
aminoa	cid 838 )						
				800	900		
850	860	870	880	890			
Sarsrggsst	GIYGETFQLH	RLSDEKSPAH	SAKSEMGSQL	SLASTIATES	LINERIERALI	•	
010	920	930	940	950	960	1	
910	320	ENYGALFDLF	POKTAKTAOH				
DMARDLECIK	MIADSTIVVA	ENIGALIEDE	SAUDUITA.			•	
970	.980	990	1000	1010	1020		
LEDISNHLAS	NSAHANEGAG	ELLROPSLES	VASHRSSMSS	SSKSSKQEKI	SLSSFGKNKK	:	
1030	1040	1050	1060		1080		
SWIRSSLSKF	TKKKNKNYDE	AHMPSISGSQ	GTLDNIDVIE	LKQELKERDS	ALYEVRLDNI	•	
candid	ate nuclear	Start GP	45 locali:	zation sign	al		
1090	1100	1110	1120		1140		
DRAREVDVLR	etvnkl <u>kten</u>	KOLKKEVDKL	<u>TNGPAT</u> RASS	RASIPVIYDD	EHVYDAACSS	i	
		n binding s	ite 2				
	(109	7-1116)					
•	- 1/ 5 - 5 - 3 - 10				•		
Car	nditate leu	cine zipper	.pattern				
1150	1160	1170	1180	1190	1200	}	
TENCUCCADO	SCCNSTKUTV	NVDIAGEISS	TVNPDKETIV			,	
tounganna	DGCMD2M11						
1210	1220	1230	1240		1260		
GLFEVYLSRI	DVEHOLGIDA	RDSILGYQIG	ELRRVIGDST	TMITSHPTDI	LTSSTTIRME	•	
	<b>-</b>						
1270	1280	1290	1300	1310	1320		
MHGAAQSRVD	SLVLDMLLPK	<b>QMILQLVKSI</b>	LTERRLVLA <u>G</u>	<u>ATGIGKS</u> KLA	KTLAAYVSIR		
	•	•	* * n	ucleotide b	inding pock	et	
		nditate leuc			1380		
1330	1340	1350	1360				
TNOSEDSIVN	151 PENNKEE	LLQVERRLEK	TEKSKESCIA	TROUTEMUNT	71. 110117411		
1390	1400	1410	1420	1430	1440	,	
1330	VCTVNDVOTD	ELQIHHNFKM	SVMSNRLEGE			1	
FDQMMEGFFA	4C14W47671	2202	• • • • • • • • • • • • • • • • • • • •				
1450	1460	1470	1480	1490			
PSELFKIIDF	FPIALOAVNN	FIEKTNSVDV	TVGPRACLNC	PLTVDGSREW	FIRLWNENFI		
		end (	GP45				
1510	1520	1530		1550	1560		
PYLERVARDG K	KTFGRCTSF EI	OPTDIVSEK WI	PWFDGENPE N	VLKRLQLQD L'	<b>VPSPANSSR</b>	•	
1570							
QHFNPLESLI	QLHATKHQT:	I DNI			•		

FIG. 6. 27/99

Length of Untitled: 1583 aa from cDNA pTB72; +1 at: 1; Listed (Ordinary) from: 1 to: 1583; din, 23 apr 1996 11:37 Met Thr Thr Ser Asn Val Glu Leu Ile Pro Ile Tyr Thr Asp Trp 15 Ala Asn Arg His Leu Ser Lys Gly Ser Leu Ser Lys Ser Ile Arg 30 Asp Ile Ser Asn Asp Phe Arg Asp Tyr Arg Leu Val Ser Gln Leu 45 Ile Asn Val Ile Val Pro Ile Asn Glu Phe Ser Pro Ala Phe Thr 60 Lys Arg Leu Ala Lys Ile Thr Ser Asn Leu Asp Gly Leu Glu Thr 75 Cys Leu Asp Tyr Leu Lys Asn Leu Gly Leu Asp Cys Ser Lys Leu 90 Thr Lys Thr Asp Ile Asp Ser Gly Asn Leu Gly Ala Val Leu Gln 105 Leu Leu Phe Leu Leu Ser Thr Tyr Lys Gln Lys Leu Arg Gln Leu 120 Lys Lys Asp Gln Lys Lys Leu Glu Gln Leu Pro Thr Ser Ile Met 135 Pro Pro Ala Val Ser Lys Leu Pro Ser Pro Arg Val Ala Thr Ser 150 Ala Thr Ala Ser Ala Thr Asn Pro Asn Ser Asn Phe Pro Gln Met 165 Ser Thr Ser Arg Leu Gln Thr Pro Gln Ser Arg Ile Ser Lys Ile 180 Asp Ser Ser Lys Ile Gly Ile Lys Pro Lys Thr Ser Gly Leu Lys 195 Pro Pro Ser Ser Ser Thr Thr Ser Ser Asn Asn Thr Asn Ser Phe 210 Arg Pro Ser Ser Arg Ser Ser Gly Asn Asn Asn Val Gly Ser Thr 225 Ile Ser Thr Ser Ala Lys Ser Leu Glu Ser Ser Ser Thr Tyr Ser 240 Ser Ile Ser Asn Leu Asn Arg Pro Thr Ser Gln Leu Gln Lys Pro 255 Ser Arg Pro Gln Thr Gln Leu Val Arg Val Ala Thr Thr Lys 270 Ile Gly Ser Ser Lys Leu Ala Ala Pro Lys Ala Val Ser Thr Pro 285 Lys Leu Ala Ser Val Lys Thr Ile Gly Ala Lys Gln Glu Pro Asp 300 Asn Ser Gly Gly Gly Gly Gly Met Leu Lys Leu Lys Leu Phe 315 Ser Ser Lys Asn Pro Ser Ser Ser Ser Asn Ser Pro Gln Pro Thr 330 Arg Lys Ala Ala Val Pro Gln Gln Gln Thr Leu Ser Lys Ile 345 Ala Ala Pro Val Lys Ser Gly Leu Lys Pro Pro Thr Ser Lys Leu 360 Gly Ser Ala Thr Ser Met Ser Lys Leu Cys Thr Pro Lys Val Ser 375

FIG. 6 CONTINUED.

28/99

Tyr	Arg	Lys	Thr	Asp	Ala	Pro	Ile	Ile	Ser	Gln	Gln	Asp	Ser	Lys	390
Arg	Cys	Ser	Lys	Ser	Ser	Glu	Glu	Glu	Ser	Gly	Tyr	Ala	Gly	Phe	405
Asn	Ser	Thr	Ser	Pro	Thr	Ser	Ser	Ser	Thr	Glu	Gly	Ser	Leu	Ser	420
Met	His	Ser	Thr	Ser	Ser	Lys	Ser	Ser	Thr	Ser	Asp	Glu	Lys	Ser	435
Pro	Ser	Ser	Asp	Asp	Leu	Thr	Leu	Asn	Ala	Ser	Ile	Val	Thr	Ala	450
Ile	Arg	Gln	Pro	Ile	Ala	Ala	Thr	Pro	Val	Ser	Pro	Asn	Ile	Ile	465
Asn	Lys	Pro	Val	Glu	Glu	Lys	Pro	Thr	Leu	Ala	Val	Lys	Gly	Val	480
Lys	Ser	Thr	Ala	Lys	Lys	Asp	Pro	Pro	Pro	Ala	Val	Pro	Pro	Arg	495
Asp	Thr	Gln	Pro	Thr	Ile	Gly	Val	Val	Ser	Pro	Ile	Met	Ala	His	510
Lys	Lys	Leu	Thr	Asn	Asp	Pro	Val	Ile	Ser	Glu	Lys	Pro	Glu	Pro	525
Glu	Lys	Leu	Gln	Ser	Met	Ser	Ile	Asp	Thr	Thr	Asp	Val	Pro	Pro	540
Leu	Pro	Pro	Leu	Lys	Ser	Val	Val	Pro	Leu	Lys	Met	Thr	Ser	Ile	555
Arg	Gln	Pro	Pro	Thr	Tyr	Asp	Val	Leu	Leu	Lys	Gln	Gly	Lys	Ile	570
Thr	Ser	Pro	Val	Lys	Ser	Phe	Gly	Tyr	Glu	Gln	Ser	Ser	Ala	Ser	585
Glu	Asp	Ser	Ile	Val	Ala	His	Ala	Ser	Ala	Gln	Val	Thr	Pro	Pro	600
Thr	Lys	Thr	Ser	Gly	Asn	His	Ser	Leu	Glu	Arg	Arg	Met	Gly	Lys	615
Asn	Lys	Thr	Ser	Glu	Ser	Ser	Gly	Tyr	Thr	Ser	Asp	Ala	Gly	Val	630
Ala	Met	Cys	Ala	Lys	Met	Arg	Glu	Lys	Leu	Lys	Glu	Tyr	Asp	Asp	645
					Gln										660
					Ser										675
					Asp										690
					Asp										705
					Pro										720
					Arg		,								735
					Thr										750
Thr	Phe	Gly	Gln	His	Ser	Leu	Arg	Ser	Pro	Gly	Tyr	Ser	Ser	Tyr	765
Ser	Pro	His	Leu	Ser	Val	Ser	Ala	Asp	Lys	Asp	Thr	Met	Ser	Met	780

# FIG. 6 CONTINUED.

## 29/99

His	Ser	Gln	Thr	Ser	Arg	Arg	Pro	Ser	Ser	Gln	Lys	Pro	Ser	Tyr	795
Ser	Gly	Gln	Phe	His	Ser	Leu	Asp	Arg	Lys	Cys	His	Leu	Gln	Glu	810
Phe	Thr	Ser	Thr	Glu	His	Arg	Met	Ala	Ala	Leu	Leu	Ser	Pro	Arg	825
Arg	Val	Pro	Asn	Ser	Met	Ser	Lys	Tyr	Asp	Ser	Ser	Gly	Ser	Tyr	840
Ser	Ala	Arg	Ser	Arg	Gly	Gly	Ser	Ser	Thr	Gly	Ile	Tyr	Gly	Glu	855
Thr	Phe	Gln	Leu	His	Arg	Leu	Ser	Asp	Glu	Lys	Ser	Pro	Ala	His	870
Ser	Ala	Lys	Ser	Glu	Met	Gly	Ser	Gln	Leu	Ser	Leu	Ala	Ser	Thr	885
Thr	Ala	Tyr	Gly	Ser	Leu	Asn	Glu	Lys	Tyr	Glu	His	Ala	Ile	Arg	900
Asp	Met	Ala	Arg	Asp	Leu	Glu	Cys	Tyr	Lys	Asn	Thr	Val	Asp	Ser	915
Leu	Thr	Lys	Lys	Gln	Glu	Asn	Tyr	Gly	Ala	Leu	Phe	Asp	Leu	Phe	930
Glu	Gln	Lys	Leu	Arg	Lys	Leu	Thr	Gln	His	Ile	Asp	Arg	Ser	Asn	945
Leu	Lys	Pro	Glu	Glu	Ala	Ile	Arg	Phe	Arg	Gln	Asp	Ile	Ala	His	960
Leu	Arg	Asp	Ile	Ser	Asn	His	Leu	Ala	Ser	Asn	Ser	Ala	His	Ala	975
Asn	Glu	Gly	Ala	Gly	Glu	Leu	Leu	Arg	Gln	Pro	Ser	Leu	Glu	Ser	990
Val	Ala	Ser	His	Arg	Ser	Ser	Met	Ser	Ser	Ser	Ser	Lys	Ser	Ser .	1005
Lys	Gln	Glu	Lys	Ile	Ser	Leu	Ser	Ser	Phe	Gly	Lys	Asn	Lys	Lys	1020
Ser	Trp	Ile	Arg	Ser	Ser	Leu	Ser	Lys	Phe	Thr	Lys	Lys	Lys	Asn	1035
Lys	Asn	Tyr	Asp	Glu	Ala	His	Met	Pro	Ser	Ile	Ser	Gly	Ser	Gln	1050
Gly	Thr	Leu	Asp	Asn	Ile	Asp	Val	Ile	Glu	Leu	Lys	Gln	Glu	Leu	1065
Lys	Glu	Arg	Asp	Ser	Ala	Leu	Tyr	Glu	Val	Arg	Leu	Asp	Asn	Leu	1080
Asp	Arg	Ala	Arg	Glu	Val	Asp	Val	Leu	Arg	Glu	Thr	Val	Asn	Lys	1095
Leu	Lys	Thr	Glu	Asn	Lys	Gln	Leu	Lys	Lys	Glu	Val	Asp	Lys	Leu	1110
Thr	Asn	Gly	Pro	Ala	Thr	Arg	Ala	Ser	Ser	Arg	Ala	Ser	Ile	Pro	1125
Val	Ile	Tyr	Asp	Asp	Glu	His	Val	Tyr	Asp	Ala	Ala	Cys	Ser	Ser	1140
Thr	Ser	Ala	Ser	Gln	Ser	Ser	Lys	Arg	Ser	Ser	Gly	Cys	Asn	Ser	1155,
Ile	Lys	Val	Thr	Val	Asn	Val	Asp	Ile	Ala	Gly	Glu	Ile	Ser	Ser	1170
Ile	Val	Asn	Pro	Asp	Lys	Glu	Ile	Iļe	Val	Gly	Tyr	Leu	Ala	Met	1185

## FIG.6 CONTINUED.

# 30/99

Ser	Thr	Ser	Gln	Ser	Cys	Trp	Lys	Asp	Ile	Asp	Val	Ser	Ile	Leu	1200
Gly	Leu	Phe	Glu	Val	Tyr	Leu	Ser	Arg	Ile	Asp	Val	Glu	His	Gln	1215
Leu	Gly	Ile	Asp	Ala	Arg	Asp	Ser	Ile	Leu	Gly	Tyr	Gln	Ile	Gly	1230
Glu	Leu	Arg	Arg	Val	Ile	Gly	Asp	Ser	Thr	Thr	Met	Ile	Thr	Ser	1245
His	Pro	Thr	Asp	Ile	Leu	Thr	Ser	Ser	Thr	Thr	Ile	Arg	Met	Phe	1260
Met	His	Gly	Ala	Ala	Gln	Ser	Arg	Val	Asp	Ser	Leu	Val	Leu	Asp	1275
Met	Leu	Leu	Pro	Lys	Gln	Met	Ile	Leu	Gln	Leu	Val	Lys	Ser	Ile	1290
Leu	Thr	Glu	Arg	Arg	Leu	Val	Leu	Ala	Gly	Aļa	Thr	Gly	Ile	Gly	1305
Lys	Ser	Lys	Leu	Ala	Lys	Thr	Leu	Ala	Ala	Tyr	Val	Ser	Ile	Arg	1320
Thr	Asn	Gln	Ser	Glu	Asp	Ser	Ile	Val	Asn	Ile	Ser	Ile	Pro	Glu .	1335
Asn	Asn	Lys	Glu	Glu	Leu	Leu	Gln	Val	Glu	Arg	Arg	Leu	Glu	Lys	1350
Ile	Leu	Arg	Ser	Lys	Glu	Ser	Cys	Ile	Val	Ile	Leu	Asp	Asn	Ile	1365
Pro	Lys	Asn	Arg	Ile	Ala	Phe	Val	Val	Ser	Val	Phe	Ala	Asn	Val	1380
Pro	Leu	Gln	Asn	Asn	Glu	Gly	Pro	Phe	Val	Val	Cys	Thr	Val	Asn	1395
Arg	Tyr	Gln	Ile	Pro	Glu	Leu	Gln	Ile	His	His	Asn	Phe	Lys	Met	1410
Ser	Val	Met	Ser	Asn	Arg	Leu	Glu	Gly	Phe	Ile	Leu	Arg	Tyr	Leu	1425
Arg	Arg	Arg	Ala	Val	Glu	Asp	Glu	Tyr	Arg	Leu	Thr	Val	Gln	Met	1440
Pro	Ser	Glu	Leu	Phe	Lys	Ile	Ile	Asp	Phe	Phe	Pro	Ile	Ala	Leu	1455
Gln	Ala	Val	Asn	Asn	Phe	Ile	Glu	Lys	Thr	Asn	Ser	Val	Asp	Val	1470
Thr	Val	Gly	Pro	Arg	Ala	Cys	Leu	Asn	Cys	Pro	Leu	Thr	Val	Asp	1485
Gly	Ser	Arg	Glu	Trp	Phe	Ile	Arg	Leu	Trp	Asn	Glu	Asn	Phe	Ile	1500
Pro	Tyr	Leu	Glu	Arg	Val	Ala	Arg	Asp	Gly	Lys	Lys	Thr	Phe	Gly	1515
Arg	Cys	Thr	Ser	Phe	Glu	Asp	Pro	Thr	Asp	Ile	Val	Ser	Lys	Lys	1530
Trp	Pro	Trp	Phe	Asp	Gly	Glu	Asn	Pro	Glu	Asn	Val	Leu	Lys	Arg	1545
Leu	Gln	Leu	Gln	Asp	Leu	Val	Pro	Ser	Pro	Ala	Asn	Ser	Ser	Arg	1560
Gln	His	Phe	Asn	Pro	Leu	Glu	Ser	Leu	Ile	Gln	Leu	His	Ala	Thr	1575
Lys	His	Gln	Thr	Ile	Asp	Asn	Ile	•							

F1G. 7.

31/99


MTTSNVELIPIYTDWANRHLSKGSLSKSIRDISNDFRDYRLVSQLINVIVPINEFSPAFT KRLAKITSNLDGLETCLDYLKNLGLDCSKLTKTDIDSGNLGAVLQLLFLLSTYXXXXXXX XXXXXXXXXXPTSIMPPAVSKLXXXXXXXXXXXXXXXXXXXXFPQMSTSRLQTPQXXXXXX XXXNLNRPTSQLQKPSRPQTQLVRVATTTKIGSSKLAAPKAVSTPKLASVKTIGAKQEPD NSXXXXXXXXXXXXXXXXXXXXXXXXQPTRKAAAVPQQQTLSKIAAPVKSGLKPPTSKL GSATSMSKLCTPKVSYRKTDAPIISQQDSKRCSKXXXXXXGYAGFNXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXDDLTLNASIVTAIRQPIAATPVSPNIINKPVEEKPTLAVKGV KSTAKKDPPPAVPPRDTQPTIGVVSPIMAHKKLTNDPVISEKPEPEKLQSMSIDTTDXXX XXXXXXXXXXXMTSIRQPPTYDVLLKQGKITSPVKSFGYEQSSASEDSIVAHASAQVTPP TKTSGNHSLERRMGKNKTSESSGYTSDAGVAMCAKMREKLKEYDDMTRRAQNGYPDNFED XXXXXXXXDNNELDDISTDDLSGVDMATVASKHSDYSHFVRHPXXXXXXXXXXXXXXXXXXX XXXXXXAEQENVYKLLSQCRTSQRGAAATSTFGQHSLRSPGYSSYSPHLSVSADKDTMSM HSQTSRRPSSQKPSYSGQFHSLDRKCHLQEFTSTEHRMAALLSPRRVPNXXXXXXXXXXXXX XXXXXXXXXXIYGETFQLHRLSDEKSPAHSAKSEMGSQLSLASTTAYGSLNEKYEHAIR DMARDLECYKNTVDSLTKKQENYGALFDLFEQKLRKLTQHIDRSNLKPEEAIRFRQDIAH Lrdisnhlasnsahanegagellrqpslexxxxxxxxxxxxxxxxxxxxxxxxxxxxfgknkk SWIRSSLSKFTKKKNKNYDEAHMPSISGSQGTLDNIDVIELKQELKERDSALYEVRLDNL DRAREVDVLRETVNKLKTENKQLKKEVDKLTNGPATRASSRASIPVIYDDEHVYDXXXXX XXXXXXXXXXXGCNXXXXXXXXXXXXXXXXXXXXXXXXDKEIIVGYLAMSTSQSCWKDIDVSIL GLFEVYLSRIDVEHQLGIDARDSILGYQIGELRRVIGDSTTMITSHPTDILTSSTTIRMF MHGAAQSRVDSLVLDMLLPKQMILQLVKSILTERRLVLAGATGIGKSKLAKTLAAYVSIR TNQSEDSIVNISIPENNKEELLQVERRLEKILRSKESCIVILDNIPKNRIAFVVSVFANV PLQNNEGPFVVCTVNRYQIPELQIHHNFKMSVMSNRLEGFILRYLRRRAVEDEYRLTVQM PSELFKIIDFFPIALQAVNNFIEKTNSVDVTVGPRACLNCPLTVDGSREWFIRLWNENFI PYLERVARDGKKNLRSLHFLRGSHRHRL

MTTSNVELIPIYTDWANRHLSKGSLSKSIRDISNDFRDYRLVSQLINVIVPINEFSPAFT KRLAKITSNLDGLETCLDYLKNLGLDCSKLTKTDIDSGNLGAVLQLLFLLSTYKOKLROL KKDOKKLEOLPTSIMPPAVSKL<u>PSPRVATSATASATNPNSN</u>FPQMSTSRLQTPOSRISKI DSSKIGIKPKTSGLKPPSSSTTSSNNTNSFRPSSRSSGNNNVGSTISTSAKSLESSSTYS SISNLNRPTSQLQKPSRPQTQLVRVATTTKIGSSKLAAPKAVSTPKLASVKTIGAKQEPD NS<u>GGGGGGMLKLKLFSSKNPSSSSNSP</u>QPTRKAAAVPQQQTLSK1AAPVKSGLKPPTSKL GSATSMSKLCTPKVSYRKTDAPIISQQDSKRCSK<u>SSEEES</u>GYAGFN<u>STSPTSSSTEGS</u>LS MHSTSSKSSTSDEKSPSSDDLTLNASIVTAIRQPIAATPVSPNIINKPVEEKPTLAVKGV KSTAKKDPPPAVPPRDTQPTIGVVSPIMAHKKLTNDPVISEKPEPEKLQSMSIDTTD<u>VPP</u> <u>LPPLKSVVPLK</u>MTSIRQPPTYDVLLKQGKITSPVKSFGYEQSSASEDSIVAHASAQVTPP TKTSGNHSLERRMGKNKTSESSGYTSDAGVAMCAKMREKLKEYDDMTRRAQNGYPDNFED  $\underline{\tt SSSLSSGISDNNELDDISTDDLSGVDMATVASKHSDYSHFVRHP}\underline{\tt TSSSSKPRVPSRSSTS}$ <u>VDSRSR</u>AEQENVYKLLSQCRTSQRGAAATSTFGQHSLRSPGYSSYSPHLSVSADKDTMSM HSQTSRRPSSQKPSYSGQFHSLDRKCHLQEFTSTEHRMAALLSPRRVPN<u>SMSKYDSSGSY</u> <u>SARSRGGSSTG</u>IYGETFQLHRLSDEKSPAHSAKSEMGSQLSLASTTAYGSLNEKYEHAIR DMARDLECYKNTVDSLTKKQENYGALFDLFEQKLRKLTQHIDRSNLKPEEAIRFRQDIAH LRDISNHLASNSAHANEGAGELLRQPSLESVASHRSSMSSSSKSSKOEKISLSSFGKNKK SWIRSSLSKFTKKKNKNYDEAHMPSISGSQGTLDNIDVIELKQELKERDSALYEVRLDNL DRAREVDVLRETVNKLKTENKQLKKEVDKLTNGPATRASSRASIPVIYDDEHVYDAACSS


32/99


FIG. 7 CONTINUED.

TSASOSSKRSSGCNSIKVTVNVDIAGEISSIVNPDKEIIVGYLAMSTSQSCWKDIDVSIL GLFEVYLSRIDVEHQLGIDARDSILGYQIGELRRVIGDSTTMITSHPTDILTSSTTIRMF MHGAAQSRVDSLVLDMLLPKQMILQLVKSILTERRLVLAGATGIGKSKLAKTLAAYVSIR TNQSEDSIVNISIPENNKEELLQVERRLEKILRSKESCIVILDNIPKNRIAFVVSVFANV PLQNNEGPFVVCTVNRYQIPELQIHHNFKMSVMSNRLEGFILRYLRRRAVEDEYRLTVQM PSELFKIIDFFPIALQAVNNFIEKTNSVDVTVGPRACLNCPLTVDGSREWFIRLWNENFI PYLERVARDGKKNLRSLHFLRGSHRHRL



SUBSTITUTE SHEET (RULE 26)





101

	SW2RS		
	2. A. E. V. S. B.		
	2004	4852	nucleotide hudia domino
p7B52.53			Junua Sugue
48PH 4851 PTB57. PTB.	51   p1857.p1858.p1859.p1860.p1863.p1864.	798	
		7000	nucleotide
	07862	X637	omamy aomam.
LEGEND			Mclestide
48PH actin binding profe		4852	binding domain
ABS actin binding site	69810	<i>C9</i>	<b>,</b>
VBD nucle ofide binding	g domain		
	29 87.0	1852	,


36/99

5'ataaqaatqcqqccqccqccATGACGACGTCAAATGTAGAATTGATA_(oligo BG03)


5'ggaattccaaccatATGACGACGTCAAATGTAGAATGATAAA (oligo BG01)

**ATGACGACGTCAAATGTAGAATTGATACCAATCTACGGGATTGGGCCAATCGGCACCTTTCG AAGGGCAGCTTATCAAAGTCGATTAGGGATATTTTCCAATGATTTTTCGCGACTATCGACTGGTT** TCTCAGCTTATTAATGTGATCGTTCCGATCAACGLATTCTCGCCTGCATTCACGAAACGTTTG GCAAAAATCACATCGAACCTGGATGGCCTCGAAAGGTCTCGACTACCTGAAAAATCTGGGT CTCGACTGCTCGAAACTCAAAACCGATATCGACAGGGAAACTTGGGTGCAGTTCTCCAG CTGCTCTTCCTCTCCTCCACCTACAAGCACAAAACCTCGGCAACTGAAAAAAAGATCAGAAGAAA TTGGAGCAACTACCACATCCATTATGCCACCGGGGTTTCTAAATTACCCTCGGCCACGTGTC

(oligo BG02) GTAGGTAATACGGTGGCGCCAAActcctaqqcqc-5




**SUBSTITUTE SHEET (RULE 26)** 



SUBSTITUTE SHEET (RULE 26)

PCT/EP96/02311

WO 96/38555



SUBSTITUTE SHEET (RULE 26)

40/99

FIG. 14c.

**S4** 

5'
gatcagaagaaattggagcaactacccacatccattatgccacccgcggtttctaagtgagt
ttaattttgagtttacgactacaaaatgtgttcttta

ccgccttctgacttcgtgacgacagtctcgacacgtggggttgcaggtaggagtggatgagt cgaaactgataagatagtcatttgagatc 3'

Co-ordinates in ACEDB. 5' begins at position 2260 in CO9HIO. 3' finishes at 3287 in F45 E10.

Total 16818 bp.

• • • • • • • • • • • • •

41/99

FIG. 15.

(a) aact 1 MSEEPTPVSGNDKQLLNKAWEITQKKTFTAWCNSHLRK--LGSSIEQIDTDFTDGIKLAQ 1 MTTSNVELIPIYTDWANRHLSKGSLSKSIRDISNDFRDYRLVSQ (6) unc-53 10 FERSRIKALADEREVVQKKTFTKWVNSHLAR--VSCRITDLYKDLRDGRMLIK (C) spectrin LLEVISNDPVFKVNKTPKLRRIH-NIQNVGLCLKHIESHGVKLVGIGAEELVDKNLKMTL (d) aact (e) unc-53
LINVIVPINEFSPAFTKRLAKITSNLDGLETCLDYLKNLGLDCSKLTKTDIDSGNLGAVL

(f) spectrin
LLEVL-S-GEMLPKPTKGKMRIHC-LENVDKALQFLKEQRVHLENMGSHDIVDGNHRLVL (9) aact GMIWTIILRFAIQDISIEEL-----SAKEALLLWCQRKTEGYDRVKV ::: :: : : : (h) unc-53 QLLF-LLSTYK-QKLRQLKKDQKKLEQLPTSIMPPAVSKLPSPRVATS GLIWTIILRFQIQDIVVQTQEGRETRSAKDALLQFLKEQRVHLENMGS (i) spectrin actin binding region in unc-53 ?

42/99

## FIG. 16.

LLFLLSTYKQKLRQLKKDQKKLEQLPTS unc-53 106 to 133
: | :||||: || |::
ETVNVNKLKTENKQLKKEVDKLTNGPAT unc-53 1093 to 1120

## F1G. 17.

	side on h	nelix	1	4	7
			Хp	hPpx	¢Ρ
(a)	UNC-53		KK <u>D</u> P	P <u>P</u> AV	<u>P</u> PRDT
(6)	UNC-53	'	TT <u>D</u> V	P <u>P</u> LE	<u>P</u> LKS
(0)	mSOS		EVPV	P <u>P</u> PV	<u>P</u> P <u>R</u> R
(d)	mSOS		HL <u>D</u> S	P <u>P</u> AI	<u>PPR</u>
<i>(e)</i>	mSOS		HSIA	G <u>P</u> PV	<u>PPR</u>
(F)	sos 1359		YRAV	P <u>P</u> PI	<u>P</u> P <u>R</u> RK
(9)	sos 1377		GELS	P <u>P</u> PI	<u>P</u> PRLN
(h)	Dynamin		APAV	P <u>P</u> AR	PGS
(i)	dynamin			PAV	P <u>P</u> AR <u>P</u>
(j)	PI3K p85		PPRP	L <u>P</u> VA	<u>P</u> GS
(K)	PI3K p85		PAPA	L <u>P</u> PK	<u>PPK</u>
(1)	AFAP-110	F	PDNG	P <u>P</u> PI	<u>P</u> TSS
(m)	AFAP-110	F	POMP:	L <u>P</u> EI	<u>P</u> QQW
(n)	3BP-1	APTM	PPPL:	P <u>P</u> VF	<u>P</u>
(0)	3BP-2	F	'PAYP	P <u>P</u> PV	<u>P</u> VP

FIG. 18.

43/99

v	1 MTTSNVELI	YIYTDWANRH		IR DISNDFRD	YR LVSQLINV	51 IV PINEFSPAFT
**	1	11	21	31	41	51
H		11	R1	31 91	101	111
V	61 VDIEKTTSNI	. DGLETCLDY	t. KNLGLDCSI	KL TKTDIDSG	NL GAVLOLLE	LL STYKOKLROL
				91 151		
H	61	71	81	91	101	111
Ÿ	121 1	.31	141	151	161	171
•	KKDCKKLEOL	PTSIMPPAV	S KLPSPRVAT	S ATASATNPI	S NEPOMSTS	RL QTPQSRISKI
н	121 1 181 1	31	141	151	161	171
V	181 1	91	201	211	221	231
	DSSKIGIKPK	TSGLKPPSS.	S TTSSNNTNS	F RPSSRSSG1	N NVGSTIST:	SA KSLESSSTYS
	••••					
н	181 1 241 2	91	201	211	221	231
٧	241 2	51	261	271	281	291
	SISNLNRPTS	QLQKPSRPQ	r qlvrvatti	K IGSSKLAAR	PK AVSTPKLAS	SV KTIGAKQEPD
H	241 2	51	261	271 331	281	291
V	301 3	11	321 	331	241	351
	NSGGGGGGML	KLKLFSSKN	P SSSSNSPQR	T KKAMAVPQQ	M : P2VIWALA	K SGLKPPTSKL
		************	CCCCNCDOD	T PKNNNVPOC	O TICKTABEL	K SGLKPPTSKL
	ML	11	, 2222W2tAt 331	331	341	351
н	301 3 361 3	71	724 201	391	401	411
V	201 2	TOKUCYOKT	APTISOODS	K RCSKSSEEE	S GYAGENSTS	P TSSSTEGSLS
	GSMISMSKDC	********	* * * * * * * * * * * * * * * * * * * *			
	GSATSMSKLC	TPKVSYRKTI	APIISQQDS	K RCSKSSEEE	S GYAGENSTS	P TSSSTEGSLS
н	361 3	71	381	391 451	401	411
v	421 4	31	141	451	461	471
	TPPNPPTPUM	SDEKSPSSDI	) LTLNASIVT	'A IROPIAATP	V SPNIINKPV	E EKPTLAVKGV
	*******	******				* *******
	MHSTSSKSST	SDEKSPSSDI	LTLNASIVT	A IRQPIAATP	V SPNIINKPV	E EKPTLAVKGV
н	421 4	31	141	451 511	461	471
V	481 4	91 _ :	501	211	251	531
	KSTAKKDPPP	AVPPRDTOP	, IGVVSPIMA	+ ********	S ENPEREND	S MSIDTTDVPP
	*********		corentus	U PRITHIDDUT	c ERBEBERIO	S MSIDTTDVPP
	KSTAKKDPPP	AVPPRUTUP	: UI	511	521	531
H	481 4 541 5	71 ·	561	571	581	591
V	1 DDI KEMADI.	KARTSTROPPI	YDVLLKOGK	I TSPVKSFGY	E OSSASEDSI	V AHASAQVTPP
	LPPLKSVVPL	KMTSIRQPP1	YDVLLKQGK	I TSPVKSFGY	E QSSASEDSI	V AHASAQVTPP
н	541 5	51	61	571	581	591
V	601 6	11 /	521	631	641	<b>621</b>
	TKTSGNHSLE		SSGYTSDAG	V AMCAKMREK	L KEYDDMTRR	A QNGYPDNFED
	*******					
	_			V AMCAKMKEK 631	L KEIDDMIKK 641	A QNGYPDNFED 651
H					~	711
V	661 6	71 (	581 Notecuman			K PRVPSRSSTS
	SSSLSSGISD	NNELDDIST	, treatest	TOTOCHACA .		
		MUET DOTEM	DISCUDMAT	V ASKHSDYSH	F VRHPTSSSS	K PRVPSRSSTS
u			81	691	701	711
К V	771	21	741	751	761	771
•	VDCBCBBEOF	MVVKLLSOCE	TSORGAAAT	STEGOHSLRS	P GYSSYSPHL	S VSADKDTMSM
		******	•••••	• • • • • • • • • • • • • • • • • • • •	• ••••••	

## 44/99

# FIG. 18 CONTINUED.


```
VDSRSRAEQE NVYKLLSQCR TSQRGAAATS TFGQHSLRSP GYSSYSPHLS VSADKDTMSM
             731 741 751 761 771
Н
                                           821
                                 811
                       801
             791
     HSQTSRRPSS QKPSYSGQFH SLDRKCHLQE FTSTEHRMAA LLSPRRVPNS MSKYDSSGSY
     HSQTSRRPSS QKPSYSGQFH SLDRKCHLQE FTSTEHRMAA LLSPRRVPNS MSKYDSSGSY
                                                 831
gg1
                             · 811 821
871 881
    781 791 801
н
                       861
             851
    841
     SARSRGGSST GIYGETFOLH RLSDEKSPAH SAKSEMGSQL SLASTTAYGS LNEKYEHAIR
              ******** ******** ******* ******
     SARSRGGSST GIYGETFOLH RLSDEKSPAH SAKSEMGSQL SLASTTAYGS LNEKYEHAIR
                                                  891
         851 861 871 881
H
   B41
                                           941
             911
                       921
                                931
    901
     DMARDLECYK NTVDSLTKKQ ENYGALFDLF EQKLRKLTQH IDRSNLKPEE AIRFRQDIAH
         ***** ******** ********
     DMARDLECYK NTVDSLTKKQ ENYGALFDLF EQKLRKLTQH IDRSNLKPEE AIRFRQDIAH
   901 911 921 931 941
961 971 981 991 1001
                                                9.51
Н
     LRDISNHLAS NSAHANEGAG ELLRQPSLES VASHRSSMSS SSKSSKQEKI SLSSFGKNKK
     LRDISNHLAS NSAHANEGAG ELLRQPSLES VASHRSSMSS SSKSSKQEKI SLSSFGKNKK
   961 971 981 991 1001
021 1031 1041 1051 1061
                                                 1011
н
                                                     1071
     SWIRSSLSKF TKKKNKNYDE AHMPSISGSQ GTLDNIDVIE LKQELKERDS ALYEVRLDNL
   1021
     SWIRSSLSKF TKKKNKNYDE AHMPSISGSQ GTLDNIDVIE LKQELKERDS ALYEVRLDNL
                                                1071
  SWIKSSESRF TAXABLE 1041 1051 1061 1021 1091 1101 1111 1121
н
                                                    1131
                      1101
            1091
     DRAREVDVLR ETVNKLKTEN KQLKKEVDKL TNGPATRASS RASIPVIYDD EHVYDAACSS
     DRAREVDVLR ETVNKLKTEN KQLKKEVDKL TNGPATRASS RASIPVIYDD EHVYDAACSS
        1091 1101 1111 1121 1131
1151 1161 1171 1181 1191
H
  1081
  1141
     TSASQSSKRS SGCNSIKVTV NVDIAGEISS IVNPDKEIIV GYLAMSTSQS CWKDIDVSIL
     TSASQSSKRS SGCNSIKVTV NVDIAGEISS IVNPDKEIIV GYLAMPTSQS CWKDIDVSIL
          1151 1161 1171 1181 1191
1211 1221 1231 1241 1251
 1141
   1201
     GLFEVYLSRI DVEHQLGIDA RDSILGYQIG ELRRVIGDST TMITSHPTDI LTSSTTIRMF
     ******
     GLFEVYLSRI DVEHQLGIDA RDSILGYQIG ELRRVIGDST TMITSHPTDI LTSSTTIRMF
                   1221 1231 1241 1251
1281 1291 1301 1311
 1201 1211
            1271
     MHGAAQSRVD SLVLDMLLPK QMILQLVKSI LTERRLVLAG ATGIGKSKLA KTLAAYVSIR
     ******
     MHGAAQSRVD SLVLDMLLPK QMILQLVKSI LTERRLVLAG ATGIGKSKLA KTLAAYVSIR
                                                 1311
                            1291
                                      1301
                      1281
           1271
H 1261
                                                    1371
                                1351
                                          1361
                      1341
            1331
V 1321
     TNOSEDSIVN ISIPENNKEE LLQVERRLEK ILRSKESCIV ILDNIPKNRI AFVVSVFANV
               ******* ******* ******* ******
     THOSEDSIVN ISIPENNKEE LLQVERRLEK ILRSKESCIV ILDNIPKHRI AFVVSVFANV
                                                 1371
                                        1361
                             1351
                      1341
         1331
H 1321
                                                     1431
                                          1421
                                1411
                      1401
            1391
     PLQNNEGPFV VCTVNRYQIP ELQIHHNFKM SVMSNRLEGF ILRYLRRRAV EDEYRLTVQM
  1381
     PLQNNEGPFV VCTVNRYQIP ELQIHHNFKM SVMSNRLEGF ILRYLRRRAV EDEYRLTVQM
                                                   1431
                             1411 1421
                  1401
1461
  1381 1391
                                                     1491
                                           1481
                                1471
     PSELFKIIDF FPIALQAVNN FIEKTNSVDV TVGPRACLNC PLTVDGSREW FIRLWNENFI
            1451
```

45/99

FIG. 18 CONTINUED

46/99


FIG. 19.



**SUBSTITUTE SHEET (RULE 26)** 

47/99


F1G. 20.



**SUBSTITUTE SHEET (RULE 26)** 


48/99

FIG. 21.




49/99

FIG. 22.




**SUBSTITUTE SHEET (RULE 26)** 

50/99 F1G. 23.



51/99 F1G. 24.




**SUBSTITUTE SHEET (RULE 26)** 

WO 96/38555

52/99

FIG. 25.



#### 53/99

### FIG. 26

GCCCCCCCC	ATGACGACGT	CAAATGTAGA	ATTGATACCA	ATCTACACGG	ATTGGGCCAA	60
TCGGCACCTT	TCGAAGGGCA	GCTTATCAAA	GTCGATTAGG	GATATTTCCA	ATGATTTTCG	120
CGACTATCGA	CTGGTTTCTC	AGCTTATTAA	TGTGATCGTT	CCGATCAACG	AATTCTCGCC	180
TGCATTCACG	AAACGTTTGG	CAAAAATCAC	ATCGAACCTG	GATGGCCTCG	AAACGTGTCT	240
CGACTACCTG	AAAAATCTGG	GTCTCGACTG	CTCGAAACTC	ACCAAAACCG	ATATCGACAG	300
CGGAAACTTG	GGTGCAGTTC	TCCAGCTGCT	CTTCCTGCTC	TCCACCTACA	AGCAGAAGCT	360
TCGGCAACTG	AAAAAAGATC	AGAAGAAATT	GGAGCAACTA	CCCACATCCA	TTATGCCACC	420
CGCGGTTTCT	AAATTACCCT	CGCCACGTGT	CGCCACGTCA	GCAACCGCTT	CAGCAACTAA	480
CCCAAATTCC	AACTTTCCAC	AAATGTCAAC	ATCCAGGCTT	CAGACTCCAC	AGTCAAGAAT	540
ATCGAAAATT	GATTCATCAA	AGATTGGTAT	CAAGCCAAAG	ACGTCTGGAC	TTAAACCACC	600
CTCATCATCA	ACCACTTCAT	CAAATAATAC	AAATTCATTC	CGTCCGTCGA	GCCGTTCGAG	660
TGGCAATAAT	AATGTTGGCT	CGACGATATC	CACATCTGCG	AAGAGCTTAG	AATCATCATC	720
AACGTACAGC	TCTATTTCGA	ATCTAAACCG	ACCTACCTCC	CAACTCCAAA	AACCTTCTAG	780
ACCACAAACC	CAGCTAGTTC	GTGTTGCTAC	AACTACAAAA	ATCGGAAGCT	CAAAGCTAGC	840
CGCTCCGAAA	GCCGTGAGCA	CCCCAAAACT	TGCTTCTGTG	AAGACTATTG	GAGCAAAACA	900
AGAGCCCGAT	AACAGCGGTG	GTGGTGGTGG	TGGAATGCTG	AAATTAAAGT	TATTCAGTAG	960
CAAAAACCCA	TCTTCCTCAT	CGAATAGCCC	ACAACCTACG	AGAAAGGCGG	CGGCGGTGCC	1020
TCAACAACAA	ACTTTGTCGA	AAATCGCTGC	CCCAGTGAAA	AGTGGCCTGA	AGCCGCCGAC	1080
CAGTAAGCTG	GGAAGTGCCA	CGTCTATGTC	GAAGCTTTGT	ACGCCAAAAG	TTTCCTACCG	1140
TAAAACGGAC	GCCCCAATCA	TATCTCAACA	AGACTCGAAA	CGATGCTCAA	AGAGCAGTGA	1200
AGAAGAGTCC	GGATACGCTG	GATTCAACAG	CACGTCGCCA	ACGTCATCAT	CGACGGAAGG	1260
TTCCCTAAGC	ATGCATTCCA	CATCTTCCAA	GAGTTCAACG	TCAGACGAAA	AGTCTCCGTC	1320
ATCAGACGAT	CTTACTCTTA	ACGCCTCCAT	CGTGACAGCT	ATCAGACAGC	CGATAGCCGC	1380
AACACCGGTT	TCTCCAAATA	TTATCAACAA	GCCTGTTGAG	GAAAAACCAA	CACTGGCAGT	1440

FIG. 26 CONTINUED.

54/99

GAAAGGAGTG AAAAGCACAG	CGAAAAAAAGA	TCCACCTCCA	GCTGTTCCGC	CACGTGACAC	1500
CCAGCCAACA ATCGGAGTTG	TTAGTCCAAT	TATGGCACAT	aagaagttga	CAAATGACCC	1560
CGTGATATCT GAAAAACCAG	AACCTGAAAA	GCTCCAATCA	ATGAGCATCG	ACACGACGGA	1620
CGTTCCACCG CTTCCACCTC	TAAAATCAGT	TGTTCCACTT	AAAATGACTT	CAATCCGACA	1680
ACCACCAACG TACGATGTTC	TTCTAAAACA	AGGAAAAATC	ACATCGCCTG	TCAAGTCGTT	1740
TGGATATGAG CAGTCGTCCG	CGTCTGAAGA	CTCCATTGTG	GCTCATGCGT	CGGCTCAGGT	1800
GACTCCGCCG ACAAAAACTT	CTGGTAATCA	TTCGCTGGAG	AGAAGGATGG	GAAAGAATAA	1860
GACATCAGAA TCCAGCGGCT	ACACCTCTGA	CGCCGGTGTT	GCGATGTGCG	CCAAAATGAG	1920
GGAGAAGCTG AAAGAATACG	ATGACATGAC	TCGTCGAGCA	CAGAACGGCT	ATCCTGACAA	1980
CTTCGAAGAC AGTTCCTCCT	TGTCGTCTGG	AATATCCGAT	AACAACGAGC	TCGACGACAT	2040
ATCCACGGAC GATTTGTCCG	GAGTAGACAT	GGCAACAGTC	GCCTCCAAAC	ATAGCGACTA	2100
TTCCCACTTT GTTCGCCATC	CCACGTCTTC	TTCCTCAAAG	CCCCGAGTCC	CCAGTCGGTC	2160
CTCCACATCA GTCGATTCTC	GATCTCGAGC	AGAACAGGAG	AATGTGTACA	AACTTCTGTC	2220
CCAGTGCCGA ACGAGCCAAC	GTGGCGCCGC	TGCCACCTCA	ACCTTCGGAC	AACATTCGCT	2280
AAGATCCCCG GGATACTCAT	CCTATTCTCC	ACACTTATCA	GTGTCAGCTG	ATAAGGACAC	2340
AATGTCTATG CACTCACAGA	CTAGTCGACG	ACCTTCTTCA	CAAAAACCAA	GCTATTCAGG	2400
CCAATTTCAT TCACTTGATC	GTAAATGCCA	CCTTCAAGAG	TTCACATCCA	CCGAGCACAG	2460
AATGGCGGCT CTCTTGAGCC	CGAGACGGGT	GCCGAACTCG	ATGTCGAAAT	ATGATTCTTC	2520
AGGATCCTAC TCGGCGCGTT	CCCGAGGTGG	AAGCTCTACT	GGTATCTATG	GAGAGACGTT	2580
CCAACTGCAC AGACTATCCG	ATGAAAAATC	CCCCGCACAT	TCTGCCAAAA	GTGAGATGGG	2640
ATCCCAACTA TCACTGGCTA	GCACGACAGC	ATATGGATCT	CTCAATGAGA	AGTACGAACA	2700
TGCTATTCGG GACATGGCAC	GTGACTTGGA	GTGTTACAAG	AACACTGTCG	ACTCACTAAC	2760
CAAGAAACAG GAGAACTATG	GAGCATTGTT	TGATCTTTTT	GAGCAAAAGC	TTAGAAAACT	2820
CACTCAACAC ATTGATCGAT	CCAACTTGAA	GCCTGAAGAG	GCAATACGAT	TCAGGCAGGA	2880
CATTGCTCAT TTGAGGGATA	TTAGCAATCA	TCTTGCATCC	AACTCAGCTC	ATGCTAACGA	2940
AGGCGCTGGT GAGCTTCTTC	GTCAACCATC	TCTGGAATCA	GTTGCATCCC	ATCGATCATC	3000
GATGTCATCG TCGTCGAAAA	GCAGCAAGCA	GGAGAAGATC	AGCTTGAGCT	CGTTTGGCAA	3060
GAACAAGAAG AGCTGGATCC	GCTCCTCACT	CTCCAAGTTC	ACCAAGAAGA	AGAACAAGAA	3120
CTACGACGAA GCACATATGC	CATCAATTTC	CGGATCTCAA	GGAACTCTTG	ACAACATTGA	3180
TGTGATTGAG TTGAAGCAAG	AGCTCAAAGA	ACGCGATAGT	GCACTTTACG	AAGTCCGCCT	3240
TGACAATCTG GATCGTGCCC	GCGAAGTTGA	TGTTCTGAGG	GAGACAGTGA	ACAAGTTGAA	3300
AACCGAGAAC AAGCAATTAA	AGAAAGAAGT	GGACAAACTC	ACCAACGGTC	CAGCCACTCG	3360

55/99 FIG. 26 CONTINUED. TGCTTCTTCC CGCGCCTCAA TTCCAGTTAT CTACGACGAT GAGCATGTCT ATGATGCAGC 3420 GTGTAGCAGT ACATCAGCTA GTCAATCTTC GAAACGATCC TCTGGCTGCA ACTCAATCAA 3480 GGTTACTGTA AACGTGGACA TCGCTGGAGA AATCAGTTCG ATCGTTAACC CGGACAAAGA 3540 GATAATCGTA GGATATCTTG CCATGTCAAC CAGTCAGTCA TGCTGGAAAG ACATTGATGT 3600 TTCTATTCTA GGACTATTTG AAGTCTACCT ATCCAGAATT GATGTGGAGC ATCAACTTGG 3660 ARTCGATGCT CGTGATTCTA TCCTTGGCTA TCAAATTGGT GAACTTCGAC GCGTCATTGG 3720 AGACTCCACA ACCATGATAA CCAGCCATCC AACTGACATT CTTACTTCCT CAACTACAAT 3780 CCGAATGTTC ATGCACGGTG CCGCACAGAG TCGCGTAGAC AGTCTGGTCC TTGATATGCT 3840 TCTTCCAAAG CAAATGATTC TCCAACTCGT CAAGTCAATT TTGACAGAGA GACGTCTGGT 3900 GTTAGCTGGA GCAACTGGAA TTGGAAAGAG CAAACTGGCG AAGACCCTGG CTGCTTATGT 3960 ATCTATTCGA ACAAATCAAT CCGAAGATAG TATTGTTAAT ATCAGCATTC CTGAAAACAA 4020 4080 TAAAGAAGAA TTGCTTCAAG TGGAACGACG CCTGGAAAAG ATCTTGAGAA GCAAAGAATC ATGCATCGTA ATTCTAGATA ATATCCCAAA GAATCGAATT GCATTTGTTG TATCCGTTTT 4140 TGCAARTGTC CCACTTCAAA ACAACGAAGG TCCATTTGTA GTATGCACAG TCAACCGATA 4200 TCAAATCCCT GAGCTTCAAA TTCACCACAA TTTCAAAATG TCAGTAATGT CGAATCGTCT 4260 CGAAGGATTC ATCCTACGTT ACCTCCGACG ACGGGCGGTA GAGGATGAGT ATCGTCTAAC 4320 TGTACAGATG CCATCAGAGC TCTTCAAAAT CATTGACTTC TTCCCAATAG CTCTTCAGGC 4380 CGTCAATAAT TTTATTGAGA AAACGAATTC TGTTGATGTG ACAGTTGGTC CAAGAGCATG 4440 CTTGAACTGT CCTCTAACTG TCGATGGATC CCGTGAATGG TTCATTCGAT TGTGGAATGA 4500 4560 GAACTTCATT CCATATTTGG AACGTGTTGC TAGAGATGGC AAAAAAACCT TCGGTCGCTG CACTTCCTTC GAGGATCCCA CCGACATCGT CTCTAAAAAA TGGCCGTGGT TCGATGGTGA 4620 ARACCCGGAG ARTGTGCTCA ARCGTCTTCA ACTCCAAGAC CTCGTCCCGT CACCTGCCAA 4680 CTCATCCCGA CAACACTTCA ATCCCCTCGA GTCGTTGATC CAATTGCATG CTACCAAGCA 4740 4800 TCAGACCATC GACAACATTT GAACAGAAGA CTCTAATCTT CTCTCGCCTC TCCCCCGCTT TCCTTATCTT CGTACCGGTA CCTGATGATT CCCCATTTTC CCCCTTTTCC CCCCAATTTC 4860 CCAGAACCTC CTGTTCCCTT TGTTCCTAGT CCTCCCGGGT GCCGACGCCG AAGCGATTTA 4920 4980 AAAACCTTTT TCTTTCCGAA ACATTTCCCA TTGCTCATTA ATAGTCAAAT TGAATAAACA GTGTATGTAC TTAAAAAAAA AAAAAAAAA ACTCGAGGGG GGGCCCTATT CTATAGTGTC . 5040 ACCTABATGC TAGAGCTCGC TGATCAGCCT CGACTGTGCC TTCTAGTTGC CAGCCATCTG 5100 TTGTTTGCCC CTCCCCGTG CCTTCCTTGA CCCTGGAAGG TGCCACTCCC ACTGTCCTTT 5160

#### **SUBSTITUTE SHEET (RULE 26)**

CCTAATAAAA TGAGGAAATT GCATCGCATT GTCTGAGTAG GTGTCATTCT ATTCTGGGGG

GTGGGGTGGG GCAGGACAGC AAGGGGGAGG ATTGGGAAGA CAATAGCAGG CATGCTGGGG

5220 5280

## 56/99

FIG. 26 CONTINUED.

TO E CONTINUED.	
ATGCGGTGGG CTCTATGGCT TCTGAGGCGG AAAGAACCAG CTGGGGCTCT AGGGGGTATC	5340
CCCACGCGC CTGTAGCGGC GCATTAAGCG CGGCGGGTGT GGTGGTTACG CGCAGCGTGA	5400
CCGCTACACT TGCCAGCGCC CTAGCGCCCG CTCCTTTCGC TTTCTTCCCT TCCTTTCTCG	5460
CCACGTTCGC CGGCTTTCCC CGTCAAGCTC TAAATCGGGG CATCCCTTTA GGGTTCCGAT	5520
TTAGTGCTTT ACGGCACCTC GACCCCAAAA AACTTGATTA GGGTGATGGT TCACGTAGTG	5580
GGCCATCGCC CTGATAGACG GTTTTTCGCC CTTTGACGTT GGAGTCCACG TTCTTTAATA	5640
GTGGACTCTT GTTCCAAACT GGAACAACAC TCAACCCTAT CTCGGTCTAT TCTTTTGATT	5700
TATAAGGGAT TTTGGGGATT TCGGCCTATT GGTTAAAAAA TGAGCTGATT TAACAAAAAT	5760
TTAACGCGAA TTAATTCTGT GGAATGTGTG TCAGTTAGGG TGTGGAAAGT CCCCAGGCTC	5820
CCCAGGCAGG CAGAAGTATG CAAAGCATGC ATCTCAATTA GTCAGCAACC AGGTGTGGAA	5880
AGTCCCCAGG CTCCCCAGCA GGCAGAAGTA TGCAAAGCAT GCATCTCAAT TAGTCAGCAA	5940
CCATAGTCCC GCCCTAACT CCGCCCATCC CGCCCCTAAC TCCGCCCAGT TCCGCCCATT	6000
CTCCGCCCCA TGGCTGACTA ATTTTTTTTA TTTATGCAGA GGCCGAGGCC GCCTCTGCCT	6060
CTGAGCTATT CCAGAAGTAG TGAGGAGGCT TTTTTGGAGG CCTAGGCTTT TGCAAAAAGC	6120
TCCCGGGAGC TTGTATATCC ATTTTCGGAT CTGATCAAGA GACAGGATGA GGATCGTTTC	6180
GCATGATTGA ACAAGATGGA TTGCACGCAG GTTCTCCGGC CGCTTGGGTG GAGAGGCTAT	6240
TCGGCTATGA CTGGGCACAA CAGACAATCG GCTGCTCTGA TGCCGCCGTG TTCCGGCTGT	6300
CAGCGCAGGG GCGCCCGGTT CTTTTTGTCA AGACCGACCT GTCCGGTGCC CTGAATGAAC	6360
TGCAGGACGA GGCAGCGCG CTATCGTGGC TGGCCACGAC GGGCGTTCCT TGCGCAGCTG	6420
TGCTCGACGT TGTCACTGAA GCGGGAAGGG ACTGGCTGCT ATTGGGCGAA GTGCCGGGGC	6480
AGGATCTCCT GTCATCTCAC CTTGCTCCTG CCGAGAAAGT ATCCATCATG GCTGATGCAA	6540
TGCGGCGGCT GCATACGCTT GATCCGGCTA CCTGCCCATT CGACCACCAA GCGAAACATC	6600
GCATCGAGCG AGCACGTACT CGGATGGAAG CCGGTCTTGT CGATCAGGAT GATCTGGACG	6660
AAGAGCATCA GGGGCTCGCG CCAGCCGAAC TGTTCGCCAG GCTCAAGGCG CGCATGCCCG	6720
ACGGCGAGGA TCTCGTCGTG ACCCATGGCG ATGCCTGCTT GCCGAATATC ATGGTGGAAA	6780
ATGGCCGCTT TTCTGGATTC ATCGACTGTG GCCGGCTGGG TGTGGCGGAC CGCTATCAGG	6840
ACATAGCGTT GGCTACCCGT GATATTGCTG AAGAGCTTGG CGGCGAATGG GCTGACCGCT	6900
TCCTCGTGCT TTACGGTATC GCCGCTCCCG ATTCGCAGCG CATCGCCTTC TATCGCCTTC	6960
TTGACGAGTT CTTCTGAGCG GGACTCTGGG GTTCGAAATG ACCGACCAAG CGACGCCCAA	7020
CCTGCCATCA CGAGATTTCG ATTCCACCGC CGCCTTCTAT GAAAGGTTGG GCTTCGGAAT	7080
CGTTTTCCGG GACGCCGGCT GGATGATCCT CCAGCGCGGG GATCTCATGC TGGAGTTCTT	7140
CGCCCACCC AACTTGTTTA TTGCAGCTTA TAATGGTTAC AAATAAAGCA ATAGCATCAC	7200

#### 57/99

## FIG. 26 CONTINUED.

•	_	_				
AAATTTCACA	AATAAAGCAT	TTTTTTCACT	GCATTCTAGT	TGTGGTTTGT	CCAAACTCAT	7260
CAATGTATCT	TATCATGTCT	GTATACCGTC	GACCTCTAGC	TAGAGCTTGG	CGTAATCATG	7320
GTCATAGCTG	TTTCCTGTGT	GAAATTGTTA	TCCGCTCACA	ATTCCACACA	ACATACGAGC	7380
CGGAAGCATA	AAGTGTAAAG	CCTGGGGTGC	CTAATGAGTG	AGCTAACTCA	CATTAATTGC	7440
GTTGCGCTCA	CTGCCCGCTT	TCCAGTCGGG	AAACCTGTCG	TGCCAGCTGC	ATTAATGAAT	7500
CGGCCAACGC	GCGGGGAGAG	GCGGTTTGCG	TATTGGGCGC	TCTTCCGCTT	CCTCGCTCAC	7560
TGACTCGCTG	CGCTCGGTCG	TTCGGCTGCG	GCGAGCGGTA	TCAGCTCACT	CAAAGGCGGT	7620
AATACGGTTA	TCCACAGAAT	CAGGGGATAA	CGCAGGAAAG	AACATGTGAG	CAAAAGGCCA	7680
GCAAAAGGCC	AGGAACCGTA	AAAAGGCCGC	GTTGCTGGCG	TTTTTCCATA	GGCTCCGCCC	7740
CCCTGACGAG	CATCACAAAA	ATCGACGCTC	AAGTCAGAGG	TGGCGAAACC	CGACAGGACT	7800
ATAAAGATAC	CAGGCGTTTC	CCCCTGGAAG	CTCCCTCGTG	CGCTCTCCTG	TTCCGACCCT	7860
GCCGCTTACC	GGATACCTGT	CCGCCTTTCT	CCCTTCGGGA	AGCGTGGCGC	TTTCTCAATG	7920
CTCACGCTGT	AGGTATCTCA	GTTCGGTGTA	GGTCGTTCGC	TCCAAGCTGG	GCTGTGTGCA	7980
CGAACCCCCC	GTTCAGCCCG	ACCGCTGCGC	CTTATCCGGT	AACTATCGTC	TTGAGTCCAA	8040
CCCGGTAAGA	CACGACTTAT	CGCCACTGGC	AGCAGCCACT	GGTAACAGGA	TTAGCAGAGC	8100
GAGGTATGTA	GGCGGTGCTA	CAGAGTTCTT	GAAGTGGTGG	CCTAACTACG	GCTACACTAG	8160
AAGGACAGTA	TTTGGTATCT	GCGCTCTGCT	GAAGCCAGTT	ACCTTCGGAA	AAAGAGTTGG	8220
TAGCTCTTGA	TCCGGCAAAC	AAACCACCGC	TGGTAGCGGT	GGTTTTTTTG	TTTGCAAGCA	8280
GCAGATTACG	CGCAGAAAAA	AAGGATCTCA	AGAAGATCCT	TTGATCTTTT	CTACGGGGTC	8340
TGACGCTCAG	TGGAACGAAA	ACTCACGTTA	AGGGATTTTG	GTCATGAGAT	TATCAAAAAG	8400
GATCTTCACC	TAGATCCTTT	TAAATTAAAA	ATGAAGTTTT	AAATCAATCT	AAAGTATATA	8460
TGAGTAAACT	TGGTCTGACA	GTTACCAATG	CTTAATCAGT	GAGGCACCTA	TCTCAGCGAT	8520
CTGTCTATTT	CGTTCATCCA	TAGTTGCCTG	ACTCCCCGTC	GTGTAGATAA	CTACGATACG	8580
GGAGGGCTTA	CCATCTGGCC	CCAGTGCTGC	AATGATACCG	CGAGACCCAC	GCTCACCGGC	8640
TCCAGATTTA	TCAGCAATAA	ACCAGCCAGC	CGGAAGGGCC	GAGCGCAGAA	GTGGTCCTGC	8700
AACTTTATCC	GCCTCCATCC	AGTCTATTAA	TTGTTGCCGG	GAAGCTAGAG	TAAGTAGTTC	8760
GCCAGTTAAT	AGTTTGCGCA	ACGTTGTTGC	CATTGCTACA	GGCATCGTGG	TGTCACGCTC	8820
GTCGTTTGGT	ATGGCTTCAT	TCAGCTCCGG	TTCCCAACGA	TCAAGGCGAG	TTACATGATC	8880
CCCCATGTTG	TGCAAAAAAG	CGGTTAGCTC	CTTCGGTCCT	CCGATCGTTG	TCAGAAGTAA	.8940
GTTGGCCGCA	GTGTTATCAC	TCATGGTTAT	GGCAGCACTG	CATAATTCTC	TTACTGTCAT	9000
GCCATCCGTA	AGATGCTTTT	CTGTGACTGG	TGAGTACTCA	ACCAAGTCAT	TCTGAGAATA	9060
GTGTATGCGG	CGACCGAGTT	GCTCTTGCCC	GGCGTCAATA	CGGGATAATA	CCGCGCCACA	9120


### 58/99

# FIG. 26 CONTINUED

TAGCAGAACT	TTAAAAGTGC	TCATCATTGG	AAAACGTTCT	TCGGGGCGAA	AACTCTCAAG	9180
GATCTTACCG	CTGTTGAGAT	CCAGTTCGAT	GTAACCCACT	CGTGCACCCA	ACTGATCTTC	9240
AGCATCTTTT	ACTTTCACCA	GCGTTTCTGG	GTGAGCAAAA	ACAGGAAGGC	AAAATGCCGC	9300
AAAAAAGGGA	ATAAGGGCGA	CACGGAAATG	TTGAATACTC	ATACTCTTCC	TTTTTCAATA	9360
TTATTGAAGC	ATTTATCAGG	GTTATTGTCT	CATGAGCGGA	TACATATTTG	AATGTATTTA	9420
GAAAAATAAA	CAAATAGGGG	TTCCGCGCAC	ATTTCCCCGA	AAAGTGCCAC	CTGACGTCGA	9480
CGGATCGGGA	GATCTCCCGA	TCCCCTATGG	TCGACTCTCA	GTACAATCTG	CTCTGATGCC	9540
GCATAGTTAA	GCCAGTATCT	GCTCCCTGCT	TGTGTGTTGG	AGGTCGCTGA	GTAGTGCGCG	9600
AGCAAAATTT	AAGCTACAAC	AAGGCAAGGC	TTGACCGACA	ATTGCATGAA	GAATCTGCTT	9660
AGGGTTAGGC	GTTTTGCGCT	GCTTCGCGAT	GTACGGGCCA	GATATACGCG	TTGACATTGA	9720
TTATTGACTA	GTTATTAATA	GTAATCAATT	ACGGGGTCAT	TAGTTCATAG	CCCATATATG	9780
GAGTTCCGCG	TTACATAACT	TACGGTAAAT	GGCCCGCCTG	GCTGACCGCC	CAACGACCCC	9840
CGCCCATTGA	CGTCAATAAT	GACGTATGTT	CCCATAGTAA	CGCCAATAGG	GACTTTCCAT	9900
TGACGTCAAT	GGGTGGACTA	TTTACGGTAA	ACTGCCCACT	TGGCAGTACA	TCAAGTGTAT	9960
CATATGCCAA	GTACGCCCCC	TATTGACGTC	AATGACGGTA	AATGGCCCGC	CTGGCATTAT	10020
GCCCAGTACA	TGACCTTATG	GGACTTTCCT	ACTTGGCAGT	ACATCTACGT	ATTAGTCATC	10080
GCTATTACCA	TGGTGATGCG	GTTTTGGCAG	TACATCAATG	GGCGTGGATA	GCGGTTTGAC	10140
TCACGGGGAT	TTCCAAGTCT	CCACCCCATT	GACGTCAATG	GGAGTTTGTT	TTGGCACCAA	10200
AATCAACGGG	ACTTTCCAAA	ATGTCGTAAC	AACTCCGCCC	CATTGACGCA	AATGGGCGGT	10260
AGGCGTGTAC	GGTGGGAGGT	CTATATAAGC	AGAGCTCTCT	GGCTAACTAG	AGAACCCACT	10320
GCTTACTGGC	TTATCGAAAT	TAATACGACT	CACTATAGGG	AGACCCAAGC	TTGGTACCGA	10380
GCTCGGATCC	ACTAGTAACG	GCCGCCAGTG	TGCTGGAATT	CTGCAGATAT	CCATCACACT	10440
GGC					•	10443

59/99

FIG. 27.



# 60/99

FIG. 28.

CTAAATTGTA	AGCGTTAATA	TTTTGTTAAA	ATTCCCGTTA	AATTTTTGTT	AAATCAGCTC	60
ATTTTTTAAC	CAATAGGCCG	AAATCGGCAA	AATCCCTTAT	AAATCAAAAG	AATAGACCGA	120
GATAGGGTTG	AGTGTTGTTC	CAGTTTGGAA	CAAGAGTCCA	CTATTAAAGA	ACGTGGACTC	180
CAACGTCAAA	GGGCGAAAAA	CCGTCTATCA	.GGGCGATGGC	CCACTACGTG	AACCATCACC	240
CTAATCAAGT	TTTTTGGGGT	CGAGGTGCCG	TAAAGCACTA	AATCGGAACC	CTAAAGGGAG	300
CCCCCGATTT	AGAGCTTGAC	GGGGAAAGCC	GGCGAACGTG	GCGAGAAAGG	AAGGGAAGAA	360
AGCGAAAGGA	GCGGGCGCTA	GGGCGCTGGC	AAGTGTAGCG	GTCACGCTGC	GCGTAACCAC	420
CACACCCGCC	GCGCTTAATG	CGCCGCTACA	GGGCGCGTCC	CATTCGCCAT	TCAGGCTGCG	480
CAACTGTTGG	GAAGGGCGAT	CGGTGCGGGC	CTCTTCGCTA	TTACGCCAGC	TGGCGAAAGG	540
GGGATGTGCT	GCAAGGCGAT	TAAGTTGGGT	AACGCCAGGG	TTTTCCCAGT	CACGACGTTG	600
TAAAACGACG	GCCAGTGAGC	GCGCGTAATA	CGACTCACTA	TAGGGCGAAT	TGGAGCTCCA	660
CCGCGGTTTC	TAAATTACCC	TCGCCACGTG	TCGCCACGTC	AGCAACCGCT	TCAGCAACTA	720
ACCCAAATTC	CAACTTTCCA	CAAATGTCAA	CATCCAGGCT	TCAGACTCCA	CAGTCAAGAA	780
TATCGAAAAT	TGATTCATCA	AAGATTGGTA	TCAAGCCAAA	GACGTCTGGA	CTTAAACCAC	840
CCTCATCATC	AACCACTTCA	TCAAATAATA	CAAATTCATT	CCGTCCGTCG	AGCCGTTCGA	900
GTGGCAATAA	TAATGTTGGC	TCGACGATAT	CCACATCTGC	GAAGAGCTTA	GAATCATCAT	960
CAACGTACAG	CTCTATTTCG	AATCTAAACC	GACCTACCTC	CCAACTCCAA	AAACCTTCTA	1020
GACCACAAAC	CCAGCTAGTT	CGTGTTGCTA	CAACTACAAA	AATCGGAAGC	TCAAAGCTAG	1080
CCGCTCCGAA	AGCCGTGAGC	ACCCCAAAAC	TTGCTTCTGT	GAAGACTATT	GGAGCAAAAC	1140
AAGAGCCCGA	TAACAGCGGT	GGTGGTGGTG	GTGGAATGCT	GAAATTAAAG	TTATTCAGTA	1200
GCAAAAACCC	ATCTTCCTCA	TCGAATAGCC	CACAACCTAC	GAGAAAGGCG	GCGGCGGTGC	1260
CTCAACAACA	AACTTTGTCG	AAAATCGCTG	CCCCAGTGAA	AAGTGGCCTG	AAGCCGCCGA	1320
CCAGTAAGCT	GGGAAGTGCC	ACGTCTATGT	CGAAGCTTTG	TACGCCAAAA	GTTTCCTACC	1380
GTAAAACGGA	CGCCCCAATC	ATATCTCAAC	AAGACTCGAA	ACGATGCTCA	AAGAGCAGTG	1440
AAGAAGAGTC	CGGATACGCT	GGATTCAACA	GCACGTCGCC	AACGTCATCA	TCGACGGAAG	1500
GTTCCCTAAG	CATGCATTCC	ACATCTTCCA	AGAGTTCAAC	GTCAGACGAA	AAGTCTCCGT	1560
CATCAGACGA	TCTTACTCTT	AACGCCTCCA	TCGTGACAGC	TATCAGACAG	CCGATAGCCG	1620
CAACACCGGT	TTCTCCAAAT	ATTATCAACA	AGCCTGTTGA	GGAAAAACCA	ACACTGGCAG	1680
TGAAAGGAGT	GAAAAGCACA	GCGAAAAAAG	ATCCACCTCC	AGCTGTTCCG	CCACGTGACA	1740
CCCAGCCAAC	AATCGGAGTT	GTTAGTCCAA	TTATGGCACA	TAAGAAGTTG	ACAAATGACC	1800
CCGTGATATC	TGAAAAACCA	GAACCTGAAA	AGCTCCAATC	AATGAGCATC	GACACGACGG	1860

FIG. 28 CONTINUED.

61/99

ACGTTCCACC	GCTTCCACCT	CTAAAATCAG	TTGTTCCACT	TAAAATGACT	TCAATCCGAC	1920
AACCACCAAC	GTACGATGTT	CTTCTAAAAC	AAGGAAAAAT	CACATCGCCT	GTCAAGTCGT	1980
TTGGATATGA	GCAGTCGTCC	GCGTCTGAAG	ACTCCATTGT	GGCTCATGCG	TCGGCTCAGG	2040
TGACTCCGCC	GACAAAAACT	TCTGGTAATC	ATTCGCTGGA	GAGAAGGATG	GGAAAGAATA	2100
AGACATCAGA	ATCCAGCGGC	TACACCTCTG	ACGCCGGTGT	TGCGATGTGC	GCCAAAATGA	2160
GGGAGAAGCT	GAAAGAATAC	GATGACATGA	CTCGTCGAGC	ACAGAACGGC	TATCCTGACA	2220
acttcgaaga	CAGTTCCTCC	TTGTCGTCTG	GAATATCCGA	TAACAACGAG	CTCGACGACA	2280
TATCCACGGA	CGATTTGTCC	GGAGTAGACA	TGGCAACAGT	CGCCTCCAAA	CATAGCGACT	2340
ATTCCCACTT	TGTTCGCCAT	CCCACGTCTT	CTTCCTCAAA	GCCCCGAGTC	CCCAGTCGGT	2400
CCTCCACATC	AGTCGATTCT	CGATCTCGAG	CAGAACAGGA	GAATGTGTAC	AAACTTCTGT	2460
CCCAGTGCCG	AACGAGCCAA	CGTGGCGCCG	CTGCCACCTC	AACCTTCGGA	CAACATTCGC	2520
TAAGATCCCC	GGGATACTCA	TCCTATTCTC	CACACTTATC	AGTGTCAGCT	GATAAGGACA	2580
CAATGTCTAT	GCACTCACAG	ACTAGTCGAC	GACCTTCTTC	ACAAAAACCA	AGCTATTCAG	2640
GCCAATTTCA	TTCACTTGAT	CGTAAATGCC	ACCTTCAAGA	GTTCACATCC	ACCGAGCACA	2700
GAATGGCGGC	TCTCTTGAGC	CCGAGACGGG	TGCCGAACTC	GATGTCGAAA	TATGATTCTT	2760
CAGGATCCTA	CTCGGCGCGT	TCCCGAGGTG	GAAGCTCTAC	TGGTATCTAT	GGAGAGACGT	2820
TCCAACTGCA	CAGACTATCC	GATGAAAAAT	CCCCGCACA	TTCTGCCAAA	AGTGAGATGG	2880
GATCCCAACT	ATCACTGGCT	AGCACGACAG	CATATGGATC	TCTCAATGAG	AAGTACGAAC	2940
ATGCTATTCG	GGACATGGCA	CGTGACTTGG	AGTGTTACAA	GAACACTGTC	GACTCACTAA	3000
CCAAGAAACA	GGAGAACTAT	GGAGCATTGT	TTGATCTTTT	TGAGCAAAAG	CTTAGAAAAC	3060
TCACTCAACA	CATTGATCGA	TCCAACTTGA	AGCCTGAAGA	GGCAATACGA	TTCAGGCAGG	3120
ACATTGCTCA	TTTGAGGGAT	ATTAGCAATC	ATCTTGCATC	CAACTCAGCT	CATGCTAACG	3180
AAGGCGCTGG	TGAGCTTCTT	CGTCAACCAT	CTCTGGAATC	AGTTGCATCC	CATCGATCAT	3240
CGATGTCATC	GTCGTCGAAA	AGCAGCAAGC	AGGAGAAGAT	CAGCTTGAGC	TCGTTTGGCA	3300
		CGCTCCTCAC			•	3360
ACTACGACGA	AGCACATATG	CCATCAATTT	CCGGATCTCA	AGGAACTCTT	GACAACATTG	3420
ATGTGATTGA	GTTGAAGCAA	GAGCTCAAAG	AACGCGATAG	TGCACTTTAC	GAAGTCCGCC	3480
					AACAAGTTGA	3540
					CCAGCCACTC	3600
					TATGATGCAG	3660
					AACTCAATCA	3720
AGGTTACTGT	AAACGTGGAC	ATCGCTGGAG	AAATCAGTTC	GATCGTTAAC	CCGGACAAAG	3780

62/99


AGATAATCGT	AGGATATCTT	GCCATGTCAA	CCAGTCAGTC	ATGCTGGAAA	GACATTGATG	3840
TTTCTATTCT	AGGACTATTT	GAAGTCTACC	TATCCAGAAT	TGATGTGGAG	CATCAACTTG	3900
GAATCGATGC	TCGTGATTCT	ATCCTTGGCT	ATCAAATTGG	TGAACTTCGA	CGCGTCATTG	3960
GAGACTCCAC	AACCATGATA	ACCAGCCATC	CAACTGACAT	TCTTACTTCC	TCAACTACAA	4020
TCCGAATGTT	CATGCACGGT	GCCGCACAGA	GTCGCGTAGA	CAGTCTGGTC	CTTGATATGC	4080
TTCTTCCAAA	GCAAATGATT	CTCCAACTCG	TCAAGTCAAT	TTTGACAGAG	AGACGTCTGG	4140
TGTTAGCTGG	AGCAACTGGA	ATTGGAAAGA	GCAAACTGGC	GAAGACCCTG	GCTGCTTATG	4200
TATCTATTCG	AACAAATCAA	TCCGAAGATA	GTATTGTTAA	TATCAGCATT	CCTGAAAACA	4260
ATAAAGAAGA	ATTGCTTCAA	GTGGAACGAC	GCCTGGAAAA	GATCTTGAGA	AGCAAAGAAT	4320
	AATTCTAGAT					4380
	CCCACTTCAA					4440
	: TGAGCTTCAA					4500
					TATCGTCTAA	4560
CTGTACAGAI	GCCATCAGAG	CTCTTCAAAA	TCATTGACTT	CTTCCCAATA	GCTCTTCAGG	4620
CCGTCAATAA	TTTTATTGAG	AAAACGAATT	CTGTTGATGT	GACAGTTGGT	CCAAGAGCAT	4680
GCTTGAACT	TCCTCTAACT	GTCGATGGAT	CCCGTGAATG	GTTCATTCGA	TTGTGGAATG	4740
AGAACTTCAT	TCCATATTT	GAACGTGTT	CTAGAGATGG	CAAAAAAAACC	TTCGGTCGCT	4800
GCACTTCCTT	CGAGGATCC	ACCGACATCO	тстсталала	ATGGCCGTGG	TTCGATGGTG	4860
AAAACCCGG	A GAATGTGCT	AAACGTCTT	AACTCCAAGA	CCTCGTCCCG	TCACCTGCCA	4920
					GCTACCAAGC	4980
ATCAGACCA'	r cgacaacat	TGAACAGAA	ACTCTAATCT	TCTCTCGCCI	CTCCCCCCT	5040
					CCCCCAATTT	5100
					GAAGCGATTT	5160
					TTGAATAAAC	5220
					r ACCCAGCTTT	5280
					A GCTGTTTCCT	5340
					G CATAAAGTGT	5400
					G CTCACTGCCC	5460
					A ACGCGCGGGG	
					C GCTGCGCTCG	
					G GTTATCCACA	
GAATCAGGG	G ATAACGCAG	g aaagaacat	'G TGAGCAAAA	G GCCAGCAAA	A GGCCAGGAAC	5700

FIG. 28 CONTINUED. 63/99

CGTAAAAAGG	CCGCGTTGCT	GGCGTTTTTC	CATAGGCTCC	GCCCCCTGA	CGAGCATCAC	5760
AAAAATCGAC	GCTCAAGTCA	GAGGTGGCGA	AACCCGACAG	GACTATAAAG	ATACCAGGCG	5820
TTTCCCCCTG	GAAGCTCCCT	CGTGCGCTCT	CCTGTTCCGA	CCCTGCCGCT	TACCGGATAC	5880
CTGTCCGCCT	TTCTCCCTTC	GGGAAGCGTG	GCGCTTTCTC	ATAGCTCACG	CTGTAGGTAT	5940
CTCAGTTCGG	TGTAGGTCGT	TCGCTCCAAG	CTGGGCTGTG	TGCACGAACC	CCCCGTTCAG	6000
CCCGACCGCT	GCGCCTTATC	CGGTAACTAT	CGTCTTGAGT	CCAACCCGGT	AAGACACGAC	6060
TTATCGCCAC	TGGCAGCAGC	CACTGGTAAC	AGGATTAGCA	GAGCGAGGTA	TGTAGGCGGT	6120
GCTACAGAGT	TCTTGAAGTG	GTGGCCTAAC	TACGGCTACA	CTAGAAGGAC	AGTATTTGGT	6180
ATCTGCGCTC	TGCTGAAGCC	AGTTACCTTC	GGAAAAAGAG	TTGGTAGCTC	TTGATCCGGC	6240
аласаласса	CCGCTGGTAG	CGGTGGTTTT	TTTGTTTGCA	AGCAGCAGAT	TACGCGCAGA	6300
AAAAAAGGAT	CTCAAGAAGA	TCCTTTGATC	TTTTCTACGG	GGTCTGACGC	TCAGTGGAAC	6360
GAAAACTCAC	GTTAAGGGAT	TTTGGTCATG	AGATTATCAA	AAAGGATCTT	CACCTAGATC	6420
CTTTTAAATT	AAAAATGAAG	TTTTAAATCA	ATCTAAAGTA	TATATGAGTA	AACTTGGTCT	6480
GACAGTTACC	AATGCTTAAT	CAGTGAGGCA	CCTATCTCAG	CGATCTGTCT	ATTTCGTTCA	6540
TCCATAGTTG	CCTGACTCCC	CGTCGTGTAG	ATAACTACGA	TACGGGAGGG	CTTACCATCT	6600
GGCCCCAGTG	CTGCAATGAT	ACCGCGAGAC	CCACGCTCAC	CGGCTCCAGA	TTTATCAGCA	6660
ATAAACCAGC	CAGCCGGAAG	GGCCGAGCGC	AGAAGTGGTC	CTGCAACTTT	ATCCGCCTCC	6720
ATCCAGTCTA	TTAATTGTTG	CCGGGAAGCT	AGAGTAAGTA	GTTCGCCAGT	TAATAGTTTG	6780
CGCAACGTTG	TTGCCATTGC	TACAGGCATC	GTGGTGTCAC	GCTCGTCGTT	TGGTATGGCT	6840
TCATTCAGCT	CCGGTTCCCA	ACGATCAAGG	CGAGTTACAT	GATCCCCCAT	GTTGTGCAAA	6900
AAAGCGGTTA	GCTCCTTCGG	TCCTCCGATC	GTTGTCAGAA	GTAAGTTGGC	CGCAGTGTTA	6960
TCACTCATGG	TTATGGCAGC	ACTGCATAAT	TCTCTTACTG	TCATGCCATC	CGTAAGATGC	7020
TTTTCTGTGA	CTGGTGAGTA	CTCAACCAAG	TCATTCTGAG	AATAGTGTAT	GCGGCGACCG	7080
	GCCCGGCGTC					7140
GTGCTCATCA	TTGGAAAACG	TTCTTCGGGG	CGAAAACTCT	CAAGGATCTT	ACCGCTGTTG	7200
AGATCCAGTT	CGATGTAACC	CACTCGTGCA	CCCAACTGAT	CTTCAGCATC	TTTTACTTTC	7260
					GGGAATAAGG	7320
					AAGCATTTAT	7380
CAGGGTTATT	GTCTCATGAG	CGGATACATA	TTTGAATGTA	TTTAGAAAAA	TAAACAAATA	7440
GGGGTTCCGC	GCACATTTCC	CCGAAAAGTG	CCAC			7474

64/99

FIG. 29.



## 65/99

F1G.30

ratgacgacg 1	CAAATGTAG	AATTGATACC	ATTCTACACG	GATTGGGCCA	ATCGGCACCT	60
TTCGAAGGGC A	AGCTTATCAA	AGTCGATTAG	GGATATTTCC	AATGATTTTC	GCGACTATCG	120
ACTGGTTTCT (	CAGCTTATTA	ATGTGATCGT	TCCGATCAAC	GAATTCTCGC	CTGCATTCAC	180
GAAACGTTTG (	GCAAAAATCA	CATCGAACCT	GGATGGCCTC	GAAACGTGTC	TCGACTACCT	240
GAAAAATCTG (	GGTCTCGACT	GCTCGAAACT	CACCAAAACC	GATATCGACA	GCGGAAACTT	300
			CTCCACCTAC			360
			ACCCACATCC			420
			AGCAACCGCT			480
			TCAGACTCCA			540
			GACGTCTGGA			600
AACCACTTCA '	TCAAATAATA	CAAATTCATT	CCGTCCGTCG	AGCCGTTCGA	GTGGCAATAA	660
TAATGTTGGC '	TCGACGATAT	CCACATCTGC	GAAGAGCTTA	GAATCATCAT	CAACGTACAG	720
CTCTATTTCG	AATCTAAACC	GACCTACCTC	CCAACTCCAA	AAACCTTCTA	GACCACAAAC	780
CCAGCTAGTT	CGTGTTGCTA	CAACTACAAA	AATCGGAAGC	TCAAAGCTAG	CCGCTCCGAA	840
AGCCGTGAGC	ACCCCAAAAC	TTGCTTCTGT	GAAGACTATT	GGAGCAAAAC	AAGAGCCCGA	900
TAACAGCGGT	GGTGGTGGTG	GTGGAATGCT	GAAATTAAAG	TTATTCAGTA	GCAAAAACCC	960
ATCTTCCTCA	TCGAATAGCC	CACAACCTAC	GAGAAAGGCG	GCGGCGGTGC	CTCAACAACA	1020
AACTTTGTCG	AAAATCGCTG	CCCCAGTGAA	AAGTGGCCTG	AAGCCGCCGA	CCAGTAAGCT	1080
GGGAAGTGCC	ACGTCTATGT	CGAAGCTTTG	TACGCCAAAA	GTTTCCTACC	GTAAAACGGA	1140
CGCCCCAATC	ATATCTCAAC	AAGACTCGAA	ACGATGCTCA	AAGAGCAGTG	AAGAAGAGTC	1200
		CCNCCMCCCC	**************************************	TCGACGGAAG	GTTCCCTAAG	1260

66/99 FIG. 30 CONTINUED. CATGCATTCC ACATCTTCCA AGAGTTCAAC GTCAGACGAA AAGTCTCCGT CATCAGACGA 1320 TCTTACTCTT AACGCCTCCA TCGTGACAGC TATCAGACAG CCGATAGCCG CAACACCGGT 1380 TTCTCCAAAT ATTATCAACA AGCCTGTTGA GGAAAAACCA ACACTGGCAG TGAAAGGAGT 1440 GAAAAGCACA GCGAAAAAAG ATCCACCTCC AGCTGTTCCG CCACGTGACA CCCAGCCAAC 1500 AATCGGAGTT GTTAGTCCAA TTATGGCACA TAAGAAGTTG ACAAATGACC CCGTGATATC 1560 TGAAAAACCA GAACCTGAAA AGCTCCAATC AATGAGCATC GACACGACGG ACGTTCCACC 1620 GCTTCCACCT CTAAAATCAG TTGTTCCACT TAAAATGACT TCAATCCGAC AACCACCAAC 1680 GTACGATGTT CTTCTAAAAC AAGGAAAAAT CACATCGCCT GTCAAGTCGT TTGGATATGA 1740 1800 GCAGTCGTCC GCGTCTGAAG ACTCCATTGT GGCTCATGCG TCGGCTCAGG TGACTCCGCC GACAAAAACT TCTGGTAATC ATTCGCTGGA GAGAAGGATG GGAAAGAATA AGACATCAGA 1860 ATCCAGCGGC TACACCTCTG ACGCCGGTGT TGCGATGTGC GCCAAAATGA GGGAGAAGCT 1920 GAAAGAATAC GATGACATGA CTCGTCGAGC ACAGAACGGC TATCCTGACA ACTTCGAAGA 1980 CAGTTCCTCC TTGTCGTCTG GAATATCCGA TAACAACGAG CTCGACGACA TATCCACGGA 2040 CGATTTGTCC GGAGTAGACA TGGCAACAGT CGCCTCCAAA CATAGCGACT ATTCCCACTT 2100 TGTTCGCCAT CCCACGTCTT CTTCCTCAAA GCCCCGAGTC CCCAGTCGGT CCTCCACATC 2160 AGTCGATTCT CGATCTCGAG CAGAACAGGA GAATGTGTAC AAACTTCTGT CCCAGTGCCG 2220 AACGAGCCAA CGTGGCGCCG CTGCCACCTC AACCTTCGGA CAACATTCGC TAAGATCCCC 2280 GGGATACTCA TCCTATTCTC CACACTTATC AGTGTCAGCT GATAAGGACA CAATGTCTAT 2340 GCACTCACAG ACTAGTCGAC GACCTTCTTC ACAAAAACCA AGCTATTCAG GCCAATTTCA 2400 TTCACTTGAT CGTAAATGCC ACCTTCAAGA GTTCACATCC ACCGAGCACA GAATGGCGGC 2460 TCTCTTGAGC CCGAGACGGG TGCCGAACTC GATGTCGAAA TATGATTCTT CAGGATCCTA 2520 CTCGGCGCGT TCCCGAGGTG GAAGCTCTAC TGGTATCTAT GGAGAGACGT TCCAACTGCA 2580 CAGACTATCC GATGAAAAAT CCCCCGCACA TTCTGCCAAA AGTGAGATGG GATCCCAACT 2640 ATCACTGGCT AGCACGACAG CATATGGATC TCTCAATGAG AAGTACGAAC ATGCTATTCG 2700 GGACATGGCA CGTGACTTGG AGTGTTACAA GAACACTGTC GACTCACTAA CCAAGAAACA 2760 GGAGAACTAT GGAGCATTGT TTGATCTTTT TGAGCAAAAG CTTAGAAAAC TCACTCAACA 2820 CATTGATCGA TCCAACTTGA AGCCTGAAGA GGCAATACGA TTCAGGCAGG ACATTGCTCA 2880 TTTGAGGGAT ATTAGCAATC ATCTTGCATC CAACTCAGCT CATGCTAACG AAGGCGCTGG 2940 TGAGCTTCTT CGTCAACCAT CTCTGGAATC AGTTGCATCC CATCGATCAT CGATGTCATC 3000 GTCGTCGAAA AGCAGCAAGC AGGAGAAGAT CAGCTTGAGC TCGTTTGGCA AGAACAAGAA 3060 GRGCTGGATC CGCTCCTCAC TCTCCAAGTT CACCAAGAAG AAGAACAAGA ACTACGACGA 3120 AGCACATATG CCATCAATTT CCGGATCTCA AGGAACTCTT GACAACATTG ATGTGATTGA 3180



67/99 FIG. 30 CONTINUED. GTTGAAGCAA GAGCTCAAAG AACGCGATAG TGCACTTTAC GAAGTCCGCC TTGACAATCT 3240 GGATCGTGCC CGCGAAGTTG ATGTTCTGAG GGAGACAGTG AACCAAGTTGA AAACCGAGAA 3300 CAAGCAATTA AAGAAAGAAG TGGACAAACT CACCAACGGT CCAGCCACTC GTGCTTCTTC 3360 CCGCGCCTCA ATTCCAGTTA TCTACGACGA TGAGCATGTC TATGATGCAG CGTGTAGCAG 3420 TACATCAGCT AGTCAATCTT CGAAACGATC CTCTGGCTGC AACTCAATCA AGGTTACTGT 3480 ARACGTGGAC ATCGCTGGAG ARATCAGTTC GATCGTTAAC CCGGACARAG AGATAATCGT 3540 AGGATATOTT GCCATGTCAA CCAGTCAGTC ATGCTGGAAA GACATTGATG TTTCTATTCT 3600 AGGACTATTT GAAGTCTACC TATCCAGAAT TGATGTGGAG CATCAACTTG GAATCGATGC 3660 TCGTGATTCT ATCCTTGGCT ATCAAATTGG TGAACTTCGA CGCGTCATTG GAGACTCCAC 3720 ARCCATGATA ACCAGCCATC CAACTGACAT TCTTACTTCC TCAACTACAA TCCGAATGTT 3780 CATGCACGGT GCCGCACAGA GTCGCGTAGA CAGTCTGGTC CTTGATATGC TTCTTCCAAA 3840 GCAAATGATT CTCCAACTCG TCAAGTCAAT TTTGACAGAG AGACGTCTGG TGTTAGCTGG 3900 AGCARCTGGA ATTGGARAGA GCARACTGGC GARGACCCTG GCTGCTTATG TATCTATTCG 3960 AACAAATCAA TCCGAAGATA GTATTGTTAA TATCAGCATT CCTGAAAACA ATAAAGAAGA 4020 ATTGCTTCAA GTGGAACGAC GCCTGGAAAA GATCTTGAGA AGCAAAGAAT CATGCATCGT 4080 AATTCTAGAT AATATCCCAA AGAATCGAAT TGCATTTGTT GTATCCGTTT TTGCAAATGT 4140 CCCACTTCAA AACAACGAAG GTCCATTTGT AGTATGCACA GTCAACCGAT ATCAAATCCC 4200 TGAGCTTCAA ATTCACCACA ATTTCAAAAT GTCAGTAATG TCGAATCGTC TCGAAGGATT 4260 CATCCTACGT TACCTCCGAC GACGGGCGGT AGAGGATGAG TATCGTCTAA CTGTACAGAT 4320 GCCATCAGAG CTCTTCAAAA TCATTGACTT CTTCCCAATA GCTCTTCAGG CCGTCAATAA 4380 TTTTATTGAG AAAACGAATT CTGTTGATGT GACAGTTGGT CCAAGAGCAT GCTTGAACTG 4440 TCCTCTARCT GTCGATGGAT CCCGTGAATG GTTCATTCGA TTGTGGAATG AGAACTTCAT 4500 TCCATATTTG GAACGTGTTG CTAGAGATGG CAAAAAAACC TTCGGTCGCT GCACTTCCTT 4560 CGAGGATCCC ACCGACATCG TCTCTAAAAA ATGGCCGTGG TTCGATGGTG AAAACCCGGA 4620 GARTGTGCTC ARACGTCTTC ARCTCCAAGA CCTCGTCCCG TCACCTGCCA ACTCATCCCG 4680 ACARCACTIC ARTCCCCICG AGTCGTTGAT CCAATTGCAT GCTACCAAGC ATCAGACCAT 4740 CGACAACATT TGAACAGAAG ACTCTAATCT TCTCTCGCCT CTCCCCCGCT TTCCTTATCT 4800 TCGTACCGGT ACCTGATGAT TCCCCATTTT CCCCCTTTTC CCCCCAATTT CCCAGAACCT 4860 CCTGTTCCCT TTGTTCCTAG TCCTCCCGGG TGCCGACGCC GAAGCGATTT AAAAACCTTT 4920 TTCTTTCCGA AACATTTCCC ATTGCTCATT AATAGTCAAA TTGAATAAAC AGTGTATGTA 4980 CTTARARARA ARARARARA ARARARARA GGCCTATGCG GCCGGGCCAT GGAGGCCGAR 5040 TTCCCGGGGA TCCGTCGACC TGCAGCCAAG CTAATTCCGG GCGAATTTCT TATGATTTAT 5100

FIG. 30 CONTINUED.

68/99

GATTTTATT ATTAAATAAG	ТТАТАААААА	AATAAGTGTA	TACAAATTTT	AAAGTGACTC	5160
TTAGGTTTTA AAACGAAAAT	TCTTGTTCTT	GAGTAACTCT	TTCCTGTAGG	TCAGGTTGCT	5220
TTCTCAGGTA TAGCATGAGG	TCGCTCTTAT	TGACCACACC	TCTACCGGCA	TGCAAGCTTG	5280
GCGTAATCAT GGTCATAGCT	GTTTCCTGTG	TGAAATTGTT	ATCCGCTCAC	AATTCCACAC	5340
AACATACGAG CCGGAAGCAT	AAAGTGTAAA	GCCTGGGGTG	CCTAATGAGT	GAGGTAACTC	5400
ACATTAATTG CGTTGCGCTC	ACTGCCCGCT	TTCCAGTCGG	GAAACCTGTC	GTGCCAGCTG	5460
GATTAATGAA TCGGCCAACG	CGCGGGGAGA	GGCGGTTTGC	GTATTGGGCG	CTCTTCCGCT	5520
TCCTCGCTCA CTGACTCGCT	GCGCTCGGTC	GTTCGGCTGC	GGCGAGCGGT	ATCAGCTCAC	5580
TCAAAGGCGG TAATACGGTT	ATCCACAGAA	TCAGGGGATA	ACGCAGGAAA	GAACATGTGA	5.640
GCAAAAGGCC AGCAAAAGGC	CAGGAACCGT	AAAAAGGCCG	CGTTGCTGGC	GTTTTTCCAT	5700
AGGCTCCGCC CCCCTGACGA	GCATCACAAA	AATCGACGCT	CAAGTCAGAG	GTGGCGAAAC	5760
CCGACAGGAC TATAAAGATA	CCAGGCGTTT	CCCCTGGAA	GCTCCCTCGT	GCGCTCTCCT	5820
GTTCCGACCC TGCCGCTTAC	CGGATACCTG	TCCGCCTTTC	TCCCTTCGGG	AAGCGTGGCG	5880
CTTTCTCATA GCTCACGCTG	TAGGTATCTC	AGTTCGGTGT	AGGTCGTTCG	CTCCAAGCTG	5940
GGCTGTGTGC ACGAACCCCC	CGTTCAGCCC	GACCGCTGCG	CCTTATCCGG	TAACTATCGT	6000
CTTGAGTCCA ACCCGGTAAG	ACACGACTTA	TCGCCACTGG	CAGCAGCCAC	TGGTAACAGG	6060
ATTAGCAGAG CGAGGTATGT	AGGCGGTGCT	ACAGAGTTCT	TGAAGTGGTG	GCCTAACTAC	6120
GGCTACACTA GAAGGACAGT	ATTTGGTATC	TGCGCTCTGC	TGAAGCCAGT	TACCTTCGGA	6180
AAAAGAGTTG GTAGCTCTTG	ATCCGGCAAA	CAAACCACCG	CTGGTAGCGG	TGGTTTTTT	6240
GTTTGCAAGC AGCAGATTAC	GCGCAGAAAA	AAAGGATCTC	AAGAAGATCC	TTTGATCTTT	6300
TCTACGGGGT CTGACGCTCA	GTGGAACGAA	AACTCACGTT	AAGGGATTTT	GGTCATGAGA	6360
TTATCAAAAA GGATCTTCAC	CTAGATCCTT	TTAAATTAAA	AATGAAGTTT	TAAATCAATC	6420
TAAAGTATAT ATGAGTAAAC	TTGGTCTGAC	AGTTACCAAT	GCTTAATCAG	TGAGGCACCT	6480
ATCTCAGCGA TCTGTCTATT					6540
ACTACGATAC GGGAGGGCTT	ACCATCTGGC	CCCAGTGCTG	CAATGATACC	GCGAGACCCA	6600
CGCTCACCGG CTCCAGATTT	ATCAGCAATA	AACCAGCCAG	CCGGAAGGGC	CGAGCGCAGA	6660
AGTGGTCCTG CAACTTTATC	CGCCTCCATC	CAGTCTATTA	ATTGTTGCCG	GGAAGCTAGA	6720
GTAAGTAGTT CGCCAGTTAA	TAGTTTGCGC	AACGTTGTTG	CCATTGCTAC	AGGCATCGTG	6780
GTGTCACGCT CGTCGTTTGG	TATGGCTTCA	TTCAGCTCCG	GTTCCCAACG	ATCAAGGCGA	6840
GTTACATGAT CCCCCATGTT	GTGCAAAAAA	GCGGTTAGCT	CCTTCGGTCC	TCCGATCGTT	6900
GTCAGAAGTA AGTTGGCCGC	AGTGTTATCA	CTCATGGTTA	TGGCAGCACT	GCATAATTCT	6960
CTTACTGTCA TGCCATCCGT	AAGATGCTTT	TCTGTGACTG	GTGAGTACTC	AACCAAGTCA	7020



## 69/99

			69/99	9		
FIG.	30 CONTII	YUED.	00,00			
				CGGCGTCAAT		7080
ACCGCGCCAC	ATAGCAGAAC	TTTAAAAGTG	CTCATCATTG	GAAAACGTTC	TTCGGGGCGA	7140
AAACTCTCAA	GGATCTTACC	GCTGTTGAGA	TCCAGTTCGA	TGTAACCCAC	TCGTGCACCC	7200
AACTGATCTT	CAGCATCTTT	TACTTTCACC	AGCGTTTCTG	GGTGAGCAAA	AACAGGAAGG	7260
CAAAATGCCG	CAAAAAAGGG	AATAAGGGCG	ACACGGAAAT	GTTGAATACT	CATACTCTTC	7320
CTTTTTCAAT	ATTATTGAAG	CATTTATCAG	GGTTATTGTC	TCATGAGCGG	ATACATATTT	7380
GAATGTATTT	AGAÄAAATAA	ACAAATAGGG	GTTCCGCGCA	CATTTCCCCG	AAAAGTGCCA	7440
CCTGAACGAA	GCATCTGTGC	TTCATTTTGT	AGAACAAAAA	TGCAACGCGA	GAGCGCTAAT	7500
TTTTCAAACA	AAGAATCTGA	GCTGCATTTT	TACAGAACAG	AAATGCAACG	CGAAAGCGCT	7560
ATTTTACCAA	CGAAGAATCT	GTGCTTCATT	TTTGTAAAAC	AAAAATGCAA	CGCGAGAGCG	7620
CTAATTTTTC	AAACAAAGAA	TCTGAGCTGC	ATTTTTACAG	AACAGAAATG	CAACGCGAGA	7680
GCGCTATTTT	ACCAACAAAG	AATCTATACT	TCTTTTTGT	TCTACAAAAA	TGCATCCCGA	7740
GAGCGCTATT	TTTCTAACAA	AGCATCTTAG	ATTACTTTTT	TTCTCCTTTG	TGCGCTCTAT	7800
AATGCAGTCT	CTTGATAACT	TTTTGCACTG	TAGGTCCGTT	aaggttagaa	GAAGGCTACT	7860
TTGGTGTCTA	TTTTCTCTTC	САТАЛАЛАЛА	GCCTGACTCC	ACTTCCCGCG	TTTACTGATT	7920
ACTAGCGAAG	CTGCGGGTGC	ATTTTTTCAA	GATAAAGGCA	TCCCCGATTA	TATTCTATAC	7980
CGATGTGGAT	TGCGCATACT	TTGTGAACAG	AAAGTGATAG	CGTTGATGAT	TCTTCATTGG	8040
TCAGAAAATT	ATGAACGGTT	TCTTCTATTT	TGTCTCTATA	TACTACGTAT	AGGAAATGTT	8100
TACATTTTCG	TATTGTTTTC	GATTCACTCT	ATGAATAGTT	CTTACTACAA	TTTTTTTGTC	8160
TAAAGAGTAA	TACTAGAGAT	AAACATAAAA	AATGTAGAGG	TCGAGTTTAG	ATGCAAGTTC	8220
AAGGAGCGAA	AGGTGGATGG	GTAGGTTATA	TAGGGATATA	GCACAGAGAT	ATATAGCAAA	8280
GAGATACTTT	TGAGCAATGT	TTGTGGAAGO	GGTATTCGCA	ATATTTAGT	AGCTCGTTAC	8340
AGTCCGGTGC	GTTTTTGGTT	TTTTGAAAGI	GCGTCTTCAG	AGCGCTTTTG	GTTTTCAAAA	8400
GCGCTCTGAP	GTTCCTATAC	TTTCTAGAGA	ATAGGAACTT	CGGAATAGGA	ACTTCAAAGC	8460
GTTTCCGAAA	ACGAGCGCTI	CCGAAAATGC	AACGCGAGCT	GCGCACATAC	AGCTCACTGT	8520
TCACGTCGC	CCTATATCT	CGTGTTGCCI	GTATATATAI	TACATGAGA	AGAACGGCAT	8580
AGTGCGTGTT	TATGCTTAAF	TGCGTACTT	TATGCGTCTA	\ TTTATGTAGG	ATGAAAGGTA	8640
GTCTAGTAC	TCCTGTGATA	TTATCCCATT	CCATGCGGG	TATCGTATGC	TTCCTTCAGC	8700
ACTACCCTT	r agctgttct#	TATGCTGCC	CTCCTCAATI	GGATTAGTCT	CATCCTTCAA	8760
TGCTATCAT	r TCCTTTGATA	TTGGATCAT	TTAAGAAAC	ATTATTATCA	TGACATTAAC	8820
CTATAAAAA	r aggcgtatci	CGAGGCCCT	TCGTCTCGCC	G CGTTTCGGTG	ATGACGGTGA	8880
AAACCTCTG	A CACATGCAG	TCCCGGAGA	GGTCACAGC	r tgtctgtaag	CGGATGCCGG	8940

FIG. 30 CONTINUED	70/	199		
GAGCAGACAA GCCCGTCAGG GCGCGTCAGC	GGGTGTTGGC	GGGTGTCGGG	GCTGGCTTAA	9000
CTATGCGGCA TCAGAGCAGA TTGTACTGAG				9060
TATATATAT AGGAAGCATT TAATAGACAG				9120
GACGCCAGAT GGCAGTAGTG GAAGATATTC				9180
ACAATCTTGA TCCGGAGCTT TTCTTTTTT				9240
GAAAAGGAGA GGGCCAAGAG GGAGGGCATT				9300
TTAAGCACAC AAAGGCAGCT TGGAGTATGT				9360
CATTGGTGAA AGTTTGCGGC TTGCAGAGCA				9420
ATGCTGACTT GCTGGGTATT ATATGTGTGC				9480
TTGCAAGGAA AATTTCAAGT CTTGTAAAAG				9540
ACTTGGTTGG CGTGTTTCGT AATCAACCTA	AGGAGGATGT	TTTGGCTCTG	GTCAATGATT	9600
ACGGCATTGA TATCGTCCAA CTGCATGGAG				9660
TCGGTTTGCC AGTTATTAAA AGACTCGTAT	TTCCAAAAGA	CTGCAACATA	CTACTCAGTG	9720
CAGCTTCACA GAAACCTCAT TCGTTTATTC	CCTTGTTTGA	TTCAGAAGCA	GGTGGGACAG	9780
GTGAACTTTT GGATTGGAAC TCGATTTCTG	ACTGGGTTGG	AAGGCAAGAG	AGCCCCGAAA	9840
GCTTACATTT TATGTTAGCT GGTGGACTGA	CGCCAGAAAA	TGTTGGTGAT	GCGCTTAGAT	9900
TARATGGCGT TATTGGTGTT GATGTAAGCG	GAGGTGTGGA	GACAAATGGT	GTAAAAGACT	9960
CTAACAAAAT AGCAAATTTC GTCAAAAATG	CTAAGAAATA	GGTTATTACT	GAGTAGTATT	10020
TATTTAAGTA TTGTTTGTGC ACTTGCCGAT	CTATGCGGTG	TGAAATACCG	CACAGATGCG	10080
TAAGGAGAAA ATACCGCATC AGGAAATTGT	AAACGTTAAT	ATTTTGTTAA	AATTCGCGTT	10140
AAATTTTTGT TAAATCAGCT CATTTTTTAA	CCAATAGGCC	GAAATCGGCA	AAATCCCTTA	10200
TAAATCAAAA GAATAGACCG AGATAGGGTT	GAGTGTTGTT	CCAGTTTGGA	ACAAGAGTCC	10260
ACTATTAAAG AACGTGGACT CCAACGTCAA	AGGGCGAAAA	ACCGTCTATO	AGGGCGATGG	10320
CCCACTACGT GAACCATCAC CCTAATCAAG	TTTTTTGGGG	TCGAGGTGCC	GTAAAGCACT	10380
ARATCGGAAC CCTAAAGGGA GCCCCCGATT				10440
GGCGAGAAAG GAAGGGAAGA AAGCGAAAGG				
GGTCACGCTG CGCGTAACCA CCACACCCGC				
GCGCCATTCG CCATTCAGGC TGCGCAACTG				
GCTATTACGC CAGCTGGCGA AAGGGGGATG				
AGGGTTTTCC CAGTCACGAC GTTGTAAAAC				
CGAGATCCCG AGCTTTGCAA ATTAAAGCCT				
TTTTCAGTAT AATGTTACAT GCGTACACGG	C GTCTGTACA	idaaaaaaa e	AAAATTTGAA	10860

FIG. 30 CONTINUED. 71/99

ATATAAATAA	CGTTCTTAAT	ACTAACATAA	СТАТААААА	ATAAATAGGG	ACCTAGACTT	10920
CAGGTTGTCT	AACTCCTTCC	TTTTCGGTTA	GAGCGGATGT	GGGGGGAGGG	CGTGAATGTA	10980
AGCGTGACAT	AACTAATTAC	ATGATATCGA	CAAAGGAAAA	GGGCCTGTT	TACTCACAGG	11040
CTTTTTTCAL	GTAGGTAATT	AAGTCGTTTC	TGTCTTTTTC	CTTCTTCAAC	CCACCAAAGG	11100
CCATCTTGGT	ACTTTTTTT	TTTTTTTTT	TTTTTTTTT	TTTTTTTTT	TTTTTTTTT	11160
TTTTTTTTT	TTTTTTTT	TTTTTTTTT	TTTTTTTTT	TTTTTTCATA	GAAATAATAC	11220
AGAAGTAGAT	GTTGAATTAG	ATTAAACTGA	AGATATATAA	TTTATTGGAA	AATACATAGA	11280
GCTTTTTGTT	GATGCGCTTA	AGCGATCAAT	TCAACAACAC	CACCAGCAGC	TCTGATTTTT	11340
TCTTCAGCCA	ACTTGGAGAC	GAATCTAGCT	TTGACGATAA	CTGGAACATT	TGGGATTCTA	11400
CCCTTACCC	AGATCTTACC	GTAACCGGCT	GCCAAAGTGT	CAATAACTGG	AGCAGTTTCC	11460
TTAGAAGCAG	ATTTCAAGTA	TTGGTCTCTC	TTGTCTTCTG	GGATCAATGT	CCACAATTTG	11520
TCCAAGTTCA	AGACTGGCTT	CCAGAAATGA	GCTTGTTGCT	TGTGGAAGTA	TCTCATACCA	11580
ANCCTTACCO	AAATAACCTG	GATGGTATTT	ATCCATGTTA	ATTCTGTGGT	GATGTTGACC	11640
ACCGGCCATA	CCTCTACCAC	CGGGGTGCTT	TCTGTGCTTA	CCGATACGAC	CTTTACCGGC	11700
TGAGACGTGA	CCTCTGTGCT	TTCTAGTCTT	AGTGAATCTG	GAAGGCATTC	TTGATTAGTT	11760
GGATGATTGT	TCTGGGATTT	AATGCAAAAA	AATCACTAAG	AAGGAAAAA	ATCAACGGAG	11820
AAAGCAAACG	CCATCTTAAA	TATACGGGAT	ACAGATGAAA	GGTTTGAACC	TATCTGGGAA	11880
AATACGCATT	AAACAAGCGA	AAAACTGCGA	GGAAAATTGT	TTGCGTCTCT	GCGGGCTATT	11940
CACGCGCCAG	G AGGAAAATAG	GAAAAATAAC	AGGGCATTAG	TTAATAAAA	TTGATTTTGG	12000
TAATGTGTGG	GTCCCTGGTG	TACAGATGTT	ACATTGGTTA	CAGTACTCTT	GTTTTTGCTG	12060
TGTTTTTCG	TGAATCTCCA	AAATGGTTGT	TAGCACATGG	AAGAGTCACC	GATGCTAAGT	12120
TATCTCTAT	TAAGCTACGT	GGCGTGACTT	TTGATGAAGC	CGCACAAGAG	ATACAGGATT	12180
GGCAACTGCA	AATAGAATCT	GGGGATCTAG	ATATCCTTTT	GTTGTTTCCG	GGTGTACAAT	12240
ATGGACTTC	TCTTTTCTGG	CAACCAAACC	CATACATCGG	GATTCCTATA	ATACCTTCGT	12300
TGGTCTCCCT	AACATGTAGG	TGGCGGAGGG	GAGATATACA	ATAGAACAGA	TACCAGACAA	12360
GACATAATG	GCTAAACAAG	ACTACACCAA	TTACACTGCC	TCATTGATGG	TGGTACATAA	12420
CGAACTAATA	CTGTAGCCCT	AGACTTGATA	GCCATCATCA	TATCGAAGTT	TCACTACCCT	12480
TTTTCCATTI	GCCATCTATT	GAAGTAATAA	TAGGCGCATG	CAACTTCTTT	TCTTTTTTT	12540
TCTTTTCTCT	CTCCCCGTT	GTTGTCTCAC	CATATCCGCA	ATGACAAAAA	AAATGATGGA	12600
AGACACTAA	GGAAAAAATT	AACGACAAAG	ACAGCACCAA	CAGATGTCGT	TGTTCCAGAG	12660
CTGATGAGG	GTATCTTCGA	ACACACGAAA	CTTTTTCCTT	CCTTCATTCA	CGCACACTAC	12720
TCTCTAATG	GCAACGGTAT	ACGGCCTTCC	TTCCAGTTAC	TTGAATTTGA	AAAAAAATAA	12780


12/99

## FIG. 30 CONTINUED.

GTTTGCCGCT TT	GCTATCAA	GTATAAATAG	ACCTGCAATT	ATTAATCTTT	TGTTTCCTCG	12840
TCATTGTTCT CG	TTCCCTTT	CTTCCTTGTT	TCTTTTTCTG	CACAATATTT	CAAGCTATAC	12900
CAAGCATACA AT	CAACTCCA	AGCTTGAAGC	AAGCCTCCTG	AAAGATGAAG	CTACTGTCTT	12960
CTATCGAACA AG	CATGCGAT	ATTTGCCGAC	TTAAAAAGCT	CAAGTGCTCC	AAAGAAAAAC	13020
CGAAGTGCGC CA	AGTGTCTG	AAGAACAACT	GGGAGTGTCG	CTACTCTCCC	AAAACCAAAA	13080
GGTCTCCGCT GA	CTAGGGCA	CATCTGACAG	AAGTGGAATC	aaggctagaa	AGACTGGAAC	13140
AGCTATTTCT AC	TGATTTTT	CCTCGAGAAG	ACCTTGACAT	GATTTTGAAA	ATGGATTCTT	13200
TACAGGATAT AA	AAGCATTG	TTAACAGGAT	TATTTGTACA	AGATAATGTG	AATAAAGATG	13260
CCGTCACAGA TA	GATTGGCT	TCAGTGGAGA	CTGATATGCC	TCTAACATTG	AGACAGCATA	13320
GAATAAGTGC GA	CATCATCA	TCGGAAGAGA	GTAGTAACAA	AGGTCAAAGA	CAGTTGACTG	13380
TATCGCCGGA AT	TGCAATAC	CCAGCTTTGA	CTCA			13414

73/99

F/G. 31.



**SUBSTITUTE SHEET (RULE 26)** 

14/99

# FIG. 32.

PATGCCATCA	ATTTCCGGAT	CTCAAGGAAC	TCTTGACAAC	ATTGATGTGA	TTGAGTTGAA	60
GCAAGAGCTC	AAAGAACGCG	ATAGTGCACT	TTACGAAGTC	CGCCTTGACA	ATCTGGATCG	120
rgcccgcgaa	GTTGATGTTC	TGAGGGAGAC	AGTGAACAAG	TTGAAAACCG	AGAACAAGCA	180
ATTAAAGAAA	GAAGTGGACA	AACTCACCAA	CGGTCCAGCC	ACTCGTGCTT	CTTCCCGCGC	240
CTCAATTCCA	GTTATCTACG	ACGATGAGCA	TGTCTATGAT	GCAGCGTGTA	GCAGTACATC	300
agctagtcaa	TCTTCGAAAC	GATCCTCTGG	CTGCAACTCA	ATCAAGGTTA	CTGTAAACGT	360
GGACATCGCT	GGAGAAATCA	GTTCGATCGT	TAACCCGGAC	AAAGAGATAA	TCGTAGGATA	420
TCTTGCCATG	TCAACCAGTC	AGTCATGCTG	GAAAGACATT	GATGTTTCTA	TTCTAGGACT	480
h maarch h cac	**************************************	CARTTGATGT	GGAGCATCAA	CTTGGAATCG	ATGCTCGTGA	540

FIG. 32 CONTINUED. 75/9

TTCTATCCTT	GGCTATCAAA	TTGGTGAACT	TCGACGCGTC	ATTGGAGACT	CCACAACCAT	600
GATAACCAGC	CATCCAACTG	ACATTCTTAC	TTCCTCAACT	ACAATCCGAA	TGTTCATGCA	660
CGGTGCCGCA	CAGAGTCGCG	TAGACAGTCT	GGTCCTTGAT	ATGCTTCTTC	CAAAGCAAAT	720
GATTCTCCAA	CTCGTCAAGT	CAATTTTGAC	AGAGAGACGT	CTGGTGTTAG	CTGGAGCAAC	780
TGGAATTGGA	AAGAGCAAAC	TGGCGAAGAC	CCTGGCTGCT	TATGTATCTA	TTCGAACAAA	840
TCAATCCGAA	GATAGTATTG	TTAATATCAG	CATTCCTGAA	AACAATAAAG	AAGAATTGCT	900
TCAAGTGGAA	CGACGCCTGG	AAAAGATCTT	GAGAAGCAAA	GAATCATGCA	TCGTAATTCT	960
AGATAATATC	CCAAAGAATC	GAATTGCATT	TGTTGTATCC	GTTTTTGCAA	ATGTCCCACT	1020
TCAAAACAAC	GAAGGTCCAT	TTGTAGTATG	CACAGTCAAC	CGATATCAAA	TCCCTGAGCT	1080
TCAAATTCAC	CACAATTTCA	AAATGTCAGT	AATGTCGAAT	CGTCTCGAAG	GATTCATCCT	1140
ACGTTACCTC	CGACGACGG	CGGTAGAGGA	TGAGTATCGT	CTAACTGTAC	AGATGCCATC	1200
AGAGCTCTTC	AAAATCATTG	ACTTCTTCCC	AATAGCTCTT	CAGGCCGTCA	ATAATTTAAT	1260
TGAGAAAACG	AATTCTGTTG	ATGTGACAGT	TGGTCCAAGA	GCATGCTTGA	ACTGTCCTCT	1320
AACTGTCGAT	GGATCCCGTG	AATGGTTCAT	TCGATTGTGG	AATGAGAACT	TCATTCCATA	1380
TTTGGAACGT	GTTGCTAGAG	ATGGCAAAAA	AACCTTCGGT	CGCTGCACTT	CCTTCGAGGA	1440
TCCCACCGAC	ATCGTCTCTA	AAAAATGGCC	GTGGTTCGAT	GGTGAAAACC	CGGAGAATGT	1500
GCTCAAACGT	CTTCAACTCC	AAGACCTCGT	CCCGTCACCT	GCCAACTCAT	CCCGACAACA	1560
CTTCAATCCC	CTCGAGTCGT	TGATCCAATT	GCATGCTACC	AAGCATCAGA	CCATCGACAA	1620
CATTTGAACA	GAAGACTCTA	ATCTTCTCTC	GCCTCTCCCC	CGCTTTCCTT	ATCTTCGTAC	1680
CGGTACCTGA	TGATTCCCCA	TTTTCCCCCT	TTTCCCCCCA	ATTTCCCAGA	ACCTCCTGTT	1740
CCCTTTGTTC	CTAGTCCTCC	CGGGTGCCGA	CGCCGAAGCG	ATTTAAAAAC	CTTTTTCTTT	1800
CCGAAACATT	TCCCATTGCT	CATTAATAGT	CAAATTGAAT	AAACAGTGTA	TGTACTTAAA	1860
алалалала	AAAAAAAAA	AAAAGGCCTA	TGCGGCCGGG	CCATGGAGGC	CGAATTCCCG	1920
GGGATCCGTC	GACCTGCAGC	CAAGCTAATT	CCGGGCGAAT	TTCTTATGAT	TTATGATTTT	1980
TATTATTAAA	TAAGTTATAA	AAAAAÁTAAG	TGTATACAAA	TTTTAAAGTG	ACTCTTAGGT	2040
TTTAAAACGA	AAATTCTTGT	TCTTGAGTAA	CTCTTTCCTG	TAGGTCAGGT	TGCTTTCTCA	2100
GGTATAGCAT	GAGGTCGCTC	TTATTGACCA	CACCTCTACC	GGCATGCAAG	CTTGGCGTAA	2160
TCATGGTCAT	AGCTGTTTCC	TGTGTGAAAT	TGTTATCCGC	TCACAATTCC	ACACAACATA	2220
CGAGCCGGAA	GCATAAAGTG	TAAAGCCTGG	GGTGCCTAAT	GAGTGAGGTA	ACTCACATTA	2280
ATTGCGTTGC	GCTCACTGCC	CGCTTTCCAG	TCGGGAAACC	TGTCGTGCCA	GCTGGATTAA	2340
TGAATCGGCC	: AACGCGCGGG	GAGAGGCGGT	TTGCGTATTG	GGCGCTCTTC	CGCTTCCTCG	2400
CTCACTGACT	CGCTGCGCTC	GGTCGTTCGG	CTGCGGCGAG	CGGTATCAGC	TCACTCAAAG	2460

76/99 FIG 32 CONTINUED. GCGGTAATAC GGTTATCCAC AGAATCAGGG GATAACGCAG GAAAGAACAT GTGAGCAAAA 2520 GGCCAGCAAA AGGCCAGGAA CCGTAAAAAG GCCGCGTTGC TGGCGTTTTT CCATAGGCTC 2580 CGCCCCCTG ACGAGCATCA CAAAAATCGA CGCTCAAGTC AGAGGTGGCG AAACCCGACA 2640 GGACTATAAA GATACCAGGC GTTTCCCCCT GGAAGCTCCC TCGTGCGCTC TCCTGTTCCG 2700 ACCCTGCCGC TTACCGGATA CCTGTCCGCC TTTCTCCCTT CGGGAAGCGT GGCGCTTTCT 2760 CATAGCTCAC GCTGTAGGTA TCTCAGTTCG GTGTAGGTCG TTCGCTCCAA GCTGGGCTGT 2820 GTGCACGAAC CCCCCGTTCA GCCCGACCGC TGCGCCTTAT CCGGTAACTA TCGTCTTGAG 2880 TCCARCCGG TAAGACACGA CTTATCGCCA CTGGCAGCAG CCACTGGTAA CAGGATTAGC 2940 AGAGCGAGGT ATGTAGGCGG TGCTACAGAG TTCTTGAAGT GGTGGCCTAA CTACGGCTAC 3000 ACTAGAAGGA CAGTATTTGG TATCTGCGCT CTGCTGAAGC CAGTTACCTT CGGAAAAAGA 3060 GTTGGTAGCT CTTGATCCGG CAAACAAACC ACCGCTGGTA GCGGTGGTTT TTTTGTTTGC 3120 AAGCAGCAGA TTACGCGCAG AAAAAAAGGA TCTCAAGAAG ATCCTTTGAT CTTTTCTACG 3180 GGGTCTGACG CTCAGTGGAA CGAAAACTCA CGTTAAGGGA TTTTGGTCAT GAGATTATCA 3240 AAAAGGATCT TCACCTAGAT CCTTTTAAAT TAAAAATGAA GTTTTAAATC AATCTAAAGT 3300 ATATATGAGT AAACTTGGTC TGACAGTTAC CAATGCTTAA TCAGTGAGGC ACCTATCTCA 3360 GCGATCTGTC TATTTCGTTC ATCCATAGTT GCCTGACTCC CCGTCGTGTA GATAACTACG 3420 ATACGGGAGG GCTTACCATC TGGCCCCAGT GCTGCAATGA TACCGCGAGA CCCACGCTCA 3480 CCGGCTCCAG ATTTATCAGC AATAAACCAG CCAGCCGGAA GGGCCGAGCG CAGAAGTGGT 3540 CCTGCAACTT TATCCGCCTC CATCCAGTCT ATTAATTGTT GCCGGGAAGC TAGAGTAAGT 3600 AGTTCGCCAG TTAATAGTTT GCGCAACGTT GTTGCCATTG CTACAGGCAT CGTGGTGTCA 3660 CGCTCGTCGT TTGGTATGGC TTCATTCAGC TCCGGTTCCC AACGATCAAG GCGAGTTACA 3720 TGATCCCCCA TGTTGTGCAA AAAAGCGGTT AGCTCCTTCG GTCCTCCGAT CGTTGTCAGA 3780 AGTAAGTTGG CCGCAGTGTT ATCACTCATG GTTATGGCAG CACTGCATAA TTCTCTTACT 3840 GTCATGCCAT CCGTAAGATG CTTTTCTGTG ACTGGTGAGT ACTCAACCAA GTCATTCTGA 3900 GAATAGTGTA TGCGGCGACC GAGTTGCTCT TGCCCGGCGT CAATACGGGA TAATACCGCG 3960 CCACATAGCA GAACTTTAAA AGTGCTCATC ATTGGAAAAC GTTCTTCGGG GCGAAAACTC 4020 TCAAGGATCT TACCGCTGTT GAGATCCAGT TCGATGTAAC CCACTCGTGC ACCCAACTGA 4080 TCTTCAGCAT CTTTTACTTT CACCAGCGTT TCTGGGTGAG CAAAAACAGG AAGGCAAAAT 4140 GCCGCAAAAA AGGGAATAAG GGCGACACGG AAATGTTGAA TACTCATACT CTTCCTTTTT 4200 CARTATTATT GAAGCATTTA TCAGGGTTAT TGTCTCATGA GCGGATACAT ATTTGAATGT 4260 ATTTAGAAAA ATAAACAAAT AGGGGTTCCG CGCACATTTC CCCGAAAAGT GCCACCTGAA 4320 CGAAGCATCT GTGCTTCATT TTGTAGAACA AAAATGCAAC GCGAGAGCGC TAATTTTTCA 4380

FIG.32 CONTINUED. 77/99	
ARCARAGRAT CTGAGCTGCA TTTTTACAGA ACAGRARTGC ARCGCGARAG CGCTATTTTA	4440
CCAACGAAGA ATCTGTGCTT CATTTTTGTA AAACAAAAAT GCAACGCGAG AGCGCTAATT	4500
TTTCAAACAA AGAATCTGAG CTGCATTTTT ACAGAACAGA	4560
TTTTACCARC ARAGRATCTA TACTTCTTTT TTGTTCTACA ARARTGCATC CCGRGRGCGC	4620
TATTTTTCTA ACAAAGCATC TTAGATTACT TTTTTTCTCC TTTGTGCGCT CTATAATGCA	4680
GTCTCTTGAT AACTTTTTGC ACTGTAGGTC CGTTAAGGTT AGAAGAAGGC TACTTTGGTG	4740
TCTATTTTCT CTTCCATARA ARRAGCCTGA CTCCACTTCC CGCGTTTACT GATTACTAGC	4800
GAAGCTGCGG GTGCATTTTT TCAAGATAAA GGCATCCCCG ATTATATTCT ATACCGATGT	4860
GGATTGCGCA TACTTTGTGA ACAGAAAGTG ATAGCGTTGA TGATTCTTCA TTGGTCAGAA	4920
AATTATGAAC GGTTTCTTCT ATTTTGTCTC TATATACTAC GTATAGGAAA TGTTTACATT	4980
TTCGTATTGT TTTCGATTCA CTCTATGAAT AGTTCTTACT ACAATTTTTT TGTCTAAAGA	5040
GTAATACTAG AGATAAACAT AAAAAATGTA GAGGTCGAGT TTAGATGCAA GTTCAAGGAG	5100
CGAAAGGTGG ATGGGTAGGT TATATAGGGA TATAGCACAG AGATATATAG CAAAGAGATA	5160
CTTTTGAGCA ATGTTTGTGG AAGCGGTATT CGCAATATTT TAGTAGCTCG TTACAGTCCG	5220
GTGCGTTTTT GGTTTTTTGA AAGTGCGTCT TCAGAGCGCT TTTGGTTTTC AAAAGCGCTC	5280
TGAAGTTCCT ATACTTTCTA GAGAATAGGA ACTTCGGAAT AGGAACTTCA AAGCGTTTCC	5340
GAAAACGAGC GCTTCCGAAA ATGCAACGCG AGCTGCGCAC ATACAGCTCA CTGTTCACGT	5400
CGCACCTATA TCTGCGTGTT GCCTGTATAT ATATATACAT GAGAAGAACG GCATAGTGCG	5460
TGTTTATGCT TAAATGCGTA CTTATATGCG TCTATTTATG TAGGATGAAA GGTAGTCTAG	5520
TACCTCCTGT GATATTATCC CATTCCATGC GGGGTATCGT ATGCTTCCTT CAGCACTACC	5580
CTTTAGCTGT TCTATATGCT GCCACTCCTC AATTGGATTA GTCTCATCCT TCAATGCTAT	5640
CATTTCCTTT GATATTGGAT CATATTAAGA AACCATTATT ATCATGACAT TAACCTATAA	5700
ARATAGGCGT ATCACGAGGC CCTTTCGTCT CGCGCGTTTC GGTGATGACG GTGAAAACCT	5760
CTGACACATG CAGCTCCCGG AGACGGTCAC AGCTTGTCTG TAAGCGGATG CCGGGAGCAG	5820
ACAAGCCCGT CAGGGCGCGT CAGCGGGTGT TGGCGGGTGT CGGGGCTGGC TTAACTATGC	5880
GGCATCAGAG CAGATTGTAC TGAGAGTGCA CCATAGATCA ACGACATTAC TATATATATA	5940
ATATAGGAAG CATTTAATAG ACAGCATCGT AATATATGTG TACTTTGCAG TTATGACGCC	6000
AGATGGCAGT AGTGGAAGAT ATTCTTTATT GAAAAATAGC TTGTCACCTT ACGTACAATC	6060
TTGATCCGGA GCTTTTCTTT TTTTGCCGAT TAAGAATTAA TTCGGTCGAA AAAAGAAAAG	6120
GAGAGGGCCA AGAGGGAGGG CATTGGTGAC TATTGAGCAC GTGAGTATAC GTGATTAAGC	
ACACAAAGGC AGCTTGGAGT ATGTCTGTTA TTAATTTCAC AGGTAGTTCT GGTCCATTGG	6240
TGAAAGTTTG CGGCTTGCAG AGCACAGAGG CCGCAGAATG TGCTCTAGAT TCCGATGCTG	6300

78/99 FIG. 32 CONTINUED. ACTTGCTGGG TATTATATGT GTGCCCAATA GAAAGAGAAC AATTGACCCG GTTATTGCAA 6360 GGAAAATTTC AAGTCTTGTA AAAGCATATA AAAATAGTTC AGGCACTCCG AAATACTTGG 6420 TTGGCGTGTT TCGTAATCAA CCTAAGGAGG ATGTTTTGGC TCTGGTCAAT GATTACGGCA 6480 TTGATATCGT CCAACTGCAT GGAGATGAGT CGTGGCAAGA ATACCAAGAG TTCCTCGGTT 6540 TGCCAGTTAT TABAAGACTC GTATTTCCAA AAGACTGCAA CATACTACTC AGTGCAGCTT 6600 CACAGAAACC TCATTCGTTT ATTCCCTTGT TTGATTCAGA AGCAGGTGGG ACAGGTGAAC 6660 TTTTGGATTG GAACTCGATT TCTGACTGGG TTGGAAGGCA AGAGAGCCCC GAAAGCTTAC 6720 ATTTTATGTT AGCTGGTGGA CTGACGCCAG AAAATGTTGG TGATGCGCTT AGATTAAATG 6780 GCGTTATTGG TGTTGATGTA AGCGGAGGTG TGGAGACAAA TGGTGTAAAA GACTCTAACA 6840 ARATAGCARA TTTCGTCARA RATGCTRAGA RATAGGTTAT TACTGAGTAG TATTTATTTA 6900 AGTATTGTTT GTGCACTTGC CGATCTATGC GGTGTGAAAT ACCGCACAGA TGCGTAAGGA 6960 GARARTACCG CATCAGGARA TTGTARACGT TARTATTTTG TTARAATTCG CGTTARATTT 7020 TTGTTAAATC AGCTCATTTT TTAACCAATA GGCCGAAATC GGCAAAATCC CTTATAAATC 7080 AAAAGAATAG ACCGAGATAG GGTTGAGTGT TGTTCCAGTT TGGAACAAGA GTCCACTATT 7140 ARAGARCGTG GACTCCARCG TCARAGGGCG ARARACCGTC TATCAGGGCG ATGGCCCACT 7200 ACGTGAACCA TCACCCTAAT CAAGTTTTTT GGGGTCGAGG TGCCGTAAAG CACTAAATCG 7260 GAACCCTAAA GGGAGCCCCC GATTTAGAGC TTGACGGGGA AAGCCGGCGA ACGTGGCGAG 7320 AAAGGAAGGG AAGAAAGCGA AAGGAGCGGG CGCTAGGGCG CTGGCAAGTG TAGCGGTCAC 7380 GCTGCGCGTA ACCACCACAC CCGCCGCGCT TAATGCGCCG CTACAGGGCG CGTCGCGCCA 7440 TTCGCCATTC AGGCTGCGCA ACTGTTGGGA AGGGCGATCG GTGCGGGCCT CTTCGCTATT 7500 ACGCCAGCTG GCGAAAGGGG GATGTGCTGC AAGGCGATTA AGTTGGGTAA CGCCAGGGTT 7560 TTCCCAGTCA CGACGTTGTA AAACGACGGC CAGTCGTCCA AGCTTTCGCG AGCTCGAGAT 7620 CCCGAGCTTT GCAAATTAAA GCCTTCGAGC GTCCCAAAAC CTTCTCAAGC AAGGTTTTCA 7680 GTATAATGTT ACATGCGTAC ACGCGTCTGT ACAGAAAAAA AAGAAAAATT TGAAATATAA 7740 ATAACGTTCT TAATACTAAC ATAACTATAA AAAAATAAAT AGGGACCTAG ACTTCAGGTT 7800 GTCTAACTCC TTCCTTTTCG GTTAGAGCGG ATGTGGGGGG AGGGCGTGAA TGTAAGCGTG 7860 ACATAACTAA TTACATGATA TCGACAAAGG AAAAGGGGCC TGTTTACTCA CAGGCTTTTT 7920 TCAAGTAGGT AATTAAGTCG TTTCTGTCTT TTTCCTTCTT CAACCCACCA AAGGCCATCT 7980 8040 TTTTTTTTT TTTTTTTTT TTTTTTTTT CATAGAAATA ATACAGAAGT 8100 AGATGTTGAA TTAGATTAAA CTGAAGATAT ATAATTTATT GGAAAATACA TAGAGCTTTT 8160

### **SUBSTITUTE SHEET (RULE 26)**

8220

TGTTGATGCG CTTAAGCGAT CAATTCAACA ACACCACCAG CAGCTCTGAT TTTTTCTTCA

PCT/EP96/02311 WO 96/38555

79/99 FIG. 32 CONTINUED. GCCAACTTGG AGACGAATCT AGCTTTGACG ATAACTGGAA CATTTGGGAT TCTACCCTTA 8280 CCCARGATCT TACCGTAACC GGCTGCCAAA GTGTCAATAA CTGGAGCAGT TTCCTTAGAA 8340 GCAGATTTCA AGTATTGGTC TCTCTTGTCT TCTGGGATCA ATGTCCACAA TTTGTCCAAG 8400 TTCAAGACTG GCTTCCAGAA ATGAGCTTGT TGCTTGTGGA AGTATCTCAT ACCAANCCTT 8460 ACCGARATAR CCTGGATGGT ATTTATCCAT GTTAATTCTG TGGTGATGTT GACCACCGGC 8520 CATACCTCTA CCACCGGGGT GCTTTCTGTG CTTACCGATA CGACCTTTAC CGGCTGAGAC 8580 GTGACCTCTG TGCTTTCTAG TCTTAGTGAA TCTGGAAGGC ATTCTTGATT AGTTGGATGA 8640 TTGTTCTGGG ATTTAATGCA AAAAAATCAC TAAGAAGGAA AAAAATCAAC GGAGAAAGCA 8700 AACGCCATCT TAAATATACG GGATACAGAT GAAAGGTTTG AACCTATCTG GGAAAATACG 8760 CATTARACAR GCGAAAAACT GCGAGGARAA TTGTTTGCGT CTCTGCGGGC TATTCACGCG 8820 CCAGAGGAAA ATAGGAAAAA TAACAGGGCA TTAGAAAAAT AATTTTGATT TTGGTAATGT 8880 GTGGGTCCCT GGTGTACAGA TGTTACATTG GTTACAGTAC TCTTGTTTTT GCTGTGTTTT 8940 TCGATGAATC TCCAAAATGG TTGTTAGCAC ATGGAAGAGT CACCGATGCT AAGTTATCTC 9000 TATGTAAGCT ACGTGGCGTG ACTTTTGATG AAGCCGCACA AGAGATACAG GATTGGCAAC 9060 TGCAAATAGA ATCTGGGGAT CTAGATATCC TTTTGTTGTT TCCGGGTGTA CAATATGGAC 9120 TTCCTCTTTT CTGGCAACCA AACCCATACA TCGGGATTCC TATAATACCT TCGTTGGTCT 9180 CCCTAACATG TAGGTGGCGG AGGGGAGATA TACAATAGAA CAGATACCAG ACAAGACATA 9240 ATGGGCTAAA CAAGACTACA CCAATTACAC TGCCTCATTG ATGGTGGTAC ATAACGAACT 9300 ARTACTGTAG CCCTAGACTT GATAGCCATC ATCATATCGA AGTTTCACTA CCCTTTTTCC 9360 9420 CTCTCTCCCC CGTTGTTGTC TCACCATATC CGCAATGACA AAAAAAATGA TGGAAGACAC 9480 TARAGGARAR RATTARCGAC ARAGACAGCA CCARCAGATG TCGTTGTTCC AGAGCTGATG 9540 AGGGGTATCT TCGAACACAC GAAACTTTTT CCTTCCTTCA TTCACGCACA CTACTCTCTA 9600 ATGAGCARCG GTATACGGCC TTCCTTCCAG TTACTTGAAT TTGAAATAAA AAAAGTTTGC 9660 CGCTTTGCTA TCAAGTATAA ATAGACCTGC AATTATTAAT CTTTTGTTTC CTCGTCATTG 9720 TTCTCGTTCC CTTTCTTCCT TGTTTCTTTT TCTGCACAAT ATTTCAAGCT ATACCAAGCA 9780 TACAATCAAC TCCAAGCTTG AAGCAAGCCT CCTGAAAGAT GAAGCTACTG TCTTCTATCG 9840 AACAAGCATG CGATATTTGC CGACTTAAAA AGCTCAAGTG CTCCAAAGAA AAACCGAAGT 9900 GCGCCAAGTG TCTGAAGAAC AACTGGGAGT GTCGCTACTC TCCCAAAACC AAAAGGTCTC 9960 CGCTGACTAG GGCACATCTG ACAGAAGTGG AATCAAGGCT AGAAAGACTG GAACAGCTAT 10020 TTCTACTGAT TTTTCCTCGA GAAGACCTTG ACATGATTTT GAAAATGGAT TCTTTACAGG 10080 ATATAAAAGC ATTGTTAACA GGATTATTTG TACAAGATAA TGTGAATAAA GATGCCGTCA


10140

80/99

FIG. 32 CONTINUED.

CAGATAGATT GGCTTCAGTG GAGACTGATA TGCCTCTAAC ATTGAGACAG CATAGAATAA 10200
GTGCGACATC ATCATCGGAA GAGAGTAGTA ACAAAGGTCA AAGACAGTTG ACTGTATCGC 10260
CGGAATTGCA ATACCCAGCT TTGACTCA 10288

81/99



### 82/99

### F16.34.

	•					
60	TTGTCTCACC	TCCCCCGTTG	CTTTTCTCTC	CTTTTTTTT	AACTTCTTTT	GCTTGCATGC
120	ACGACAAAGA	GAAAAAATTA	GACACTAAAG	AATGATGGAA	TGACAAAAAA	ATATCCGCAA
180	CACACGAAAC	TATCTTCGAA	TGATGAGGGG	GTTCCAGAGC	AGATGTCGTT	CAGCACCAAC
240	CGGCCTTCCT	CAACGGTATA	CTCTAATGAG	GCACACTACT	CTTCATTCAC	TTTTTCCTTC
300	TATAAATAGA	TGCTATCAAG	TTTGCCGCTT	ATAAAAAAAG	TGAATTTGAA	TCCAGTTACT
360	TTCCTTGTTT	GTTCCCTTTC	CATTGTTCTC	GTTTCCTCGT	TTAATCTTTT	CCTGCAATTA
420	GCTTTGCAAA	TCAACTCCAA	AAGCATACAA	AAGCTATACC	ACAATATTTC	CTTTTTCTGC
480	TCGAATTGGG	AAGAGAAAGG	TCCAAAAAAG	TTCCCGAGCC	GCGGAATTAA	GATGGATAAA
540	CCTTCACTTT	AGCTCATTGT	TATTGCTGAT	AAAGTGGGAA	AATTTTAATC	TACCGCCGCC
600	AAGCGCTTTC	ACAAATTCTC	AACAACTCAA	CGAACCTCAT	AGCAACGGTC	CACTAACAGT
660	TCACGGCTAG	AATAATGAAA	TAACTTCATG	ACGTTCATGA	GCCTCCTCTA	ACAACCAATT
720	ACCAAACTGC	GGTTGGACGG	ACTGTCACCT	ATTCAAAACC	GATGGTAATA	TAAAATTGAT
780	ATGATGTATA	ACTACAATGG	GTTTAATACC	CTACAGGGAT	TTTGGAATCA	GTATAACGCG
840	TCGAATTCCC	AAAAAAGAGA	ACCAAACCCA	AAGATACCCC	TTCGATGATG	TAACTATCTA
900	ACGACGAAGC	AACAAGAACT	CAAGAAGAAG	CCAAGTTCAC	TCCTCACTCT	GGGGATCCGC
960	TGATTGAGTT	AACATTGATG	AACTCTTGAC	GATCTCAAGG	TCAATTTCCG	ACATATGCCA
1020	ACAATCTGGA	GTCCGCCTTG	ACTTTACGAA	GCGATAGTGC	CTCAAAGAAC	GAAGCAAGAG
1080	CCGAGAACAA	aagttgaaaa	GACAGTGAAC	TTCTGAGGGA	GAAGTTGATG	TCGTGCCCGC
1140	CTTCTTCCCG	GCCACTCGTG	CAACGGTCCA	ACAAACTCAC	AAAGAAGTGG	GCAATTAAAG
1200	GTAGCAGTAC	GATGCAGCGT	GCATGTCTAT	ACGACGATGA	CCAGTTATCT	<b>CGCCTCAATT</b>

F16.34 con	TINUED		83	199	
ATCAGCTAGT CAATCTTCGA A	ACGATCCTC	TGGCTGCAAC	TCAATCAAGG	TTACTGTAAA	1260
CGTGGACATC GCTGGAGAAA T	CAGTTCGAT	CGTTAACCCG	GACAAAGAGA	TAATCGTAGG	1320
ATATCTTGCC ATGTCAACCA G	TCAGTCATG	CTGGAAAGAC	ATTGATGTTT	CTATTCTAGG	1380
ACTATTTGAA GTCTACCTAT C	CAGAATTGA	TGTGGAGCAT	CAACTTGGAA	TCGATGCTCG	1440
TGATTCTATC CTTGGCTATC A	\aattggtga	ACTTCGACGC	GTCATTGGAG	ACTCCACAAC	1500
CATGATAACC AGCCATCCAA C	TGACATTCT	TACTTCCTCA	ACTACAATCC	GAATGTTCAT	1560
GCACGGTGCC GCACAGAGTC G	GCGTAGACAG	TCTGGTCCTT	GATATGCTTC	TTCCAAAGCA	1620
AATGATTCTC CAACTCGTCA A	AGTCAATTTT	GACAGAGAGA	CGTCTGGTGT	TAGCTGGAGC	1680
AACTGGAATT GGAAAGAGCA A	ACTGGCGAA	GACCCTGGCT	GCTTATGTAT	CTATTCGAAC	1740
AAATCAATCC GAAGATAGTA T	TGTTAATAT	CAGCATTCCT	GAAAACAATA	AAGAAGAATT	1800
GCTTCAAGTG GAACGACGCC T	rggaaaagat	CTATGAATCG	TAGATACTGA	AAAACCCCGC	1860
AAGTTCACTT CAACTGTGCA T	CGTGCACCA	TCTCAATTTC	TTTCATTTAT	ACATCGTTTT	1920
GCCTTCTTTT ATGTAACTAT A	ACTCCTCTAA	GTTTCAATCT	TGGCCATGTA	ACCTCTGATC	1980
TATAGAATTT TTTAAATGAC T	TAGAATTAAT	GCCCATCTTT	TTTTTGGACC	TAAATTCTTC	2040
ATGAAAATAT ATTACGAGGG C	TTATTCAGA	AGCTTTGGAC	TTCTTCGCCA	GAGGTTTGGT	2100
CAAGTCTCCA ATCAAGGTTG T	CGGCTTGTC	TACCTTGCCA	GAAATTTACG	AAAAGATGGA	2160
AAAGGGTCAA ATCGTTGGTA G	ATACGTTGT	TGACACTTCT	AAATAAGCGA	ATTTCTTATG	2220
ATTTATGATT TTTATTATTA A	<b>ATAAGTTAT</b>	АТААААААА	AGTGTATACA	AATTTTAAAG	2280
TGACTCTTAG GTTTTAAAAC G	SAAAATTCTT	GTTCTTGAGT	AACTCTTTCC	TGTAGGTCAG	2340
GTTGCTTTCT CAGGTATAGC A	ATGAGGTCGC	TCTTATTGAC	CACACCTCTA	CCGGCATGCC	2400
CGAAATTCCC CTACCCTATG A	ACATATTCC	ATTTTGTAAT	TTCGTGTCGT	TTCTATTATG	2460
AATTTCATTT ATAAAGTTTA T	rgtacaaata	TCATAAAAA	AGAGAATCTT	TTTAAGCAAG	2520
GATTTTCTTA ACTTCTTCGG C	CGACAGCATC	ACCGACTTCG	GTGGTACTGT	TGGAACCACC	2580
TAAATCACCA GTTCTGATAC C	CTGCATCCAA	AACCTTTTTA	ACTGCATCTT	CAATGGCCTT	2640
ACCTTCTTCA GGCAAGTTCA A	ATGACAATTT	CAACATCATT	GCAGCAGACA	AGATAGTGGC	2700
GATAGGGTCA ACCTTATTCT T	TTGGCAAATC	TGGAGCAGAA	CCGTGGCATG	GTTCGTACAA	2760
ACCAAATGCG GTGTTCTTGT C	CTGGCAAAGA	GGCCAAGGAC	GCAGATGGCA	ACAAACCCAA	2820
GGAACCTGGG ATAACGGAGG C	CTTCATCGGA	GATGATATCA	CCAAACATGT	TGCTGGTGAT	2880
TATAATACCA TTTAGGTGGG 1				•	2940
TTGATGTTGA ACCTTCAATG			•		3000
CCATAATCTT GAAGAGGCCA					3060
CTCATGTTGT AGGGCCATGA	AAGCGGCCAT	TCTTGTGATT	CTTTGCACTT	CTGGAACGGT	3120


F16.34 co	WINVE	<b>&gt;</b> .	8-	4/99	
GTATTGTTCA CTATCCCAAG	CGACACCATC	ACCATCGTCT	TCCTTTCTCT	TACCAAAGTA	3180
AATACCTCCC ACTAATTCTC	TGACAACAAC	GAAGTCAGTA	CCTTTAGCAA	ATTGTGGCTT	3240
GATTGGAGAT AAGTCTAAAA	GAGAGTCGGA	TGCAAAGTTA	CATGGTCTTA	AGTTGGCGTA	3300
CAATTGAAGT TCTTTACGGA	TTTTTAGTAA	ACCTTGTTCA	GGTCTAACAC	TACCTGTACC	3360
CCATTTAGGA CCACCCACAG	CACCTAACAA	AACGGCATCA	ACCTTCTTGG	AGGCTTCCAG	3420
CGCCTCATCT GGAAGTGGGA	CACCTGTAGC	ATCGATAGCA	GCACCACCAA	TTAAATGATT	3480
TTCGAAATCG AACTTGACAT	TGGAACGAAC	ATCAGAAATA	GCTTTAAGAA	CCTTAATGGC	3540
TTCGGCTGTG ATTTCTTGAC	CAACGTGGTC	ACCTGGCAAA	ACGACGATCT	TCTTAGGGGC	3600
AGACATTAGA ATGGTATATC	CTTGAAATAT	TATATATATA	TGCTGAAATG	TAAAAGGTAA	3660
GAAAAGTTAG AAAGTAAGAC	GATTGCTAAC	CACCTATTGG	AAAAAACAAT	AGGTCCTTAA	3720
ATAATATTGT CAACTTCAAG	TATTGTGATG	CAAGCATTTA	GTCATGAACG	CTTCTCTATT	3780
CTATATGAAA AGCCGGTTCC	GGCCTCTCAC	CTTTCCTTTT	TCTCCCAATT	TTTCAGTTGA -	3840
AAAAGGTATA TGCGTCAGGC	GACCTCTGAA	АТТААСАААА	AATTTCCAGT	CATCGAATTT	3900
GATTCTGTGC GATAGCGCCC	CTGTGTGTTC	TCGTTATGTT	GAGGAAAAAA	ATAATGGTTG	3960
CTAAGAGATT CGAACTCTTG	CATCTTACGA	TACCTGAGTA	TTCCCACAGT	TGGGGATCTC	4020
GACTCTAGCT AGAGGATCAA	TTCGTAATCA	TGGTCATAGC	TGTTTCCTGT	GTGAAATTGT	4080
TATCCGCTCA CAATTCCACA	CAACATACGA	GCCGGAAGCA	TAAAGTGTAA	AGCCTGGGGT	4140
GCCTAATGAG TGAGGTAACT					4200
GGAAACCTGT CGTGCCAGCT	GGATTAATGA	ATCGGCCAAC	GCGCGGGGAG	AGGCGGTTTG	4260
CGTATTGGGC GCTCTTCCGC					4320
CGGCGAGCGG TATCAGCTCA					4380
AACGCAGGAA AGAACATGTG					4440
GCGTTGCTGG CGTTTTTCCA					4500
TCAAGTCAGA GGTGGCGAAA					4560
AGCTCCCTCG TGCGCTCTCC					4620
CTCCCTTCGG GAAGCGTGGC		-			4680
TAGGTCGTTC GCTCCAAGCT					4740
GCCTTATCCG GTAACTATCG					4800
GCAGCAGCCA CTGGTAACAG					4860
TTGAAGTGGT GGCCTAACTA					
CTGAAGCCAG TTACCTTCGG					
GCTGGTAGCG GTGGTTTTTT	TGTTTGCAAG	CAGCAGATTA	CGCGCAGAAA	AAAAGGATCT	5040

FIG. 34 CONTINUED.	85/	199	
CAAGAAGATC CTTTGATCTT TTCTACGGGG TC	TGACGCTC AGTGGAACGA	AAACTCACGT	5100
TAAGGGATTT TGGTCATGAG ATTATCAAAA AG	GATCTTCA CCTAGATCCT	TTTAAATTAA	5160
AAATGAAGTT TTAAATCAAT CTAAAGTATA TA	ATGAGTAAA CTTGGTCTGA	CAGTTACCAA	5220
TGCTTAATCA GTGAGGCACC TATCTCAGCG AT	CTGTCTAT TTCGTTCATC	CATAGTTGCC	5280
TGACTCCCCG TCGTGTAGAT AACTACGATA CG	GGGAGGGCT TACCATCTGG	CCCAGTGCT	5340
GCAATGATAC CGCGAGACCC ACGCTCACCG GC	CTCCAGATT TATCAGCAAT	AAACCAGCCA	5400
GCCGGAAGGG CCGAGCGCAG AAGTGGTCCT GC	CAACTTTAT CCGCCTCCAT	CCAGTCTATT	5460
AATTGTTGCC GGGAAGCTAG AGTAAGTAGT TO	GCCAGTTA ATAGTTTGCG	CAACGTTGTT	5520
GCCATTGCTA CAGGCATCGT GGTGTCACGC TO	CGTCGTTTG GTATGGCTTC	ATTCAGCTCC	5580
GGTTCCCAAC GATCAAGGCG AGTTACATGA TO	CCCCATGT TGTGCAAAAA	AGCGGTTAGC	5640
TCCTTCGGTC CTCCGATCGT TGTCAGAAGT AA	AGTTGGCCG CAGTGTTATC	ACTCATGGTT	5700
ATGGCAGCAC TGCATAATTC TCTTACTGTC AT	IGCCATCCG TAAGATGCTT	TTCTGTGACT	5760
GGTGAGTACT CAACCAAGTC ATTCTGAGAA TA	AGTGTATGC GGCGACCGAG	TTGCTCTTGC	5820
CCGGCGTCAA TACGGGATAA TACCGCGCCA CA	ATAGCAGAA CTTTAAAAGT	GCTCATCATT	5880
GGAAAACGTT CTTCGGGGCG AAAACTCTCA AG	GGATCTTAC CGCTGTTGAG	ATCCAGTTCG	5940
ATGTAACCCA CTCGTGCACC CAACTGATCT TO	CAGCATCTT TTACTTTCAC	CAGCGTTTCT	6000
GGGTGAGCAA AAACAGGAAG GCAAAATGCC G	CAAAAAAGG GAATAAGGGC	GACACGGAAA	6060
TGTTGAATAC TCATACTCTT CCTTTTTCAA T	ATTATTGAA GCATTTATCA	GGGTTATTGT	6120
CTCATGAGCG GATACATATT TGAATGTATT T	AGAAAATA AACAAATAGG	GGTTCCGCGC	6180
ACATTTCCCC GAAAAGTGCC ACCTGACGTC TO	AAGAAACCA TTATTATCAT	GACATTAACC	6240
TATAAAAATA GGCGTATCAC GAGGCCCTTT C	GTCTCGCGC GTTTCGGTG	TGACGGTGAA	6300
AACCTCTGAC ACATGCAGCT CCCGGAGACG G	TCACAGCTT GTCTGTAAGG	GGATGCCGGG	6360
AGCAGACAAG CCCGTCAGGG CGCGTCAGCG G	GTGTTGGCG GGTGTCGGGG	CTGGCTTAAC	6420
TATGCGGCAT CAGAGCAGAT TGTACTGAGA G	TGCACCATA ACGCATTTAI	GCATAAACAC	6480
GCACTATGCC GTTCTTCTCA TGTATATATA T			6540
CGTGAACAGT GAGCTGTATG TGCGCAGCTC G			6600
GAAACGCTTT GAAGTTCCTA TTCCGAAGTT C			6660
TCAGAGCGCT TTTGAAAACC AAAAGCGCTC T			6720
CACCGGACTG TAACGAGCTA CTAAAATATT G			6780
AAGTATCTCT TTGCTATATA TCTCTGTGCT A			6840
TCGCTCCTTG AACTTGCATC TAAACTCGAC C			6900
TACTCTTTAG ACAAAAAAT TGTAGTAAGA A	ACTATTCATA GAGTGAATC	G AAAACAATAC	6960

# 86/99


### FIG. 34 CONTINUED.


gaaaatgtaa	ACATTTCCTA	TACGTAGTAT	ATAGAGACAA	AATAGAAGAA	ACCGTTCATA	702
ATTTTCTGAC	CAATGAAGAA	TCATCAACGC	TATCACTTTC	TGTTCACAAA	GTATGCGCAA	708
TCCACATCGG	TATAGAATAT	AATCGGGGAT	GCCTTTATCT	TGAAAAAATG	CACCCGCAGC	7140
TTCGCTAGTA	ATCAGTAAAC	GCGGGAAGTG	GAGTCAGGCT	TTTTTTATGG	AAGAGAAAAT	720
AGACACCAAA	GTAGCCTTCT	TCTAACCTTA	ACGGACCTAC	AGTGCAAAAA	GTTATCAAGA	726
GACTGCATTA	TAGAGCGCAC	AAAGGAGAAA	AAAAGTAATC	TAAGATGCTT	TGTTAGAAAA	732
ATAGCGCTCT	CGGGATGCAT	TTTTGTAGAA	CAAAAAAGAA	GTATAGATTC	TTTGTTGGTA	738
AAATAGCGCT	CTCGCGTTGC	ATTTCTGTTC	TGTAAAAATG	CAGCTCAGAT	TCTTTGTTTG	744
aaaaattagc	GCTCTCGCGT	TGCATTTTTG	TTTTACAAAA	ATGAAGCACA	GATTCTTCGT	750
TGGTAAAATA	GCGCTTTCGC	GTTGCATTTC	TGTTCTGTAA	AAATGCAGCT	CAGATTCTTT	756
GTTTGAAAAA	TTAGCGCTCT	CGCGTTGCAT	TTTTGTTCTA	CAAAATGAAG	CACAGATGCT	762
TCGTT						762



F16.35.
SUBSTITUTE SHEET (RULE 26)

### FIG. 36.






SUBSTITUTE SHEET (RULE 26)


89/99

# FIG. 36 (CONTO.)




90/99

# F/G. 37.



**SUBSTITUTE SHEET (RULE 26)** 

91/99



**SUBSTITUTE SHEET (RULE 26)** 

92/99

# F16.39.

ATGACC	ATGA	TTACGCCAAG	CTTGTCTTCT	TCTAAATTCC	CATAAAATCC	CGAAACTCCT	60
TCCCTC	TATC	TTCTTTTTCT	TCTCGTTTTC	AAATGTTTCT	CTCTATCCCA	TTCTCTCATC	120
AATTGA	GTGG	GATGAGGCTA	TCTCTGCCTC	TCTTCTGAAT	CTCTGAACCA	TCTTACATTA	180
CACTGT	GGAT	GACGAGCCCC	ACAGGCTCCC	TTGCATCAGA	TACTGCCATT	GGGGATGGCA	240
AAGAAG	AGAG	AAGGTATTGT	GAGGATATAT	TTTTCTAAGA	AAAAACGTTT	GAAGAAAAGA	300
AGATGA	AGAA	GATCTGCTTG	ATTCATTGCA	CAAGTTAGAA	GTAACAGGGG	TCTATATTTC	360
GAAGAA	CTTA	AAGGGAATGC	AACTGAACAT	AAAATTAAAC	AAAGGGATTG	AATCCTGCAG	420
TGAGTA	TTTT	CGGTTTTTCA	CTGGTTCTCT	GTAAAAAGAG	TAATGCAAAG	GGCAAGTTAA	480
CTTAGG	TCGT	AAATGTATTG	AATTTGCTTA	AAATCTGAAG	ATCTAGTGGT	GAACCGTGGA	540
AGATTA	TCAA	GAGGAGGCTG	AAGATCTGTT	TAAGAACCAT	TAATCAAACT	GGTATTCTAT	600
TTTCAC	TGGT	TGTATGTAAA	CATTCTATCT	TATTCCTTTT	ATCACTGTTC	TGCACTTTCC	660

FIG. 39 CONTINUED.	93	3/99		
TATAAAAAA GTTGACCGAC CGTACTCTCT	GAATTCATTT	TTCCCGATCT	TACCAACTCC	720
CGATCTATCT CTATCCCTGG TTTTTTCTTC	GTGCTCCAAT	GGAATTCTTG	AGACTTCCAC	780
TATCTTCTCT GGCACCCTCC ACTACGCGTA	GGCGTCTCTC	GCTTCGTGTA	TTCCCGGGAA	840
GCCGGTTCCC GTCTCTCCCG CCGCTGCCGC	TGCCGCACAC	AGCTTTACAC	CTCGTAGAAT	900
CCCCAAAGAG GGGCGTGGCT TGCGGGTGCC	AACATCCTCC	TGCCGAGGAA	GAAGCAGGCA	960
CTCATCACTC GCATCATCAA CCTCGGGATT	GGCCAAAGGA	CCCAAAGGTA	TGTTTCGAAT	1020
GATACTAACA TAACATAGAA CATTTTCAGG	AGGACCCTTG	GCTAGAACTA	GTGGATCCGA	1080
GCTCTCCCAT ATGACGACGT CAAATGTAG	ATTGATACCA	ATCTACACGG	ATTGGGCCAA	1140
TCGGCACCTT TCGAAGGGCA GCTTATCAAA	GTCGATTAGG	GATATTTCCA	ATGATTTTCG	1200
CGACTATCGA CTGGTTTCTC AGCTTATTA	TGTGATCGTT	CCGATCAACG	AATTCTCGCC	1260
TGCATTCACG AAACGTTTGG CAAAAATCAG	ATCGAACCTG	GATGGCCTCG	AAACGTGTCT	1320
CGACTACCTG AAAAATCTGG GTCTCGACTG	CTCGAAACTC	ACCAAAACCG	ATATCGACAG	1380
CGGAAACTTG GGTGCAGTTC TCCAGCTGC	CTTCCTGCTC	TCCACCTACA	AGCAGAAGCT	1440
TCGGCAACTG AAAAAAGATC AGAAGAAATT	r ggagcaacta	CCCACATCCA	TTATGCCACC	1500
CGCGGTTTCT AAATTACCCT CGCCACGTG	r cgccacgtca	GCAACCGCTT	CAGCAACTAA	1560
CCCAAATTCC AACTTTCCAC AAATGTCAA	C ATCCAGGCTT	CAGACTCCAC	AGTCAAGAAT	1620
ATCGARARTT GATTCATCAR AGATTGGTA	r caagccaaag	ACGTCTGGAC	TTARACCACC	1680
CTCATCATCA ACCACTTCAT CARATAATA	C AAATTCATTC	CGTCCGTCGA	GCCGTTCGAG	1740
TGGCAATAAT AATGTTGGCT CGACGATAT	CACATCTGCG	AAGAGCTTAG	AATCATCATC	1800
AACGTACAGC TCTATTTCGA ATCTAAACC	G ACCTACCTCC	CAACTCCAAA	AACCTTCTAG	1860
ACCACAAACC CAGCTAGTTC GTGTTGCTA	C AACTACAAAA	ATCGGAAGCT	CAAAGCTAGC	1920
CGCTCCGAAA GCCGTGAGCA CCCCAAAAC	T TGCTTCTGTG	AAGACTATTG	GAGCAAAACA	1980
AGAGCCCGAT AACAGCGGTG GTGGTGGTG	g <b>T</b> GGAATGCTG	<b>AAATTAAAGT</b>	TATTCAGTAG	2040
CAAAAACCCA TCTTCCTCAT CGAATAGCC	C ACAACCTACG	AGAAAGGCGG	CGGCGGTGCC	2100
TCAACAACAA ACTTTGTCGA AAATCGCTG	C CCCAGTGAAA	AGTGGCCTGA	AGCCGCCGAC	2160
CAGTAAGCTG GGAAGTGCCA CGTCTATGT	C GAAGCTTTGT	ACGCCAAAAG	TTTCCTACCG	2220
TAAAACGGAC GCCCCAATCA TATCTCAAC	A AGACTCGAAA	CGATGCTCAA	AGAGCAGTGA	2280
AGAAGAGTCC GGATACGCTG GATTCAACA	G CACGTCGCCA	ACGTCATCAT	CGACGGAAGG	2340
TTCCCTAAGC ATGCATTCCA CATCTTCCA	A GAGTTCAACG	TCAGACGAAA	AGTCTCCGTC	2400
ATCAGACGAT CTTACTCTTA ACGCCTCCA	T CGTGACAGCI	ATCAGACAGC	CGATAGCCGC	2460
AACACCGGTT TCTCCAAATA TTATCAACA	A GCCTGTTGAG	GAAAAACCAA	CACTGGCAGT	2520
GAAAGGAGTG AAAAGCACAG CGAAAAAAG	A TCCACCTCC	A GCTGTTCCGC	CACGTGACAC	2580

FIG. 39 CONTINUED. 94/99

CCAGCCAACA ATCGGAGTTG TTAGTCCAAT TATGGCACAT AAGAAGTTGA CAAATGACCC 2640 CGTGATATCT GAAAACCAG AACCTGAAAA GCTCCAATCA ATGAGCATCG ACACGACGGA 2700 CGTTCCACCG CTTCCACCTC TAAAATCAGT TGTTCCACTT AAAATGACTT CAATCCGACA 2760 ACCACCAACG TACGATGTTC TTCTAAAACA AGGAAAAATC ACATCGCCTG TCAAGTCGTT 2820 TGGATATGAG CAGTCGTCCG CGTCTGAAGA CTCCATTGTG GCTCATGCGT CGGCTCAGGT 2880 GACTCCGCCG ACAAAAACTT CTGGTAATCA TTCGCTGGAG AGAAGGATGG GAAAGAATAA 2940 GACATCAGAA TCCAGCGGCT ACACCTCTGA CGCCGGTGTT GCGATGTGCG CCAAAATGAG 3000 GGAGAAGCTG AAAGAATACG ATGACATGAC TCGTCGAGCA CAGAACGGCT ATCCTGACAA 3060 CTTCGARGAC AGTTCCTCCT TGTCGTCTGG AATATCCGAT AACAACGAGC TCGACGACAT 3120 ATCCACGGAC GATTTGTCCG GAGTAGACAT GGCAACAGTC GCCTCCAAAC ATAGCGACTA 3180 TTCCCACTT GTTCGCCATC CCACGTCTTC TTCCTCAAAG CCCCGAGTCC CCAGTCGGTC 3240 CTCCACATCA GTCGATTCTC GATCTCGAGC AGAACAGGAG AATGTGTACA AACTTCTGTC 3300 CCAGTGCCGA ACGAGCCAAC GTGGCGCCGC TGCCACCTCA ACCTTCGGAC AACATTCGCT 3360 AAGATCCCCG GGATACTCAT CCTATTCTCC ACACTTATCA GTGTCAGCTG ATAAGGACAC 3420 ARTGTCTATG CACTCACAGA CTAGTCGACG ACCTTCTTCA CAAAAACCAA GCTATTCAGG 3480 CCAATTTCAT TCACTTGATC GTAAATGCCA CCTTCAAGAG TTCACATCCA CCGAGCACAG 3540 AATGGCGGCT CTCTTGAGCC CGAGACGGGT GCCGAACTCG ATGTCGAAAT ATGATTCTTC 3600 AGGATCCTAC TCGGCGCGTT CCCGAGGTGG AAGCTCTACT GGTATCTATG GAGAGACGTT 3660 CCAACTGCAC AGACTATCCG ATGAAAAATC CCCCGCACAT TCTGCCAAAA GTGAGATGGG 3720 ATCCCARCTA TCACTGGCTA GCACGACAGC ATATGGATCT CTCAATGAGA AGTACGAACA 3780 TGCTATTCGG GACATGGCAC GTGACTTGGA GTGTTACAAG AACACTGTCG ACTCACTAAC 3840 CARGAAACAG GAGAACTATG GAGCATTGTT TGATCTTTTT GAGCAAAAGC TTAGAAAACT 3900 CACTCAACAC ATTGATCGAT CCAACTTGAA GCCTGAAGAG GCAATACGAT TCAGGCAGGA 3960 CATTGCTCAT TTGAGGGATA TTAGCAATCA TCTTGCATCC AACTCAGCTC ATGCTAACGA 4020 AGGCGCTGGT GAGCTTCTTC GTCAACCATC TCTGGAATCA GTTGCATCCC ATCGATCATC 4080 GATGTCATCG TCGTCGAAAA GCAGCAAGCA GGAGAAGATC AGCTTGAGCT CGTTTGGCAA 4140 GARCAAGAAG AGCTGGATCC GCTCCTCACT CTCCAAGTTC ACCAAGAAGA AGAACAAGAA 4200 CTACGACGAA GCACATATGC CATCAATTTC CGGATCTCAA GGAACTCTTG ACAACATTGA 4260 TGTGATTGAG TTGAAGCAAG AGCTCAAAGA ACGCGATAGT GCACTTTACG AAGTCCGCCT 4320 TGACAATCTG GATCGTGCCC GCGAAGTTGA TGTTCTGAGG GAGACAGTGA ACAAGTTGAA 4380 AACCGAGAAC AAGCAATTAA AGAAAGAAGT GGACAAACTC ACCAACGGTC CAGCCACTCG 4440 TGCTTCTTCC CGCGCCTCAA TTCCAGTTAT CTACGACGAT GAGCATGTCT ATGATGCAGC 4500

#### 95/99 FIG 39 CONTINUED. GTGTAGCAGT ACATCAGCTA GTCAATCTTC GAAACGATCC TCTGGCTGCA ACTCAATCAA 4560 GGTTACTGTA AACGTGGACA TCGCTGGAGA AATCAGTTCG ATCGTTAACC CGGACAAAGA 4620 GATAATCGTA GGATATCTTG CCATGTCAAC CAGTCAGTCA TGCTGGAAAG ACATTGATGT 4680 TTCTATTCTA GGACTATTTG AAGTCTACCT ATCCAGAATT GATGTGGAGC ATCAACTTGG 4740 AATCGATGCT CGTGATTCTA TCCTTGGCTA TCAAATTGGT GAACTTCGAC GCGTCATTGG 4800 AGACTCCACA ACCATGATAA CCAGCCATCC AACTGACATT CTTACTTCCT CAACTACAAT 4860 CCGAATGTTC ATGCACGGTG CCGCACAGAG TCGCGTAGAC AGTCTGGTCC TTGATATGCT 4920 TCTTCCAAAG CAAATGATTC TCCAACTCGT CAAGTCAATT TTGACAGAGA GACGTCTGGT 4980 GTTAGCTGGA GCAACTGGAA TTGGAAAGAG CAAACTGGCG AAGACCCTGG CTGCTTATGT 5040 ATCTATTCGA ACARATCART CCGAAGATAG TATTGTTAAT ATCAGCATTC CTGAAAACAA 5100 TARAGRAGAR TIGCTICARG TEGRACERCE CCTEGRARAG ATCTTERGRA GCARAGRATC 5160 ATGCATCGTA ATTCTAGATA ATATCCCAAA GAATCGAATT GCATTTGTTG TATCCGTTTT 5220 TGCAAATGTC CCACTTCAAA ACAACGAAGG TCCATTTGTA GTATGCACAG TCAACCGATA 5280 TCARATCCT GAGCTTCARA TTCACCACAR TTTCARARTG TCAGTARTGT CGRATCGTCT 5340 CGAAGGATTC ATCCTACGTT ACCTCCGACG ACGGCGGTA GAGGATGAGT ATCGTCTAAC 5400 TGTACAGATG CCATCAGAGC TCTTCAAAAT CATTGACTTC TTCCCAATAG CTCTTCAGGC 5460 CGTCAATAAT TTTATTGAGA AAACGAATTC TGTTGATGTG ACAGTTGGTC CAAGAGCATG 5520 CTTGAACTGT CCTCTAACTG TCGATGGATC CCGTGAATGG TTCATTCGAT TGTGGAATGA 5580 GAACTTCATT CCATATTTGG AACGTGTTGC TAGAGATGGC AAAAAAACCT TCGGTCGCTG 5640 CACTTCCTTC GAGGATCCCA CCGACATCGT CTCTAAAAAA TGGCCGTGGT TCGATGGTGA 5700 AAACCCGGAG AATGTGCTCA AACGTCTTCA ACTCCAAGAC CTCGTCCCGT CACCTGCCAA 5760 CTCATCCCGA CAACACTTCA ATCCCCTCGA GTCGTTGATC CAATTGCATG CTACCAAGCA 5820 TCAGACCATC GACACATTT GAACAGAAGA CTCTAATCTT CTCTCGCCTC TCCCCCGCTT 5880 TCCTTATCTT CGTACCGGTA CCATGGTATT GATATCTGAG CTCCGCATCG GCCGCTGTCA 5940 TCAGATCGCC ATCTCGCGCC CGTGCCTCTG ACTTCTAAGT CCAATTACTC TTCAACATCC 6000 CTACATGCTC TTTCTCCCTG TGCTCCCACC CCCTATTTTT GTTATTATCA AAAAAACTTC 6060 TTCTTAATTT CTTTGTTTTT TAGCTTCTTT TAAGTCACCT CTAACAATGA AATTGTGTAG 6120 ATTCARRANT AGARTTARTT CGTARTARAR AGTCGRARAR ARTTGTGCTC CCTCCCCCCA 6180 TTAATAATAA TTCTATCCCA AAATCTACAC AATGTTCTGT GTACACTTCT TATGTTTTTT 6240 TTACTTCTGA TARATTTTTT TTGAAACATC ATAGAAAAAA CCGCACACAA AATACCTTAT 6300 CATATGTTAC GTTTCAGTTT ATGACCGCAA TTTTTATTTC TTCGCACGTC TGGGCCTCTC 6360 ATGACGTCAA ATCATGCTCA TCGTGAAAAA GTTTTGGAGT ATTTTTGGAA TTTTTCAATC 6420

FIG. 39 CONTINU	VED.		96/99		
AAGTGAAAGT TTATGAAATT AATT	TTCCTG (	CTTTTGCTTT	TTGGGGGTTT	CCCCTATTGT	6480
TTGTCAAGAG TTTCGAGGAC GGCG	TTTTTC I	TAAAAT	CACAAGTATT	GATGAGCACG	65,40
ATGCAAGAAA GATCGGAAGA AGGT	TTGGGT 1	rtgaggetca	GTGGAAGGTG	AGTAGAAGTT	6600
GATAATTTGA AAGTGGAGTA GTGT	CTATGG (	GTTTTTGCC	TTAAATGACA	GAATACATTC	6660
CCARTATACC ARACATARCT GTTT	AAAATT Á	AAACATTTTT	CTAAATTTTA	TATGATTTCT	6720
TTTAAATTTG CAAAAATTAC TTAA	ATTTGA A	ATTCCCGCGC	AAATGAGTGA	CTTCATTTTC	6780
TGCATTATTG TGTTTTCCGG CTAT	ATTAAT A	AGGTATTTGT	TTGTGTTTTT	CTTTATTTTA	6840
TGATTCGAAC TCCAATTTGT AAAT	TTTCGA F	ACATATTTCC	CTAAAGAAAA	aatatgatta	6900
ATCTGGAAAA ATTGGAAAAT TATT	TTTCAA A	ATAAAAAACA	aagaaaaaaa	TGAAGAAAAA	6960
CCTATTAGTT TGGCCATAAA ACGC	AAAAAT 0	GTCGAAAATG	ACGTCACTCA	TCTGCGCGGG	7020
AAATCAAGAA TAATTCGGCC TTTT	TTATTT 7	<b>PARADDTTTT</b>	TCGTAAAACA	TTTAGAAAAA	7080
TTTTTTAATA GTTATAGTGG GACT	GTATTC 1	<b>I</b> GTCATTTAG	GGCAAAAGCC	AGAGACGCTA	7140
CTCCACCGTT GGGGGATCCA CTAG	TCGGCC (	GTACGGGCCC	TTTCGTCTCG	CGCGTTTCGG	7200
TGATGACGGT GAAAACCTCT GACA	CATGCA C	GCTCCCGGAG	ACGGTCACAG	CTTGTCTGTA	7260
AGCGGATGCC GGGAGCAGAC AAGC	CCGTCA (	GGGCGCGTCA	GCGGGTGTTG	GCGGGTGTCG	7320
GGGCTGGCTT AACTATGCGG CATC	AGAGCA (	GATTGTACTG	AGAGTGCACC	ATATGCGGTG	7380
TGAAATACCG CACAGATGCG TAAG	GAGAAA A	ATACCGCATC	AGGCGGCCTT	AAGGGCCTCG	7440
TGATACGCCT ATTTTTATAG GTTA	ATGTCA 1	<b>TGATAATAAT</b>	GGTTTCTTAG	ACGTCAGGTG	7500
GCACTTTTCG GGGAAATGTG CGCG	GAACCC (	CTATTTGTTT	ATTTTTCTAA	ATACATTCAA	7560
ATATGTATCC GCTCATGAGA CAAT	AACCCT (	GATAAATGCT	TCAATAATAT	ŢGAAAAAGGA	7620
AGAGTATGAG TATTCAACAT TTCC	GTGTCG (	CCCTTATTCC	CTTTTTTGCG	GCATTTTGCC	7680
TTCCTGTTTT TGCTCACCCA GAAA	CGCTGG 7	TGAAAGTAAA	AGATGCTGAA	GATCAGTTGG	7740
GTGCACGAGT GGGTTACATC GAAC	TGGATC 1	TCAACAGCGG	TAAGATCCTT	GAGAGTTTTC	7800
GCCCCGAAGA ACGTTTTCCA ATGA	TGAGCA (	CTTTTAAAGT	TCTGCTATGT	GGCGCGGTAT	7860
TATCCCGTAT TGACGCCGGG CAAG	AGCAAC 1	TCGGTCGCCG	CATACACTAT	TCTCAGAATG	7920
ACTTGGTTGA GTACTCACCA GTCA	CAGAAA A	AGCATCTTAC	GGATGGCATG	ACAGTAAGAG	7980
AATTATGCAG TGCTGCCATA ACCA	TGAGTG A	ATAACACTGC	GGCCAACTTA	CTTCTGACAA	8040
CGATCGGAGG ACCGAAGGAG CTAA	CCGCTT 1	TTTTGCACAA	CATGGGGGAT	CATGTAACTC	8100
GCCTTGATCG TTGGGAACCG GAGC	TGAATG /	AAGCCATACC	AAACGACGAG	CGTGACACCA	8160
CGATGCCTGT AGCAATGGCA ACAA	CGTTGC (	GCAAACTATT	AACTGGCGAA	CTACTTACTC	8220
TAGCTTCCCG GCAACAATTA ATAG	actgga :	TGGAGGCGGA	TAAAGTTGCA	GGACCACTTC	8280
TGCGCTCGGC CCTTCCGGCT GGCT	GGTTTA :	TTGCTGATAA	ATCTGGAGCC	GGTGAGCGTG	8340


# 97/99

# FIG. 39 CONTINUED.


GGTCTCGCGG	TATCATTGCA	GCACTGGGGC	CAGATGGTAA	GCCCTCCCGT	ATCGTAGTTA	8400
TCTACACGAC	GGGGAGTCAG	GCAACTATGG	ATGAACGAAA	TAGACAGATC	GCTGAGATAG	8460
GTGCCTCACT	GATTAAGCAT	TGGTAACTGT	CAGACCAAGT	TTACTCATAT	ATACTTTAGA	8520
TTGATTTAAA	ACTTCATTTT	TAATTTAAAA	GGATCTAGGT	GAAGATCCTT	TTTGATAATC	8580
TCATGACCAA	AATCCCTTAA	CGTGAGTTTT	CGTTCCACTG	AGCGTCAGAC	CCCGTAGAAA	8640
AGATCAAAGG	ATCTTCTTGA	GATCCTTTTT	TTCTGCGCGT	AATCTGCTGC	TTGCAAACAA	8700
AAAAACCACC	GCTACCAGCG	GTGGTTTGTT	TGCCGGATCA	AGAGCTACCA	ACTCTTTTTC	8760
CGAAGGTAAC	TGGCTTCAGC	AGAGCGCAGA	TACCAAATAC	TGTCCTTCTA	GTGTAGCCGT	8820
AGTTAGGCCA	CCACTTCAAG	AACTCTGTAG	CACCGCCTAC	ATACCTCGCT	CTGCTAATCC	8880
TGTTACCAGT	GGCTGCTGCC	AGTGGCGATA	AGTCGTGTCT	TACCGGGTTG	GACTCAAGAC	8940
GATAGTTACC	GGATAAGGCG	CAGCGGTCGG	GCTGAACGGG	GGGTTCGTGC	ACACAGCCCA	9000
GCTTGGAGCG	AACGACCTAC	ACCGAACTGA	GATACCTACA	GCGTGAGCAT	TGAGAAAGCG	9060
CCACGCTTCC	CGAAGGGAGA	AAGGCGGACA	GGTATCCGGT	AAGCGGCAGG	GTCGGAACAG	9120
GAGAGCGCAC	GAGGGAGCTT	CCAGGGGGAA	ACGCCTGGTA	TCTTTATAGT	CCTGTCGGGT	9180
TTCGCCACCT	CTGACTTGAG	CGTCGATTTT	TGTGATGCTC	GTCAGGGGG	CGGAGCCTAT	9240
GGAAAAACGC	CAGCAACGCG	GCCTTTTTAC	GGTTCCTGGC	CTTTTGCTGG	CCTTTTGCTC	9300
ACATGTTCTT	TCCTGCGTTA	TCCCCTGATT	CTGTGGATAA	CCGTATTACC	GCCTTTGAGT	9360
GAGCTGATAC	CGCTCGCCGC	AGCCGAACGA	CCGAGCGCAG	CGAGTCAGTG	AGCGAGGAAG	9420
CGGAAGAGCG	CCCAATACGC	AAACCGCCTC	TCCCCGCGCG	TTGGCCGATT	CATTAATGCA	9480
GCTGGCACGA	CAGGTTTCCC	GACTGGAAAG	CGGGCAGTGA	GCGCAACGCA	ATTAATGTGA	9540
GTTAGCTCAC	TCATTAGGCA	CCCCAGGCTT	TACACTTTAT	GCTTCCGGCT	CGTATGTTGT	9600
GTGGAATTGT	GAGCGGATAA	CAATTTCACA	CAGGAAACAG	CT		9642

FIG. 40.

98/99



**SUBSTITUTE SHEET (RULE 26)** 



### **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶:
C12N 15/12, C07K 14/435, C12N 5/10,

(11) International Publication Number:

WO 96/38555

C12N 15/12, C07K 14/435, C12N 5/10, A01K 67/027, 67/033, A61K 38/17, A01H 5/00, C07K 16/18, C12N 5/26

(43) International Publication Date:

5 December 1996 (05.12.96)

(21) International Application Number:

PCT/EP96/02311

A3

(22) International Filing Date:

31 May 1996 (31.05.96)

(30) Priority Data:

9510944.3

31 May 1995 (31.05.95)

GB

(71)(72) Applicants and Inventors: BOGAERT, Thierry [BE/BE]; Voorstraat 36 bus 11, B-8500 Kortrijk (BE). STRINGHAM, Eve [CA/CA]; 9326-133 A Street, Surrey, British Columbia V3V 5R5 (CA). VANDEKERCKHOVE, Joel [BE/BE]; Rode Beukendreef 27, B-Loppem (BE).

(74) Agent: BALDOCK, Sharon, Claire; Boult Wade Tennant, 27 Furnival Street, London EC4A 1PQ (GB). (81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

#### Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(88) Date of publication of the international search report: 30 January 1997 (30.01.97)

(54) Title: UNC-53 FROM C. ELEGANS AND ITS USES IN TESTING COMPOUNDS INVOLVED IN THE CONTROL OF CELL BEHAVIOUR AND PHARMACEUTICAL COMPOSITIONS

#### (57) Abstract

UNC-53 protein of <u>C. elegans</u> or its functional equivalent is identified as a signal transducer/integrator involved in controlling the rate and directionality of cell migration and/or cell shape. Nucleic acid sequences encoding UNC-53 protein or its functional equivalent, such as genomic or cDNA are used to transfect <u>C. elegans</u> or mammalian cell lines useful for identifying inhibitors or enhancers of the UNC-53 protein. Any of the inhibitors or enhancers identified or the UNC-53 protein itself or sequences encoding UNC-53 protein can be used in the preparation of medicament for treatment of neurological conditions such as Alzheimer's or Huntingdon's disease, peripheral neuropathies for inhibition of metastasis.

### FOR THE PURPOSES OF INFORMATION ONLY


Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IB	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy .	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic		of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	SG	Singapore
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LR	Liberia	SZ	Swaziland
CS	Czechoslovakia	LT	Lithuania	· TD	Chad
CZ	Czech Republic	LU	Luxembourg	TG	Togo
DE	Germany	LV	Latvia	TJ	Tajikistan
DK	Denmark	MC	Monaco	TT	Trinidad and Tobago
EE	Estonia	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	UG	Uganda
FI	Finland	ML	Mali	US	United States of America
FR	France	MN	Mongolia	UZ	Uzbekistan
GA	Gabon	MR	Mauritania	VN	Viet Nam

### INTERNATIONAL SEARCH REPORT

Inte anal Application No
PCT/EP 96/02311

A. CLASSII IPC 6	TCATION OF SUBJECT MATTER C12N15/12 C07K14/435 A01H5/00 A61K38/17	C12N5/10 C07K16/18	A01K67/027 C12N5/26	A01K67/033	
According to	International Patent Classification (IPC) or to both	national classificat	ion and IPC		
B. FIELDS					
Minimum do IPC 6	cumentation searched (classification system followed CO7K C12N A01K A61K A0	t by classification 1H	symbols)		
Dogumenteti	on searched other than minimum documentation to t	he extent that such	documents are included in	the fields searched	
Electronic de	ata base consulted during the international search (na	me of data base as	nd, where practical, search to	rms used)	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT				
Category *	Citation of document, with indication, where appro	priate, of the relev	ant passages	Relevant to claim No.	
x	EMBL Database Entry CEF45 Accession number Z47810;	1-10			
A	XP002019188 & NATURE, vol. 368, no. 6466, 3 April 1994, LONDON				
GB, pages 32-38, R. WILSON ET AL.: "2.2 Mb of contiguous nucleotide sequence from chromosome III of C. elegans" see the whole document					
		-/			
		-/			
<u> </u>					
				Ì	
1					
X Fur	ther documents are listed in the continuation of box (	c.	Patent family member	rs are listed in annex.	
* Special c	stegories of cited documents:	τ	later document published	after the international filing date	
'A' docum	nent defining the general state of the art which is not		cated to understand the pa	n conflict with the application but rinciple or theory underlying the	
"E" earlier	dered to be of particular relevance r document but published on or after the international	ر ا	invention (* document of particular re	levance; the claimed invention	
filing	nent which may throw doubts on priority claim(s) or		involve an inventive step	vel or cannot be considered to when the document is taken alone	
citati	n is cited to establish the publication date of another on or other special reason (as specified)		cannot be considered to a	devance; the claimed invention involve an inventive step when the ith one or more other such docu-	
other	ment referring to an oral disclosure, use, exhibition or means		ments, such combination in the art.	being obvious to a person skilled	
P docur	nent published prior to the international filing date be than the priority date claimed		document member of the		
Date of th	e actual completion of the international search	<del>-</del>	Date of mailing of the int		
	4 December 1996			3. 12. 96 	
Name and	mailing address of the ISA  European Patent Office, P.B. 5818 Patentlaan	,	Authorized officer		
	NL - 2280 HV Ripswijk Td. (+31-70) 340-2040, Tx. 31 651 epo ni,	-	Montero Lo	pez. B	





Inte onal Application No PCT/EP 96/02311

	ntion) DOCUMENTS CONSIDERED TO BE RELEVANT	
egory *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
	JOURNAL OF NEUROSCIENCE 13 (10). 1993. 4254-4271. ISSN: 0270-6474, XP000612286 HEKIMI S ET AL: "Axonal guidance defects in a Caenorhabditis elegans mutant reveal cell-extrinsic determinants of neuronal morphology."	19,43
	, 55	1-18, 20-42, 44-88
	see abstract see page 4255, left-hand column, paragraph 2 - paragraph 3 see page 4267, right-hand column, paragraph 2 - page 4271, left-hand column, paragraph 3	
:		
i		

Form PCT/ISA/210 (continuation of second sheet) (July 1992)